

FAUQUIER COUNTY GOVERNMENT AND PUBLIC SCHOOLS

PROCUREMENT DIVISION

320 Hospital Drive, Suite 23

Warrenton, Virginia 20186

Phone: (540) 422-8354

Fax: (540) 422-8355

NOTICE OF CONTRACT EXTENSION

1. DATE: May 19, 2016
2. COMMODITY NAME: Asphalt Paving & Surface Treatment
3. CONTRACT NUMBER: 68-11khc
4. SUPERCEDES: 82-06bwc
5. CONTRACT PERIOD: June 1, 2015 through May 31, 2016
Extension Period: June 1, 2016 through November 30, 2016
6. CONTRACTOR(s):
Vendor #646315 Resurface, Inc.
9038 Hornbaker Road
Manassas, VA 20109
PH: 703-335-1950 FX: 703-335-2002
Contact: Matthew Pelow
matt@resurfaceva.com

Vendor# 630634 John Lake Paving
3766 Guard Hill Rd
Front Royal, VA 22630
PH: 540-635-5559 FX: 540-635-6657
Contact: Robert Lake
jlpaving@yahoo.com
8. TERMS: Net 45 days
9. DELIVERY: As Scheduled
10. FOR FURTHER INFORMATION CONTACT: Kathy Stanley, CPPO,
Senior Buyer
PH (540) 422-8354
Kathy.Stanley@fauquiercounty.gov

INSTRUCTIONS

1. Orders: All FCG&PS Using Departments must order services listed by issuing FCG&PS Purchase Orders per FCG&PS Procurement Procedures Manual. An extra copy of the Procedures Manual can be obtained by calling Procurement at (540) 422-8351 or 8352.
2. The applicable contract number, vendor number, estimated total dollar amount (can be done as a “Not to exceed” estimated figure), contact person with phone number, and billing/delivery address must be shown on each purchase order for Finance & Contractor use.
3. Inspection on delivery and approval of contractor’s invoice is the responsibility of the receiving using department.
4. Any complaint as to quality of goods or services, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to FCG&PS Procurement for handling with the Contractor. All complaints must be submitted in writing and can be forwarded to Procurement via fax or courier.
5. See Attached Price List for Resurface, Inc. & John Lake Paving
6. Use of Contract by Other Political Jurisdictions: This clause is contained in IFB#68-11kh, which became the contract. This contract may therefore be extended to Northern Virginia, Metropolitan Washington Council of Governments jurisdictions and other jurisdictions and Political Subdivisions of the Commonwealth of Virginia with the authorization of the Contractor. FCG&PS acts only as the “Contracting Agent” for these jurisdictions and political subdivisions.

**CONTRACT PRICING, WORK SITES 200 SQUARE YARDS AND LESS
Resurface, Inc.**

1.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$ <u>3.50/s.y.</u>
B.	Remove additional inch asphalt paving	\$ <u>1.25/s.y.</u>
C.	Remove six inches (6") stone base material	\$ <u>3.00/s.y.</u>
D.	Remove additional base per inch above 6"	\$ <u>.60/s.y.</u>
E.	Install 2" S-5 asphalt paving	\$ <u>12.75/s.y.</u>
F.	Install one additional inch S-5 paving	\$ <u>6.50/s.y.</u>
G.	Install three inches (3") B-3 asphalt paving	\$ <u>18.78/s.y.</u>
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>10.63/s.y.</u>
I.	Install additional inch 21-A stone above 6"	\$ <u>2.00/s.y.</u>
J.	Same as "A" except bid hand work	\$ <u>10.00/s.y.</u>
K.	Same as "B" except bid hand work	\$ <u>2.50/s.y.</u>
L.	Sames as "C" except bid hand work	\$ <u>5.50/s.y.</u>
M.	Sames as "D" except bid hand work	\$ <u>1.00/s.y.</u>
N.	Fine grading (up to one foot deep)	\$ <u>5.00/s.y.</u>
O.	Furnish and apply S-5 asphalt paving	\$ <u>105.00/ton</u>
P.	Furnish and apply 21-A stone	\$ <u>38.00/c.y.</u>
Q.	Haul dirt or stone offsite	\$ <u>18.00/ton</u>
2.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$ <u>4.00 /s.y.</u>
B.	Crack Sealant	\$ <u>1.40 /l.f. of crack ½" wide</u>
C.	Geotextile Fabric	\$ <u>5.00 /s.y.</u>
3.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$ <u>19.00/s.y.</u>
4.	<u>COLOR COAT SYSTEM</u>	\$ <u>10.50/s.y.</u>
5.	<u>PLAYING LINES</u>	\$ <u>1.00/l.f.</u>
6.	<u>TRAFFIC & LANE MARKINGS</u>	\$ <u>.30/l.f.</u>
7.	<u>CONCRETE CURB AND GUTTER</u>	
A.	Remove curb and gutter	\$ <u>12.00/l.f.</u>
B.	Remove 6" stone base material	\$ <u>4.00/l.f.</u>
C.	Remove additional inch stone base per inch above 6"	\$ <u>.75/l.f.</u>
D.	Install curb and gutter	\$ <u>22.00/l.f.</u>
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>3.75/l.f.</u>
F.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$ <u>.60/l.f.</u>
G.	Furnish and apply 21-A stone at 95% compaction	\$ <u>42.00 /c.y.</u>
H.	Install exposed aggregate handicap accessibility ramps	\$ <u>60.00/s.y.</u>
8.	<u>SIDEWALKS</u>	
A.	Remove and Replace	\$ <u>63.00/s.y.</u>
B.	New Sidewalks	\$ <u>35.00/s.y.</u>
9.	<u>PENETRATION SURFACE COURSE</u>	\$ <u>8.50/s.y.</u>
	COLOR	\$ <u>11.00/s.y.</u>

**CONTRACT PRICING, WORK SITES 201-500 SQUARE YARDS
Resurface, Inc.**

4.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$ <u>3.75/s.y.</u>
B.	Remove additional inch asphalt paving	\$ <u>1.20/s.y.</u>
C.	Remove six inches (6") stone base material	\$ <u>3.00/s.y.</u>
D.	Remove additional base per inch above 6"	\$ <u>.50/s.y.</u>
E.	Install 2" S-5 asphalt paving	\$ <u>10.50/s.y.</u>
F.	Install one additional inch S-5 paving	\$ <u>5.25/s.y.</u>
G.	Install three inches (3") B-3 asphalt paving	\$ <u>14.78/s.y.</u>
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>9.63/s.y.</u>
I.	Install additional inch 21-A stone above 6"	\$ <u>1.65/s.y.</u>
J.	Same as "A" except bid hand work	\$ <u>4.50/s.y.</u>
K.	Same as "B" except bid hand work	\$ <u>2.25/s.y.</u>
L.	Same as "C" except bid hand work	\$ <u>5.00/ s.y.</u>
M.	Same as "D" except bid hand work	\$ <u>1.00/s.y.</u>
N.	Fine grading (up to one foot deep)	\$ <u>2.50/s.y.</u>
O.	Furnish and apply S-5 asphalt paving	\$ <u>81.00/ton</u>
P.	Furnish and apply 21-A stone	\$ <u>35.00/c.y.</u>
Q.	Haul Dirt or stone offsite	\$ <u>18.00/ton</u>
5.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$ <u>3.25/s.y.</u>
B.	Crack Sealant	\$ <u>1.50 /l.f. of crack ½" wide</u>
C.	Geotextile Fabric	\$ <u>6.00/s.y.</u>
6.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$ <u>19.00/s.y.</u>
4.	COLOR COAT SYSTEM	\$ <u>10.50/s.y.</u>
5.	PLAYING LINES	\$ <u>1.00/l.f.</u>
7.	TRAFFIC & LANE MARKINGS	\$ <u>.30/l.f.</u>
8.	CONCRETE CURB AND GUTTER	
A.	Remove curb and gutter	\$ <u>12.00/l.f.</u>
B.	Remove 6" stone base material	\$ <u>4.00/l.f.</u>
C.	Remove additional inch stone base per inch above 6"	\$ <u>.75/l.f.</u>
D.	Install curb and gutter	\$ <u>20.00/l.f.</u>
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>3.75/l.f.</u>
F.	Install additional inch 21-A stone per inch above 6" at 95%compaction	\$ <u>.60/l.f.</u>
G.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$ <u>42.00/c.y.</u>
H.	Furnish and apply 21-A stone at 95% compaction	\$ <u>60.00/s.y.</u>
8.	SIDEWALKS	
A.	Remove and Replace	\$ <u>63.00/s.y.</u>
B.	New Sidewalks	\$ <u>35.00/s.y.</u>
8.	PENETRATION SURFACE COURSE	\$ <u>8.50/s.y.</u>
	COLOR	\$ <u>11.00/s.y.</u>

PAGE 2 OF 3

**CONTRACT PRICING, FOR WORK SITES 501 SQUARE YARDS AND OVER
Resurface, Inc.**

8.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$ <u>2.50/s.y.</u>
B.	Remove additional inch asphalt paving	\$ <u>1.00/s.y.</u>
C.	Remove six inches (6") stone base material	\$ <u>2.50/s.y.</u>
D.	Remove additional base per inch above 6"	\$ <u>.50/s.y.</u>
E.	Install 2" S-5 asphalt paving	\$ <u>9.75/s.y.</u>
F.	Install one additional inch S-5 paving	\$ <u>4.87/s.y.</u>
G.	Install three inches (3") B-3 asphalt paving	\$ <u>13.78/s.y.</u>
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>9.63/s.y.</u>
I.	Install additional inch 21-A stone above 6"	\$ <u>1.65/s.y.</u>
J.	Same as "A" except bid hand work	\$ <u>3.00/s.y.</u>
K.	Same as "B" except bid hand work	\$ <u>1.50/s.y.</u>
L.	Sames as "C" except bid hand work	\$ <u>4.00/s.y.</u>
M.	Sames as "D" except bid hand work	\$ <u>1.00/s.y.</u>
N.	Fine grading grade base stone	\$ <u>2.50/s.y.</u>
O.	Furnish and apply S-5 asphalt paving	\$ <u>81.00/ton</u>
P.	Furnish and apply 21-A stone	\$ <u>35.00/c.y.</u>
Q.	Haul dirt or stone offsite	\$ <u>18.00/ton</u>
9.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$ <u>3.25/s.y.</u>
B.	Crack Sealant	\$ <u>1.25/l.f.</u> of crack ½" wide
C.	Geotextile Fabric	\$ <u>5.00/s.y.</u>
10.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$ <u>19.00/s.y.</u>
4.	COLOR COAT SYSTEM	\$ <u>10.50/s.y.</u>
5.	PLAYING LINES	\$ <u>1.00/l.f.</u>
6.	TRAFFIC & LANE MARKINGS	\$ <u>.30/l.f.</u>
7.	CONCRETE CURB AND GUTTER	
A.	Remove curb and gutter	\$ <u>12.00/l.f.</u>
B.	Remove 6" stone base material	\$ <u>4.00/l.f.</u>
C.	Remove additional inch stone base per inch above 6"	\$ <u>.75/l.f.</u>
D.	Install curb and gutter	\$ <u>20.00/l.f.</u>
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>3.75/l.f.</u>
H.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$ <u>.60/l.f.</u>
G.	Furnish and apply 21-A stone at 95% compaction	\$ <u>42.00/c.y.</u>
H.	Install exposed aggregate handicap accessibility ramps	\$ <u>60.00/s.y.</u>
8.	SIDEWALKS	
A.	Remove and Replace	\$ <u>63.00/s.y.</u>
B.	New Sidewalks	\$ <u>35.00/s.y.</u>
9.	PENETRATION SURFACE COURSE	\$ <u>8.50/s.y.</u>
	COLOR	\$ <u>11.00/s.y.</u>

**SHEET WORK SITES 200 SQUARE YARDS AND LESS
JOHN LAKE PAVING & SURFACE TREATMENTS**

1.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$ <u>3.75/s.y.</u>
B.	Remove additional inch asphalt paving	\$ <u>1.50/s.y.</u>
C.	Remove six inches (6") stone base material	\$ <u>3.50/s.y.</u>
D.	Remove additional base per inch above 6"	\$ <u>0.70/s.y.</u>
E.	Install 2" S-5 asphalt paving	\$ <u>11.50/s.y.</u>
F.	Install one additional inch S-5 paving	\$ <u>5.55/s.y.</u>
G.	Install three inches (3") B-3 asphalt paving	\$ <u>15.00/s.y.</u>
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>9.00/s.y.</u>
I.	Install additional inch 21-A stone above 6"	\$ <u>1.25_/s.y.</u>
J.	Same as "A" except bid hand work	\$ <u>11.00/s.y.</u>
K.	Same as "B" except bid hand work	\$ <u>2.50/s.y.</u>
L.	Same as "C" except bid hand work	\$ <u>6.25_/s.y.</u>
M.	Same as "D" except bid hand work	\$ <u>1.00/s.y.</u>
N.	Fine grade base stone	\$ <u>11.00_/s.y.</u>
O.	Furnish and apply S-5 asphalt paving	\$ <u>98.00_/ton</u>
P.	Furnish and apply 21-A stone	\$ <u>35.00/c.y.</u>
Q.	Haul dirt or stone offsite	\$ <u>30.00/ton</u>
2.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$ <u>4.50/s.y.</u>
B.	Crack Sealant	\$ <u>2.75/l.f.</u> of crack ½" wide
C.	Geotextile Fabric	\$ <u>8.50_/s.y.</u>
3.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$ <u>20.00/s.y.</u>
4.	<u>COLOR COAT SYSTEM</u>	\$ <u>16.00/s.y.</u>
5.	<u>PLAYING LINES</u>	\$ <u>1.50 /l.f.</u>
6.	<u>TRAFFIC & LANE MARKINGS</u>	\$ <u>.30/l.f.</u>
7.	<u>CONCRETE CURB AND GUTTER</u>	
A.	Remove curb and gutter	\$ <u>12.50_/l.f.</u>
B.	Remove 6" stone base material	\$ <u>7.00_/l.f.</u>
C.	Remove additional inch stone base per inch above 6"	\$ <u>1.16_/l.f.</u>
D.	Install curb and gutter	\$ <u>29.00_/l.f.</u>
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$ <u>14.00/l.f.</u>
J.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$ <u>2.50/l.f.</u>
G.	Furnish and apply 21-A stone at 95% compaction	\$ <u>60.00/c.y.</u>
H.	Install exposed aggregate handicap accessibility ramps	\$ <u>75.00/s.y.</u>
8.	<u>SIDEWALKS</u>	
A.	Remove and Replace	\$ <u>63.00_/s.y.</u>
B.	New Sidewalks	\$ <u>35.00_/s.y.</u>
9.	<u>PENETRATION SURFACE COURSE</u>	\$ <u>14.50_/s.y.</u>
	COLOR	\$ <u>12.00/s.y.</u>

**PRICING SHEET FOR WORK SITES 201 – 500 SQUARE YARDS
JOHN LAKE PAVING & SURFACE TREATMENTS**

1.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$3.75/s.y.
B.	Remove additional inch asphalt paving	\$1.25/s.y.
C.	Remove six inches (6") stone base material	\$3.00/s.y.
D.	Remove additional base per inch above 6"	\$.65/s.y.
E.	Install 2" S-5 asphalt paving	\$10.50/s.y.
F.	Install one additional inch S-5 paving y.	\$4.35/s.y.
G.	Install three inches (3") B-3 asphalt paving	\$13.00/s.y.
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$7.50/s.y.
I.	Install additional inch 21-A stone above 6"	\$1.25/s.y.
J.	Same as "A" except bid hand work	\$5.00/s.y.
K.	Same as "B" except bid hand work	\$2.25/s.y.
L.	Sames as "C" except bid hand work	\$5.00/s.y.
M.	Sames as "D" except bid hand work	\$1.00/s.y.
N.	Fine grading (up to one foot deep)	\$2.00/s.y.
O.	Furnish and apply S-5 asphalt paving	\$80.00 /ton
P.	Furnish and apply 21-A stone	\$32.00/c.y.
q.	Haul dirt or stone offsite	\$25.00 / ton
2.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$4.00/s.y.
B.	Crack Sealant	\$2.75/l.f. of crack ½" wide
C.	Geotextile Fabric	\$4.50 /s.y.
3.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$18.00/s.y.
4.	<u>COLOR COAT SYSTEM</u>	\$16.00/s.y.
5.	<u>PLAYING LINES</u>	\$1.50/l.f.
6.	<u>TRAFFIC & LANE MARKINGS</u>	\$.30/l.f.
7.	<u>CONCRETE CURB AND GUTTER</u>	
A.	Remove curb and gutter	\$12.50/l.f.
B.	Remove 6" stone base material	\$7.00/l.f.
C.	Remove additional inch stone base per inch above 6"	\$1.16/l.f.
D.	Install curb and gutter	\$29.00 /l.f.
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$14.00/l.f.
F.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$ 2.50 /l.f.
G.	Furnish and apply 21-A stone at 95% compaction	\$60.00/c.y.
H.	Install exposed aggregate handicap accessibility ramps	\$75.00/s.y.
8.	<u>SIDEWALKS</u>	
A.	Remove and Replace	\$63.00 /s.y.
B.	New Sidewalks	\$35.00/s.y.
10.	<u>PENETRATION SURFACE COURSE COLOR</u>	\$14.50 /s.y. \$12.00/s.y.

**PRICING SHEET FOR WORK SITES 501 SQUARE YARDS AND OVER
JOHN LAKE PAVING & SURFACE TREATMENTS**

1.	<u>CLASS I REPAIR</u>	
A.	Remove two inches (2") asphalt paving	\$2.50/s.y.
B.	Remove additional inch asphalt paving	\$1.25 /s.y.
C.	Remove six inches (6") stone base material	\$3.00/s.y.
D.	Remove additional base per inch above 6"	\$.65 /s.y.
E.	Install 2" S-5 asphalt paving	\$10.05/s.y.
F.	Install one additional inch S-5 paving	\$4.35/s.y.
G.	Install three inches (3") B-3 asphalt paving	\$13.00/s.y.
H.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$7.50 /s.y.
I.	Install additional inch 21-A stone above 6"	\$1.25/s.y.
J.	Same as "A" except bid hand work	\$4.00/s.y.
K.	Same as "B" except bid hand work	\$1.40/s.y.
L.	Sames as "C" except bid hand work	\$4.00/s.y.
M.	Sames as "D" except bid hand work	\$1.00 /s.y.
N.	Fine grading (up to one foot deep)	\$2.00/s.y.
O.	Furnish and apply S-5 asphalt paving	\$80.00/ton
P.	Furnish and apply 21-A stone	\$32.00/c.y.
Q.	Haul dirt or stone offsite	\$25.00/ton
2.	<u>CLASS II REPAIR</u>	
A.	Asphalt Sealant	\$2.00/s.y.
B.	Crack Sealant	\$2.00/l.f. of crack 1/2" wide
C.	Geotextile Fabric	\$5.00/s.y.
3.	<u>CLASS III REPAIR</u>	
A.	Sub-base Bituminous Surfacing, Compaction	\$18.00/s.y.
4.	COLOR COAT SYSTEM	\$15.00/s.y.
5.	PLAYING LINES	\$1.50/l.f.
6.	TRAFFIC & LANE MARKINGS	\$.30/l.f.
7.	<u>CONCRETE CURB AND GUTTER</u>	
A.	Remove curb and gutter	\$13.00/l.f.
B.	Remove 6" stone base material	\$5.00/l.f.
C.	Remove additional inch stone base per inch above 6"	\$1.00/l.f.
D.	Install curb and gutter	\$ 29.00/l.f.
E.	Install 6" 21-A stone at 95% compaction (ASTM D-698)	\$14.00/l.f.
F.	Install additional inch 21-A stone per inch above 6" at 95% compaction	\$1.00/l.f.
G.	Furnish and apply 21-A stone at 95% compaction	\$35.00/c.y.
H.	Install exposed aggregate handicap accessibility ramp	\$75.00/s.y.
8.	<u>SIDEWALKS</u>	
A.	Remove and Replace	\$23.00/s.y.
B.	New Sidewalks	\$35.00 /s.y.
10.	<u>PENETRATION SURFACE COURSE COLOR</u>	\$5.00 /s.y. \$ 12.00/s.y.