

GENERAL SERVICES ADMINISTRATION Federal Supply Service

Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!®, a menu-driven database system. The INTERNET address GSA Advantage!® is: GSAAdvantage.gov.

**FSC Group 63,
ALARM AND SIGNAL SYSTEMS/FACILITY MANAGEMENT SYSTEMS,
PROFESSIONAL SECURITY/FACILITY**

LARGE CATEGORY: SECURITY AND PROTECTION



STANLEY CONVERGENT SECURITY SOLUTIONS, INC

850 Sunlight Drive

Fishers, IN 46037-6700

Phone: 702-569-7553

Fax: 317-578-4797

www.stanleycss.com

Contract Admin: April Carroll

Email: april.carroll@sbdinc.com

CONTRACT NUMBER:

GS-07F-9298S

PERIOD COVERED BY CONTRACT: February 1, 2021 through January 31, 2026

Pricelist current through Modification PA0081 Dated December 12, 2022

BUSINESS SIZE: Other than Small Business

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!™, a menu-driven database system. The Internet address for GSA Advantage!™ <http://www.fss.gsa.gov>. For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at <http://www.fss.gsa.gov>.

Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S

CUSTOMER INFORMATION:

1a. Awarded Special Item Number(s):

334220 – Surveillance Systems, Wearable Body Cameras and Vehicular Video - Includes surveillance systems, wearable body cameras, and vehicle videos, including video storage and services as part of a total solution.

NOTE: Subject to Cooperative Purchasing

334290 – Security and Detection Systems- Includes security and detection systems and devices, such as gas detectors, pressure level monitoring, patient/detainee monitoring systems, etc. NOTE: Excludes vehicular alarms. NOTE: Subject to Cooperative Purchasing

334290L – Physical Access Control Systems (PACS) – Legacy SIN - Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc. Includes non-FIPS physical access control systems. NOTE: Subject to Cooperative Purchasing

334290PACS – Physical Access Control Systems (PACS) - FIPS 201 - Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc. NOTE: The GSA FIPS 201 Evaluation Program defines product categories for the FIPS 201 APL as required to implement the mandates in OMB Memoranda M-05-24 and M-06-18. For the avoidance of doubt, ONLY THOSE PRODUCTS FOUND ON THE GSA APL ARE FIPS 201 COMPLIANT. All approved products can be found on the APL (Approved Products List) at idmanagement.gov. NOTE: Subject to Cooperative Purchasing

334512 – Total Solutions Support Products for Facility Management Systems - Includes products to support facilities management systems, such as repair parts, surveillance systems, security functions, energy functions, building comfort systems, etc. NOTE: Subject to Cooperative Purchasing

238910 – Installation and Site Preparation - Include installation and site preparation services ordered in conjunction with buildings and structures, building materials, storage tanks/systems, services for alternative energy solutions or power distribution equipment, and fuel dispensing and management systems purchased under this schedule contract. For ordering limitations and information, refer to the Special Ordering Procedures/Ordering Guide posted on www.gsa.gov

NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

541330L – Security System Integration, Design, Management and Life Cycle Support - Includes services involving the security integration/management discipline, which supports security products and

Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S

systems throughout their lifecycle. Services may include, but are not limited to: testing, production, fielding, process improvement, disposal, etc. NOTE: Subject to Cooperative Purchasing

OLM – Order Level Materials - **OLMs** are supplies and/or services acquired in direct support of an individual task or delivery order placed against a Schedule contract or BPA. **OLM** pricing is not established at the Schedule contract or BPA level, but at the order level. Since **OLMs** are identified and acquired at the order level, the ordering contracting officer (OCO) is responsible for making a fair and reasonable price determination for all **OLMs**. **OLMs** are procured under a special ordering procedure that simplifies the process for acquiring supplies and services necessary to support individual task or delivery orders placed against a Schedule contract or BPA. Using this new procedure, ancillary supplies and services not known at the time of the Schedule award may be included and priced at the order level. **OLM** SIN-Level Requirements/Ordering Instructions: **OLMs** are: - Purchased under the authority of the FSS Program - Unknown until an order is placed - Defined and priced at the ordering activity level in accordance with GSAR clause 552.238-115 Special Ordering Procedures for the Acquisition of Order-Level Materials. (Price analysis for **OLMs** is not conducted when awarding the FSS contract or FSS BPA; therefore, GSAR 538.270 and 538.271 do not apply to **OLMs**) - Only authorized for use in direct support of another awarded SIN. - Only authorized for inclusion at the order level under a Time-and-Materials (T&M) or Labor-Hour (LH) Contract Line Item Number (CLIN) - Subject to a Not To Exceed (NTE) ceiling price **OLMs** are not: Open Market Items. - Items awarded under ancillary supplies/services or other direct cost (ODC) SINs (these items are defined, priced, and awarded at the FSS contract level) **OLM** Pricing: - Prices for items provided under the Order-Level Materials SIN must be inclusive of the Industrial Funding Fee (IFF). The value of **OLMs** in a task or delivery order, or the cumulative value of **OLMs** in orders against an FSS BPA awarded under an FSS contract, cannot exceed 33.33%. NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

1b. Lowest Priced Item: See pricing section.

1c. Labor Categories & Hourly Rates: Please refer to our Labor Section

2. MAXIMUM ORDER THRESHOLD:

SIN 334220 - \$250,000 per SIN/per

Order SIN 334290 - \$250,000 per

SIN/per Order SIN 334290L -

\$250,000 per SIN/per Order

SIN 334290PACS- \$250,000 per SIN/per
Order

SIN 334512 - \$250,000 per SIN/per Order

SIN 238910 - \$250,000 per SIN/per Order

SIN 541330I - \$250,000 per SIN/perOrder

SIN OLM - **OLMs** The value of **OLMs** in a task or delivery order, or the cumulative value of **OLMs** in orders against an FSS BPA awarded

Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S

under an FSS contract, **cannot exceed 33.33%**. NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

3. MINIMUM ORDER: \$100

4. GEOGRAPHIC COVERAGE: 50 United States and Washington DC, Puerto Rico and U.S. Territories

5. PRODUCTION POINT: Vancouver, British Columbia, Canada, North York, ON, Canada, Springfield, MO, Carrollton, TX; Van Nuys, CA; Lancaster, PA; Minnetonka, MN; Kimball, NE; Irvine, CA; Louisville, CO; Campbell, CA; Manchaug, MA; Torrance, CA; Woburn, MA; Londonerry, NH, Vernon Hills, IL,

6. BASIC DISCOUNT- Prices herein are NET, discount has been applied.

7. QUANTITY DISCOUNTS: None

3.

8. PROMPT PAYMENT TERMS: Net 30 Days

9a. GOVERNMENT PURCHASE CARDS ARE ACCEPTED UP TO THE MICROPURCHASE THRESHOLD.

9b. GOVERNMENT PURCHASE CARDS ARE ACCEPTED ABOVE THE MICROPURCHASE THRESHOLD.

10. FOREIGN ITEMS:

Avigilon – Canada

Lenel – Japan, Taiwan, Canada, China, Spain, Philippines, South Korea, Mexico, Norway, South Africa, Lithuania

Software House – Mexico, Canada,

China, Germany, HID – Mexico,

France

AXIS – Poland, Sweden, Mexico, Japan, United Kingdom,

Taiwan, Czech Republic DMP – N/A

Magnasphere – N/A

11a. TIME OF DELIVERY: 30 DARO

11b. EXPEDITED DELIVERY: 21 DARO based on advance notice and stock availability

11c. OVERNIGHT DELIVERY: Consult with Contractor

11d. URGENT REQUIREMENTS: Consult with Contractor

12. FOB POINT: FOB Destination for 48 Contiguous United States, FOB Origin from Point of Exportation for Alaska, Hawaii, Puerto Rico and U.S. Territories

**Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S**

13a. ORDERING ADDRESS: Stanley Convergent Security Solutions, Inc.

Stanley Convergent Security Solutions, Inc. 850 Sunlight
Drive
Fishers, IN 46037-6700
Phone Number: 702-569-7553
Fax Number: 317-578-4797
Email: april.carroll@sbdinc.com

OR

Authorized Sonitrol Franchise

13b. ORDERING PROCEDURES: For Supplies and Services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) can be found in Federal Acquisition Regulation (FAR) 8.405-3.

14. PAYMENT ADDRESS:

Stanley Convergent Security Solutions
DEPT CH 10651
Palatine, IL 60055-0651

or

Authorized Sonitrol Franchise

15. WARRANTY PROVISIONS: Standard Commercial Warranty incorporated in lieu of any/all other Warranty Clauses referenced in the Solicitation.

16. EXPORT PACKING CHARGES: N/A

17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE:
N/A

18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE OR REPAIR: N/A

19. TERMS AND CONDITIONS OF INSTALLATION: SIN 238910

20. TERMS AND CONDITIONS OF REPAIR PARTS: N/A

20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES: N/A

21. LIST OF SERVICE AND DISTRIBUTION POINTS: CONTACT CONTRACTOR

22. LIST OF PARTICIPATING DEALERS: N/A

23. PREVENTATIVE MAINTENANCE: N/A

Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S

24a. SPECIAL ATTRIBUTES: N/A

24b. SECTION 508: N/A

25. UEI#: HLW1YN5UVZM5

**26. NOTIFICATION REGARDING REGISTRATION IN SYSTEM
FOR AWARD MANAGEMENT (SAM) DATABASE** CAGE Code:
37MH5; Federal Tax ID: 20-1044950, CURRENT

Stanley Convergent Security Solutions, Inc.
Federal Supply Schedule
GS-07F-9298S

Labor Category Descriptions

Program Manager (SIN 541330L, 334512)

Program Managers serve as the primary point of contact with the client and is responsible for program planning, risk management, business development, new and emergent technology procurement and overall systems management and staff supervision. He/She manages assigned contracts to ensure that implementation and prescribed activities are carried out in accordance with specified objectives: Plans and develops methods and procedures for implementing program, directs and coordinates program activities, and exercises control over personnel responsible for specific functions or phases of program. Selects and assigns personnel according to knowledge and experience. Outlines program objectives and individual responsibilities for tasks and phases associated with the contract. Directs and coordinates personally, or through subordinate managerial personnel, activities concerned with implementation and carrying out objectives of program/contract. Reviews reports and records of activities to ensure progress is being accomplished toward specified program objective/deliverables and modifies or changes methodology as required redirecting activities and attaining objectives. Prepares program reports and controls expenditures in accordance with contract budget allocations.

Senior Program Manager

Minimum Experience: 8-10 years experience in a security-related field.

Minimum Education Requirements: Masters Degree or a level of experience that commensurate with the rigors of an advanced degree.

Program Manager

Minimum Experience: 5-8 years experience in a security-related field.

Minimum Education Requirements: Bachelors Degree or a level of experience that commensurate with the rigors of an advanced degree.

Project Manager (SIN 541330L, 334512)

The Project Manager serves as the main liaison with the customer. He or she works with engineering and technical personnel. Plans, directs, and coordinates activities of staff involved in developing procedures, equipment, and techniques to solve problems. Schedules and assigns duties to engineering and technical staff based on evaluation of their knowledge of specific disciplines. Confers with project engineers to formulate installation plan, coordinate project activities, and establish reporting procedures. Prepares project feasibility and progress reports. Coordinates activities of personnel conducting successive phases of problem analysis, solution proposals, and testing. Reviews technical aspects of project to assist staff and assess productivity. Reviews project operations to ensure coordination of efforts and timely submission of reports. Analyzes reports to evaluate program effectiveness and budgetary needs. Approves expenditures necessary for completion of project. Coordinates planning, testing, and operating phases to complete project.

Project Manager II

Minimum Experience: 5-10 years management experience.

Minimum Education Experience: Bachelors Degree or a level of experience that commensurate with the rigors of a diploma.

Project Manager I

Minimum Experience: 3 -5 years management experience.

Minimum Education Experience: High School diploma or a level of experience that commensurate with the rigors of a diploma.

Electronic Security Engineers (SIN 541330L, 334512)

The Senior Engineer is responsible for the overall scope of an integrated security solution. The SE will implement the protocols required for the integration of multiple security disciplines to include infrastructure, connectivity, hardware and software. The SE is responsible for the overall selection of manufacturer and equipment required to implement the design solution. The SE develops requirements and specifications, and serves as overall solution analyst, responsible for planning coordinating and controlling engineering operations. The SE also is responsible for testing and validating system performance.

Minimum Experience: 5-8 years experience in a related field.

Minimum Education Requirements: Bachelors degree or a level of experience that commensurate with the rigors of an advanced degree.

The Systems Design Engineer is responsible for processing conceptual security solutions and applying them to a technical design plan and layout. The SDE is responsible for assuring that specifications of equipment and software will meet the conceptual requirements accounting for the intended or existing infrastructure and connectivity available, ensuring that a product will work with proposed devices, by testing theoretical designs evaluating whether they will perform consistently in specified operating environments. The SDE performs mission needs analysis, operational requirements analysis, specification review, design analysis, simulation and staging, material engineering, system reliability, maintainability, security, configuration management, software development and subsystem support. The SDE is the senior programmer responsible for the overall software configuration and hardware integration. He/she supports senior field engineers, and maintenance technicians.

Minimum Experience: 5-8 years experience in a related field.

Minimum Education Requirements: Bachelors degree or a level of experience that commensurate with the rigors of an advanced degree. Senior Field Engineers assist in supervising field employees assigned to a particular installation. He/She also assist in evaluation and solution of potential field problems, referring them to Sr. Engineers or Project Managers. Field Engineers provides technical engineering information and interpretation of blue prints, plans, detail sheets and specifications for contractors. This position finds solutions to conflicts in design drawings and specifications by conferring with the engineering team then coordinates agreed upon solutions with the various sub-trades. Also responsible for reporting accurate quantities for labor cost reports, accurately monitors material ledgers to determine if quantities remaining in the estimate are sufficient to complete the project in the field. As a member of the Project Site Team, the Sr. Field Engineer coordinates inspections with consultants and authorities as required by the contract, inspects for conformance to design drawings, assists Project Managers by enforcing quality control and expediting subcontractors, reviews shop drawings for conformance with the contract and ensures information is communicated to engineers and project managers. The Sr. Field Engineer's input is critical to the development of the final as-built drawings.

Minimum Experience: 3-5 years experience in a related field.

Minimum Education Requirements: Bachelors degree or a level of experience that commensurate with the rigors of an advanced degree.

Technicians (541330L, 334512, 238910)

Technicians maintain and support operational security/facility management electronic systems with supervision. installs, maintains, and operates electronic security equipment. Implements system testing and preventive maintenance programs. Performs routine technical security integration functions related to the support of the development of security engineering activities such as set-up, operation, maintenance, modification, circuit testing, calibration and trouble shooting and repair of electronic or electro-mechanical systems, experimental design circuitry, prototype models or specialized test equipment. Works from the following: schematics, logic diagrams, written and verbal descriptions, layouts, and plans. Both installation and maintenance technicians are responsible for providing end user training. Technicians may be responsible for conduit, cable and fiber optic infrastructure removal and installation. Performs testing troubleshooting, aligning and adjusting of complete electronic and computer systems, equipment, or components. Experience in performing field installation, troubleshooting, repair and on-site operation and maintenance of electronic, electromechanical, and/or mechanical systems, subsystems and components, along with associated software and data/communication networks. Works independently to install, operate, maintain, troubleshoot and/or repair highly complex mechanical, electronic or integrated systems. Applies working technical knowledge to perform routine or complex tasks in troubleshooting and repairing equipment and performing such activities as taking test measurements, performing test/calibration procedures, observing results, and recording information for evaluation. Possesses technical knowledge and experience to solve complex problems and trains end users.

Installation Technician I

Minimum Experience: 0-3 years experience in a related field.

Minimum Education Requirements: High school diploma, technical training or a level of experience that commensurate with the rigors of a diploma.

Installation Technician II

Minimum Experience: 3-5 years experience in a related field.

Minimum Education Requirements: High school diploma, technical training or a level of experience that commensurate with the rigors of a diploma.

Installation Technician III

Minimum Experience: 5-10 years experience in a related field.

Minimum Education Requirements: High school diploma, technical training or a level of experience that commensurate with the rigors of a diploma.

Installation Technician IV

Minimum Experience: 10 + years experience in a related field.

Minimum Education Requirements: High school diploma, technical training or a level of experience that commensurate with the rigors of a diploma.

GSA LABOR RATES:

Program Manager	\$192.44
Project Manager II	\$142.07
Project Manager I	\$124.94
Electronic Security Senior Engineer	\$136.02
Installation Technician IV	\$154.16
Installation Technician III	\$145.09
Installation Technican II	\$136.02
Installation Technician I	\$109.82

EXHIBIT O

LIST OF SONITROL FRANCHISEES (As of May 28, 2020)

Following is a list of Sonitrol franchisees who were in operation at any time during Stanley Black & Decker, Inc.'s most recent fiscal year (December 30, 2018 through December 28, 2019) and were still in operation as of the issuance date of this disclosure document.

Arkansas:

Little Rock/Central

Arkansas Sonitrol – Central
Arkansas 3773 Corporate
Center Drive Earth City, MO
63045
Phone: 501-663-9090
Fax: 501-663-5121
Mr. Michael Shaw, Dealer

California:

Bakersfield

Sonitrol of Bakersfield
5251 Office Park Drive #150
Bakersfield, CA 93309
Phone: 661-322-4337
Fax: 661-322-4485
Ms. Joey Rao-Russell, President

Berkley

Sonitrol of Berkley – Richmond
3090 Teagarden Street
San Leandro, CA 94577
Phone: 510-638-7173
Fax: 510-881-8192
Ms. Joey Rao-Russell, President

Big Bear Lake

Hawaii Smart Security, LLC
dba Sonitrol of San Bernardino Mountains
41937 Big Bear Blvd
Big Bear Lake, CA 92315
Phone: 844-856-6050
Fax: 844-856-6049
Mr. Tracy Jones, Dealer/President

Concord

Sonitrol Security, Inc.¹
1300 Galaxy Way, Suite 6
Concord, CA 94520
Phone: 925-687-1055
Fax: 925-687-1127
Mr. George Nicolino, Distributor

Contra Costa County

Sonitrol of Contra Costa County
837 Arnold Drive, Suite 101
Martinez, CA 94533
Phone: 925-689-8360
Fax: 925-296-0444
Ms. Joey Rao-Russell, President

Fresno

Sonitrol of Fresno
4220 Figarden Drive
Fresno, CA 93722
Phone: 559-264-5924
Fax: 559-233-7739
Ms. Joey Rao-Russell, President

Gold Coast/(Irvine/Orange/Lake Forest)

Sonitrol of Orange County
23 Mauchly # 100
Irvine, CA 92618
Phone: 949-297-4351
Fax: 949-297-4390
Mr. Ronald Files, President/CEO

Marin and Sonoma Counties

Sonitrol of Marin & Sonoma Counties
150 Executive Park Blvd., Suite 2600
San Francisco, CA 94103
Phone: 415-552-9700
Fax: 415-552-9538
Ms. Joey Rao-Russell, President

Modesto

Sonitrol of Modesto
250 Cherry Lane
Modesto, CA 95337
Phone: 209-527-8100
Fax: 209-466-3828
Ms. Joey Rao-Russell, President

¹ Sonitrol Security, Inc. operates as a Sonitrol franchise distributor and not a Sonitrol franchisee.

Napa/Solano

Sonitrol of Napa & Solano Counties
837 Arnold Drive, Suite 100
Martinez, CA 94553
Phone: 925-689-8360
Fax: 925-296-0444
Ms. Joey Rao-Russell, President

Northwest Los Angeles/Ventura County

Sonitrol of NW Los Angeles/Ventura County
9520 Topanga Canyon
Chatsworth, CA 91311
Phone: 888-766-6876
Fax: 661-322-4485
Ms. Joey Rao-Russell, President

Oakland

Sonitrol of Oakland
3090 Teagarden Street
San Leandro, CA 94577
Phone: 510-638-7173
Fax: 510-881-8192
Ms. Joey Rao-Russell, President

Sacramento

Sonitrol of Sacramento
1334 Blue Oaks Blvd.
Roseville, CA 95678
Phone: 916-338-6700
Fax: 916-332-2321
Mr. Ronald Files, President/CEO

San Francisco

Sonitrol of San Francisco
150 Executive Park Blvd., Suite 2600
San Francisco, CA 94103
Phone: 415-552-9700
Fax: 415-552-9538
Ms. Joey Rao-Russell, President

***San Leandro/Southern Alameda
and Hayward Counties***

Sonitrol of Southern Alameda County
3090 Teagarden Street
San Leandro, CA 94577
Phone: 510-638-7173
Fax: 925-296-0444
Ms. Joey Rao-Russell, President

Santa Clara and San Jose

Sonitrol of San Mateo & Santa Clara Counties
1587 Schallenberger Road
San Jose, CA 95131
Phone: 408-998-2002
Fax: 408-293-0252
Mr. Paul W. Shumate, President/CEO

Stockton

Sonitrol of Stockton
250 Cherry Lane
Modesto, CA 95337
Phone: 209-527-8100
Fax: 209-466-3828
Ms. Joey Rao-Russell, President

Connecticut:***Bridgeport***

Sonitrol Security Systems of Bridgeport
685 Honeyspot Road
Stratford, CT 06615
Phone: 203-335-8111
Fax: 203-366-1602
Mr. Jeff Hickey, Dealer

Hartford

Sonitrol New England - Hartford
65 Inwood Road
Rocky Hill, CT 06067
Phone: 860-247-4500
Fax: 860-616-7583
Mr. Douglas M. Curtiss, President

Delaware:***Delaware Valley***

Sonitrol of the Delaware Valley
802 First State Boulevard
Wilmington, DE 19804
Phone: 302-652-3060
Fax: 302-652-3062
Mrs. Judy Ottosen, Dealer
Mr. Joe Allen, Dealer/GM

Florida:***Bay County***

Sonitrol of Bay County
1136 Thomasville Road
Tallahassee, FL 32303
Phone: 850-769-0010
Fax: 850-769-4555
Mr. Doug Smith, Dealer

East Coast Florida

Sonitrol of East Coast Florida
1136 Thomasville Road
Tallahassee, FL 32303
Phone: 321-504-6069
Fax: 321-504-6382
Mr. Doug Smith, Dealer

Ft. Lauderdale

Sonitrol of Fort Lauderdale
1770 NW 64th Street, Suite
630 Ft. Lauderdale, FL 33309
Phone: 954-772-9700
Fax: 954-772-7466
Mr. John Ray III, President

North Central Florida (Ocala/Gainesville)

Sonitrol of North Central Florida
2500 NW 10th Street, Unit 103
Ocala, FL 34475
Phone: 352-369-6300
Fax: 352-369-2003
Mr. Walter Conrad, Dealer

Northeast Florida

Sonitrol of Northeast Florida
9700 Phillips Highway, Suite
108
Jacksonville, FL 32256
Phone: 904-900-1640
Mr. Bryan Bates, Dealer

Northwest Florida

Sonitrol of Northwest
Florida 201 N Pace Blvd
Pensacola, FL 32505
Phone: 850-432-5090
Fax: 850-432-4101
Mr. Doug Smith, Dealer

Sarasota

Sonitrol of Sarasota
6710 Professional Parkway, # 323
Sarasota, FL 34240
Phone: 941-342-9966
Fax: 941-343-0097
Mr. Doug Smith, Dealer

Tallahassee

Sonitrol of Tallahassee, Inc.
1136 Thomasville Road
Tallahassee, FL 32303
Phone: 850-205-5000
Fax: 850-224-1843
Mr. Doug Smith, Dealer

Georgia:***Macon (Middle Georgia)***

Sonitrol of Middle Georgia
308 Indian Creek Circle
Adel, GA 31620

Phone: 229-896-6190
Fax: 866-210-3044
Mr. Tim LeBlanc, Dealer

Hawaii:***Hawaii***

Sonitrol of Hawaii
3375 Koapaka St. # F215
Honolulu, HI 96819
Phone: 808-847-5966
Fax: 808-842-1305
Mr. Tracy Jones, Dealer/President

Idaho:***Boise***

Sonitrol Pacific – Boise²
3657 W. Wright Street
Boise, ID 83705
Phone: 208-426-9367
Fax: 208-426-9369
Mr. Beau Bradley, Dealer
Mr. Chris Morrow, GM

Illinois:***Chicagoland North***

Sonitrol Great Lakes - Chicago
3215 Arnold Lane
Northbrook, IL 60062
Phone: 847-205-0670
Fax: 847-205-0677
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

Indiana:***Anderson***

Sonitrol of Anderson
120 West 6th Street
Anderson, IN 46016-1199
Phone: 765-649-4236
Fax: 765-649-4237
Mr. Scott Payne, Dealer

Evansville

Sonitrol of Evansville, Inc.
208 NW 3rd Street
Evansville, IN 47708-1234
Phone: 812-422-1210
Fax: 812-467-7236
Mr. Samuel C. Standring, Dealer

² The franchisee operating the Sonitrol Pacific - Boise franchise, along with Mr. Paul Shumate,

also operates as a Sonitrol franchise distributor under the name "Sonitrol Rocky Mountain."

Fort Wayne

Sonitrol of Fort Wayne
3409 East State Blvd.
Ft. Wayne, IN 46805
Phone: 260-422-1290
Fax: 260-422-7154
Mr. Jeff Stanford, Dealer

Muncie

Sonitrol Security Systems of Muncie, LLC
229 W. Ontario Drive
Muncie, IN 47303
Phone: 812-422-1210
Fax: 812-467-7236
Dr. Mark Standing, Dealer
Mr. Samuel C. Standring, GM/VP

South**Bend/Mishawaka**

Sonitrol of South Bend.
513 McKinley Avenue
Mishawaka, IN 46545
Phone: 574-334-7478
Fax: 574-387-5735
Mr. Chuck Hoffman, Dealer

Kentucky:**Lexington**

Sonitrol of Lexington, Inc.
3166 Custer Drive
Lexington, KY 40517
Phone: 859-255-2525
Fax: 859-255-4020
Mr. Sonny Bates, Dealer
Mr. Jeremy Bates, GM

Western**Kentucky/Louisville**

Sonitrol of Western Kentucky
9630 Ormsby Station Road
Louisville, KY 40223
Phone: 502-966-8999
Fax: 502-966-5758
Mr. Ken Krapf, Dealer

Louisiana:**Lake Charles**

Sonitrol of SW Louisiana
2200 East Prien Lake Road
Lake Charles, LA 70601
Phone: 337-439-2711
Fax: 337-478-1469
Mr. Michael Shaw, Dealer

New Orleans

Sonitrol of New Orleans, Inc.³
2217 Ridgelake Drive
Metairie, LA 70001
Phone: 504-837-7144
Fax: 504-835-0010
Mr. Bill Hattier, Dealer

Shreveport

Sonitrol of Shreveport
3007 Knight Street
Shreveport, LA 71105
Phone: 318-222-0855
Fax: 318-459-3856
Mr. Michael Shaw, Dealer

Massachusetts:**Springfield**

Sonitrol New England – Western Massachusetts
65 Inwood Road
Rocky Hill, CT 06067
Phone: 413-781-7840
Fax: 860-616-7584
Mr. Douglas M. Curtiss, President

Michigan:**Detroit (Macomb/Oakland)**

Sonitrol Great Lakes – Detroit
7241 Fenton Road
Grand Blanc, MI 48439
Phone: 248-473-9400
Fax: 248-473-9480
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

Detroit (Wayne)

Sonitrol Great Lakes – Detroit
7241 Fenton Road
Grand Blanc, MI 48439
Phone: 248-473-9400
Fax: 248-473-9480
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

³ The franchisee also operates as a Sonitrol franchise distributor.

Flint

Sonitrol Great Lakes – Flint
7241 Fenton Road
Grand Blanc, MI 48439
Phone: 248-473-9400
Fax: 248-473-9480
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

Grand Rapids

Sonitrol Great Lakes – Grand Rapid
7241 Fenton Road
Grand Blanc, MI 48439
Phone: 248-473-9400
Fax: 248-473-9480
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

Nevada:**Northern Nevada**

Sonitrol of Northern Nevada
1325 Airmotive Way, Suite 210
Reno, NV 89502
Phone: 775-337-6800
Fax: 775-337-6822
Ms. Joyce Roberts-Dawson, Dealer
Mr. Adam Greer, VP of Sales

Southern Nevada

Sonitrol of Southern Nevada
3520 East Charleston Blvd.
Las Vegas, NV 89104
Phone: 702-384-7400
Fax: 702-384-2619
Ms. Joyce Roberts-Dawson, Dealer
Mr. Adam Greer, VP of Sales

New Jersey:**Trenton/Central New Jersey**

Sonitrol of Central
New Jersey 127 Route 206,
Suite 23
Hamilton, NJ 08610
Phone: 609-890-0017
Fax: 609-890-4509
Mr. Karl Ottosen, Dealer
Mr. Kyle Chadwick, GM

New York:**Buffalo**

Sonitrol Security Systems of Buffalo, Inc.
195 Elm Street
Buffalo, NY 14203-2098
Phone: 716-847-0900
Fax: 716-847-0431
Mr. David P. Jones, Dealer
Mr. Paul A. Nickel, Dealer

Rochester

Sonitrol Security Systems of Rochester
2024 West Henrietta Road, Bldg. 6A
Rochester, NY 14623-1395
Phone: 585-292-0900
Fax: 585-292-0924
Mr. Paul A. Nickel, Dealer
Mr. David P. Jones, Dealer

Syracuse

Sonitrol Services of New York,
Inc. 911 North Geddes Street
Syracuse, NY 13204
Phone: 315-422-4141
Fax: 315-422-5817
Mr. Cooper MacDonnell, Dealer

North Carolina:**Charlotte**

Sonitrol Security Services,
Inc. 815 Wood Ridge Center
Drive Charlotte, NC 28217
Phone: 704-423-1111
Fax: 704-423-3438
Mr. William Price, President/CEO
Mr. Wylie Fox, GM

Gastonia

Sonitrol Security Services,
Inc. 815 Wood Ridge Center
Drive Charlotte, NC 28217
Phone: 704-423-1111
Fax: 704-423-3438
Mr. William Price, President/CEO
Mr. Wylie Fox, GM

Raleigh

Sonitrol Integrated Security -
Triangle 901 Paverstone Drive
Raleigh, NC 27615
Phone: 919-848-3611
Fax: 919-848-3830
Mr. Chuck Harrelson, Dealer

Triad/Greensboro

Sonitrol Integrated Security - Triad
1250 Revolution Mill Drive, Suite
149
Greensboro, NC 27405
Phone: 336-272-1111
Fax: 336-273-4630
Mr. Chuck Harrelson, Dealer

Ohio:***Cincinnati***

Sonitrol of Southwest Ohio
15 Pinnacle Point Drive
Miamisburg, OH 45342
Phone: 513-719-4000
Fax: 513-719-4050
Mr. Chip Shiver, Dealer

Dayton

Sonitrol of Southwest Ohio
15 Pinnacle Point Drive
Miamisburg, OH 45342
Phone: 937-228-7301
Fax: 937-228-2573
Mr. Chip Shiver, Dealer

Hamilton (Butler County)

Sonitrol of Butler County, Inc.
900 Ross Avenue
Hamilton, OH 45013
Phone: 513-868-2080
Fax: 513-868-2877
Mr. Mike Pope, Dealer

Toledo

Sonitrol Great Lakes – Toledo
7241 Fenton Road
Grand Blanc, MI 48439
Phone: 248-473-9400
Fax: 248-473-9480
Mr. Leo Wanstreet, Dealer
Mr. Mike Wanstreet, President

Oregon:***Bend***

Sonitrol of East Cascades
410 SW Columbia Street
Bend, OR 97702
Phone: 844-856-6050
Fax: 844-856-6049
Mr. Tracy Jones, Dealer/President

Portland

Sonitrol Pacific - Portland
8220 N. Interstate Avenue
Portland, OR 97217
Phone: 503-223-5822
Fax: 503-973-7773
Mr. Beau Bradley, Dealer
Mr. Jim Payne, President

Pennsylvania:***Pittsburgh***

Sonitrol of Pittsburgh
610 Melwood Avenue
Pittsburgh, PA 15213
Phone: 412-681-6700
Fax: 412-681-6827
Mr. Judi Weiss, Dealer
Mr. Dan Wiegand, CFO

Rhode Island:***Providence***

Sonitrol New England - Rhode Island
26 Hemingway Drive, Unit 4
Riverside, RI 02915
Phone: 401-272-8791
Fax: 401-272-5980
Mr. Douglas M. Curtiss, President
Mr. Joel Zimmerman, VP of Operations

South Carolina:***Charleston***

Sonitrol Security Systems of Charleston, Inc.
4455 Tile Drive
North Charleston, SC 29405-8400
Phone: 843-747-0904
Fax: 843-566-8000
Mr. John C. Rama, Dealer/President
Mr. Alan S. Rama, Dealer/VP

Greenville

Sonitrol Security Services, Inc.
150 W. Phillips Road, Suite E
Greer, SC 29650
Phone: 864-284-9494
Fax: 864-879-9607
Mr. Bill Price, Dealer
Mr. Wylie Fox, GM

Spartanburg

Sonitrol Security Services, Inc.
150 W. Phillips Road, Suite E
Greer, SC 29650
Phone: 864-284-9494
Fax: 864-879-9607
Mr. William Price, President/CEO
Mr. Wylie Fox, GM

The Midlands/Columbia

Sonitrol Security Systems of the Midlands
1545 Burnette Drive
Columbia, SC 29210
Phone: 803-794-4357
Fax: 803-551-5514
Mr. Alan S. Rama, Dealer
Mr. John Rama, Dealer
Mr. Allan Derrick, GM

Tennessee:**Knoxville**

Sonitrol Security Systems of Knoxville, LLC
529 North Gay Street
Knoxville, TN 37917
Phone: 865-637-3931
Fax: 865-637-3933
Mr. Matthew W. Harris, GM

Texas:**El Paso**

Southwest Sonitrol
4042 Doniphan Drive
El Paso, TX 79922
Phone: 915-587-1000
Fax: 915-581-0689
Mr. Frank Stewart II, Dealer

Longview/East Texas

Sonitrol of East Texas
3773 Corporate Center
Drive Earth City, MO 63045
Phone: 903-757-5500
Fax: 903-758-1423
Mr. Michael Shaw, Dealer

Utah:**Salt Lake City**

Sonitrol of Utah
4089-A West Nike
Drive West Jordan, UT
94089 Phone: 801-
748-1034
Fax: 801-748-1043
Mr. Paul Shumate, Dealer
Mr. Dan Shumate, VP-Director

Virginia:**Richmond**

Sonitrol of Greater Richmond, Inc.
2540 Gaskins Road
Richmond, VA 23058
Phone: 804-270-7900
Fax: 804-747-6450
Mr. William Kiley, Dealer

Washington:**Everett**

Sonitrol Pacific – Everett
2221 California Avenue
Everett, WA 98201
Phone: 425-258-3655
Fax: 425-258-3658
Mr. Beau Bradley, Dealer
Mr. Jim Payne, President

Seattle

Sonitrol Pacific-Seattle
1406 140th Place NE, Suite 200
Bellevue, WA 98007
Phone: 425-641-8948
Fax: 425-641-8958
Mr. Beau Bradley, Dealer
Mr. Jim Payne, President

Tacoma

Sonitrol Pacific - Tacoma
5911 Orchard Street
Tacoma, WA 98467
Phone: 253-383-5051
Fax: 253-627-7672
Mr. Beau Bradley, Dealer
Mr. Jim Payne, President

Vancouver

Sonitrol of SW Washington
8510 (Suite C) East Mill Plain Blvd.
Vancouver, WA 98664
Phone: 360-696-2911
Fax: 360-696-2901
Mr. Joe Keller, Dealer
Mrs. Jenny Keller, Dealer

CANADA:⁴

Alberta

Sonitrol of Western Canada
#30-3033 King George Highway
Surrey, British Columbia V4P 1B8
Phone: 604-542-5330
Mr. Joe Wilson, Dealer

British Columbia

Sonitrol of Western Canada
#30-3033 King George Highway
Surrey, British Columbia V4P 1B8
Phone: 604-542-5330
Mr. Joe Wilson, Dealer

South Central

Ontario/Burlington Sonitrol of
South Central Ontario 1800 Appleby
Line #17
Burlington, Ontario L7L 6A1
Phone: 905-319-1772
Mr. Ed Bodbyl, Dealer

Toronto

Sonitrol of Toronto⁵
5875 Kennedy Road
Mississauga, Ontario L4Z 2G3
Phone: 905-890-7727
Mr. Dave P. Jones, Dealer
Mr. Paul A. Nickel, Dealer

⁴ As listed in this Exhibit, we have some Sonitrol franchisees located in Canada, and while we are including these franchisees in this Exhibit, this disclosure document is not to be considered an offer for franchise opportunities in Canada.

⁵ The franchisee operating the Sonitrol of Toronto franchise also operates as a Sonitrol franchise distributor under the name "Sonitrol Canada."

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	307	Clip-on Tamper Switch	\$ 10.22	US
334290	DMP	308	10K Ohm Replacement EOL Resistor with wire leads	\$ 1.58	US
334290	DMP	309	3.3K Ohm Replacement EOL Resistor with wire leads	\$ 1.58	US
334290	DMP	310	1K Ohm Resistor with wire leads	\$ 1.58	US
334290	DMP	318	Battery Harness for standard battery leads	\$ 9.78	US
334290	DMP	319	3 Amp fuses (for use with SCS-1R Receiver), (pkg of 5)	\$ 3.88	US
334290	DMP	330	Dual-ended 4-wire harness	\$ 5.04	US
334290	DMP	395	SCS-105 Data Cable	\$ 19.57	US
334290	DMP	399	Direct Connect Update/Programming Cable	\$ 24.16	US
334290	DMP	431	Output Harness for XR500 Series	\$ 5.11	US
334290	DMP	572	Remote Indicator LED	\$ 9.92	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	708	Bus Extender (set of two modules)	\$ 267.35	US
334290	DMP	710	Bus Splitter/Repeater	\$ 38.84	US
334290	DMP	711	Single Point Zone Expander, rotary switch addressing	\$ 22.59	US
334290	DMP	715	Four Point Zone Expander for two-wire smoke detectors	\$ 56.25	US
334290	DMP	716	Output Expander	\$ 73.80	US
334290	DMP	777	Cover, Clear w/ Thumblock	\$ 65.59	US
334290	DMP	780	Keypad Demonstrator Module for any DMP LCD	\$ 66.61	US
334290	DMP	341-G	Gray steel ATM size enclosure with dual .75" or .5" knockouts, and module mounting holes.	\$ 58.41	US
334290	DMP	349S-G	Standard panel enclosure shelf. Room for two 7.7 Ah batteries	\$ 15.10	US
334290	DMP	350C-G	350C is a Conduit backbox that attaches to the rear of the enclosure to provide additional conduit positions.	\$ 31.51	US
334290	DMP	350S-G	Standard panel enclosure shelf. Room for two 7.7 Ah batteries.	\$ 23.29	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	351-G	The Universal Mounting Plate is a mounting skirt that allows you to upgrade older DMP 1812 series control panels without removing the enclosure and conduit from the wall. It will also quickly and easily allow you to upgrade all Radionics enclosures to any DMP XR Series Command Processor Panel.	\$ 42.30	US
334290	DMP	352S-G	Extra Large enclosure with five shelves to hold batteries for standby power. Dimensions: 14.5" x32" x4" (lid add 0.5" on each side)	\$ 280.39	US
334290	DMP	352X-G	Extra large enclosure with transformer and mounting plate to hold an XR Series panel, power supply, and one zone expander PCB. One battery shelf included. Dimensions: 14.5" x 32" x 4" (lid adds 0.5" on each side)	\$ 267.73	US
334290	DMP	354A-G	This mounting plate allows you to install two 714 or 715 8 or 16 point zone expander PCBs without removing the enclosure and conduit from the wall.	\$ 37.97	US
334290	DMP	356-2	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 2 feet.	\$ 2.45	US
334290	DMP	356-7	Telephone cable for connecting interface cards and panels to RJ31X and RJ38X telephone jacks. 7 feet.	\$ 3.02	US
334290	DMP	357-X-10	Ten foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.	\$ 7.34	US
334290	DMP	505-12A-G	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a heavy gauge metal enclosure. (115 VAC, 12 VDC)	\$ 233.91	US
334290	DMP	505-12-G	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a metal enclosure. (115 VAC, 12 VDC)	\$ 218.53	US
334290	DMP	505-12L-G	The 505-12 is a power limited, switching power supply that meets UL, CSFM, NFPA, and FCC compliance standards. The 505-12 is rated for 12 VDC @ 5 Amps maximum. Each power supply includes a transformer, battery leads, and a large metal enclosure. (115 VAC, 12 VDC)	\$ 219.83	US
334290	DMP	699-W	White powder-coated metal deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot longcord for plugging into RJ11 jack.	\$ 27.19	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	7060A-W	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC) (White)	\$ 118.27	US
334290	DMP	7060N-W	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). White	\$ 97.11	US
334290	DMP	7060-W	32-character alphanumeric LCD keypad in a sleek design with green backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. (8.5-15 VDC) White	\$ 97.11	US
334290	DMP	7063A-W	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Blue backlit Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) White	\$ 153.65	US
334290	DMP	7063N-W	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Built-in proximity card reader for codeless arming/disarming. Keypad turns red in alarm condition. (8.5-15 VDC)	\$ 132.50	US
334290	DMP	7063-W	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) White	\$ 132.50	US
334290	DMP	7070A-W	32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC) White	\$ 143.72	US
334290	DMP	7070-W	32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White	\$ 122.58	US
334290	DMP	7073A-W	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)	\$ 210.62	US
334290	DMP	7073N-W	32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC) (White)	\$ 189.61	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	712-8	Addressable expander with eight grounded burglary zones with dip switch addressing. Provides 3-hole pattern for simple installation in panel enclosureIncludes EOL resistors. (8.5-15 VDC)	\$ 42.72	US
334290	DMP	714-16	Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or ¾" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 162.85	US
334290	DMP	714-16L-G	Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or ¾" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 199.10	US
334290	DMP	714-16L-R	Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or ¾" conduit knockouts. Includes 340 red enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 199.10	US
334290	DMP	714-16PCB	Terminal block installation for sixteen burglary or class B non-powered fire devices. Includes EOL resistors. (8.8-15 VDC)	\$ 147.47	US
334290	DMP	714-16-R	Terminal block installation with a standard enclosure for sixteen burglary or Class B non-powered fire devices. 20-gauge enclosure with ½" or ¾" conduit knockouts. Includes 340 re enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 162.85	US
334290	DMP	714-18T	The 714 Zone Expansion Module with the 718T Plug-in Screw Terminal. Four 5 VDC powered zones, 12-wire harness, and rotary-switch addressing with screw-type terminal connection for 14 to 22-gauge device wiring. (8.8-15 VDC)	\$ 54.24	US
334290	DMP	714-19T	The 714 Zone Expansion Module with the 719T Terminal Board. Four 5 VDC powered zones, 12-wire harness, and rotary-switch addressing with dual terminal strips. (8.8-15 VDC)	\$ 64.60	US
334290	DMP	714-8L-R	Terminal block installation with a standard enclosure for eight burglary orClass B non-powered fire devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes 340 red enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 131.78	US
334290	DMP	714-8PCB	Terminal block installation eight burglary or Class B non-powered fire devices. Includes EOL resistors. (8.8-15 VDC)	\$ 81.15	US
334290	DMP	714-8-R	Terminal block installation with a standard enclosure for eight burglary orClass B non-powered fire devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes 340 red enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 96.11	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	714-X	Four 5 VDC Class B zones and rotary-switch addressing. Module and harness, mounted in snap-track housing. Includes 12-wire harness. (No enclosure, Non-UL, 8.8-15 VDC)	\$ 39.85	US
334290	DMP	715-16	Terminal block installation in a standard enclosure for 16 12 VDC powered zones supporting two-wire smoke detectors or other fire alarm initiating devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes red 340 enclosure with lock and key plus EOL resistors. (9.9-15 VDC)	\$ 199.69	US
334290	DMP	715-16PCB	Terminal block installation for eight 12 VDC powered zones supporting two-wire smoke detectors or other fire alarm initiating devices. Includes EOL resistors. (9.9-15 VDC)	\$ 168.32	US
334290	DMP	715-18T	The 715 Zone Expansion Module with the 718T Plug-in Screw Terminal. Four 12 VDC Class B zones and rotary-switch addressing with screw-type terminal connection for 14 to 22-gauge device wiring. (9.9-15 VDC)	\$ 64.60	US
334290	DMP	715-20T	The 715 Zone Expansion Module with the 720T Terminal Board. Four 12 VDC Class B zones and rotary-switch addressing with dual terminal strips. (9.9-15 VDC)	\$ 73.80	US
334290	DMP	715-8	Terminal block installation in a standard enclosure for eight 12 VDC powered zones supporting two-wire smoke detectors or other fire alarm initiating devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes red 340 enclosure with lock and key plus EOL resistors. (9.9-15 VDC)	\$ 112.80	US
334290	DMP	715-8PCB	Terminal block installation for eight 12 VDC powered zones supporting two-wire smoke detectors or other fire alarm initiating devices. Includes EOL resistors. (9.9-15 VDC)	\$ 88.77	US
334290	DMP	7160-W	32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, keyboard includes number keys only, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC). Ivory	\$ 97.11	US
334290	DMP	7173-W	LCD Keypad with 4 Zones, Prox Reader and Door Access Relay. 32-character LCD keypad in a sleek new design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). White	\$ 189.61	US
334290	DMP	718T	Plugs onto 714 or 715 Zone Expansion Module header to provide a screwtype terminal connection for 14 to 22-gauge device wiring. To order with the 714 or 715 Modules, specify 714-18T or 715-18T.	\$ 10.22	US
334290	DMP	719T	Dual terminal strips allow wiring from zones on 714 Zone Expanders and pass through wiring from panel's LX-Bus. Accommodates 14 to 22-gauge wire and provides individual 1K EOL resistors for zone termination and dual-ended 12-wire harness. To order with the 714, specify 714-19T.	\$ 20.43	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	721T	Terminal strip for wiring from zones on the Command Processor panel. The terminal strip accommodates 14 to 22 gauge wire and provide individual EOL resistors for zone termination.	\$ 10.79	US
334290	DMP	7360-W	Fixed Icon LCD keypad displays both intuitive symbols and messages for panel operation. Available in the Thinline Series plastics, with green backlighting, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, and shortcut keys making operation faster for common arming functions. Keypad turns red in alarm condition. (8.5-15 VDC) White	\$ 47.34	US
334290	DMP	7363-W	Fixed Icon LCD keypad displays both intuitive symbols and messages for panel operation. Built-in proximity card reader for codeless arming/disarming. Available in the Thinline Series plastics, with green backlighting, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, and shortcut keys making operation faster for common arming functions. Keypad turns red in alarm condition. (8.5-15 VDC) White	\$ 78.98	US
334290	DMP	SCS-104	The SCS-104 provides four digital dialer (DD) lines and a network connection for communication to DMP panels. Each card includes one shielded eight-pin modular connector (J1) for the digital data network connection. This allows the SCS-1R Receiver to accept alarm and system messages over a network from DMP panels. Each card also includes a non-shielded eight-pin modular connector (J3) that supports up to four digital dialer lines, when connected to a standard RJ61 jack.	\$ 1,090.50	US
334290	DMP	SCS-110	Provides power to a maximum of five line cards through the receiver's backplane connectors. No additional cables are needed.	\$ 156.52	US
334290	DMP	SCS-120	Provides power to the main processor card (SCS-1062) through the receiver's backplane connectors. Monitors the condition of the processor card and the voltage output of the SCS-110 Modem Power Supply Card as well as its own internal voltages. No additional cables are needed.	\$ 424.54	US
334290	DMP	SCS-130	Powers the modem and multibus power supply cards. Terminals are provided for connecting 120 VAC to the system and a power cord is provided for connecting to the multibus rack cooling fan.	\$ 326.29	US
334290	DMP	SCS150/CONVERT	Required for the conversion from the SCS-1062 in the SCS-1R Receiver to the SCS-150 Processor Board.	\$ 1,078.55	US
334290	DMP	SCS-203	Mounts on the back of the receiver and provides three cable connectors for attaching a local printer and host computer. Includes necessary cables for connecting to the receiver components.	\$ 97.39	US
334290	DMP	SCS-204	Allows you to connect the receiver host output to the Remote Link computer. The SCS-204 is 25 ft. long with a DB-25 male and DB-25 female connector on each end.	\$ 63.15	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	SCS-208	Connects the various system voltages between the transformer card and the SCS-120 Multibus Power Supply Card.	\$ 59.27	US
334290	DMP	THIN-ICON-B/10	Replacement black keypad housing only. Pack of 10.	\$ 25.47	US
334290	DMP	THIN-ICON-I/10	Replacement ivory keypad housing only. Pack of 10.	\$ 25.47	US
334290	DMP	THIN-ICON-W/10	Replacement white keypad housing only. Pack of 10.	\$ 25.47	US
334290	DMP	697	Plastic keypad wall cover 9" x 9"	\$ 13.24	US
334290	DMP	698	Plastic keypad wall cover 7.4" x 11"	\$ 13.81	US
334290	DMP	714	Four Point Zone Expander	\$ 48.23	US
334290	DMP	307-S	Screw-on tamper switch. Model 306 harness needed for connection to DMP panel.	\$ 3.59	US
334290	DMP	310/25	1K Ohm replacement resistor with wire leads. Pack of 25	\$ 39.57	US
334290	DMP	318EXT	48" extension allows you to extend the panel battery wires.	\$ 11.72	US
334290	DMP	318R	Allows you to connect two batteries with ring-style battery leads to the panel. Suitable for use in fire applications.	\$ 9.78	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	330-4	A dual-ended 4-wire cable that allows you to quickly and easily connect a variety of devices for programming and installation purposes.	\$ 6.18	US
334290	DMP	350A-G	The 350A is a large, Grade A, attack-resistant enclosure that has a heavy 16-gauge rolled steel door, tamper switches, and an inside mounting bracket for a wire-in transformer. Models 350B, 350C, and 350D can be added to provide for accessory module installations and additional conduit positions. UL listed. Dimensions: 17.5" W x 13.5" H x 3.75" D	\$ 74.99	US
334290	DMP	350B	The 350B is a slide-in bracket that provides a standard 3-hole pattern for auxiliary module installation	\$ 6.47	US
334290	DMP	350D-92	Mounting plate that is easily installed in any enclosure to provide a standard 3-hole pattern for mounting DMP auxiliary modules. Also used with the iCOMSL and 377 Trouble Annunciator Module for UL Fire and Burglary applications.	\$ 18.14	US
334290	DMP	354-G	This mounting plate allows you to install a 714 or 715 8 or 16 point zone expander without removing the enclosure and conduit from the wall.	\$ 28.62	US
334290	DMP	357-X	Five foot crossover Cat-5 cable for XR500 Series Command Processor panels. Allows programming directly from a laptop NIC card without a network.	\$ 7.05	US
334290	DMP	695-B	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5", Black	\$ 18.98	US
334290	DMP	695-W	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other non-penetrable surfaces. The 695 provides three 1/2" x 3/4" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5", White	\$ 18.98	US
334290	DMP	696-W	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other non-penetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5", White	\$ 20.73	US
334290	DMP	7073-W	32-character LCD keypad in a sleek design with self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity card reader for codeless arming/disarming. Includes harness. Keypad turns red in alarm condition. (8.5-15 VDC). White	\$ 198.24	US
334290	DMP	714-8	Terminal block installation with a standard enclosure for eight burglary or Class B non-powered fire devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 100.47	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	714-8L-G	Terminal block installation with a standard enclosure for eight burglary or Class B non-powered fire devices. 20-gauge enclosure with 1/2" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	\$ 137.78	US
334290	DMP	714-X-18T	Four 5 VDC Class B zones and rotary-switch addressing. Module and harness, mounted in snap-track housing. Includes 12-wire harness with terminal block. (No enclosure, Non-UL, 8.8-15 VDC)	\$ 48.88	US
334290	DMP	736P	Allows existing POPIT, POPEX, and OctoPOPIT modules and wiring to be left while upgrading the Radionics control panel to a DMP panel. Supervises up to 100 POPIT zones from the DMP LX-Bus and up to 32 zones on the Keypad Bus. (12 VDC)	\$ 136.24	US
334290	DMP	9060-W	The DMP 9060 is a fully functioning supervised wireless keypad. 32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, self-test diagnostics, three 2-button Panics, and alert sounder. Keypad turns red in alarm condition. (8.5-15 VDC)	\$ 150.49	US
334290	DMP	ES501	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Dimensions: 4.25" x 5.625" x 2.5"	\$ 20.45	US
334290	DMP	ES502	Low voltage plug-in transformer enclosure. Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Also used for physically protecting plug-in surge protectors. Dimensions: 4.25" x 5.625" x 3.75"	\$ 26.64	US
334290	DMP	REMOTE LINK	Remote Programming Software on CD with Manual	\$ 71.92	US
334290	DMP	RP-44	Satin Stainless Steel Plate with One D.P.D.T. (Double Pole, Double Throw) Latching Switch, Contacts Rated 2 Amps. Allows for N/O and N/C configurations.	\$ 18.82	US
334290	DMP	SCS-105	Provides one line of dialer or multiplex operation. Capable of proprietary receiver or remote uploading/downloading operations. Includes serial cable for connection to IBM or compatible computer using DMP Remote Link or System Link software.	\$ 552.01	US
334290	DMP	SCS1R-SPARES	Spare board kit. Includes: SCS-1R Keypad PCB; SCS-150 Processor Card; SCS-100 Dialer Line Card; SCS-101 Network Line Card; SCS-110 Modem Power Card; SCS-120 Multibus Power Supply Card; SCS-130 Transformer Card	\$ 2,086.03	US
334290L	Lenel	5365EGP00	MiniProx, Gray w/ Pigtail Leads (5-16 VDC)	\$ 183.60	CA

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	5375AGN00	MaxiProx, Gray, (24 VDC)	\$ 546.69	US
334290L	Lenel	LNL-9551M1	MIFARE 13,56 Mhz Card with magnetic stripe; 1 Kbyte/8Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$ 6.11	TW
334290L	Lenel	LNL-9558	MIFARE 13,56 Mhz Card; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$ 7.87	TW
334290L	Lenel	LNL-9558M1	MIFARE 13,56 Mhz Card with magnetic stripe; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	\$ 8.41	TW
334290L	Software House	132-183	Security screwdriver for IP-ACM / Ultra LT plastic enclosure and RM series readers	\$ 93.52	CA
334290L	Software House	132-184	Security screws (set of 2) for IP-ACM / Ultra LT plastic enclosure and RM series readers	\$ 3.35	CA
334290L	Software House	AS0073-000	I8 Eight Input Reader Bus Module	\$ 313.96	US
334290L	Software House	AS0073-CSI	I8-CSI Eight Input Reader Bus Module Provides eight configurable supervised inputs	\$ 387.45	CA
334290L	Software House	AS0074-000	R8 Eight Output Reader Bus Module	\$ 370.75	US
334290L	Software House	CC9000-ADD5CLI	Additional CC9000 5 Client workstations (Admin, Monitoring or Web Client)	\$ 1,159.00	US
334290L	Software House	CC9000-ADDCLI	Additional Client Workstation (Admin, Monitoring or Web Client)	\$ 387.45	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-ADDCLIB	Additional Client of C•CURE ID - Badging Workstation license	\$ 2,034.10	US
334290L	Software House	CC9000-ADDIO	Additional software input/output points Increments of 256 inputs and outputs per each unit purchased	\$ 1,937.23	US
334290L	Software House	CC9000-KIT	C•CURE 9000 Software USB Quick Start Guide and Box Includes Microsoft 2014 SQL Express (C•CURE 9000 License Sold Separately)	\$ 76.83	CA
334290L	Software House	CC9000-KIT-SQL	C•CURE 9000 Software USB, Quick Start Guide, Box and Microsoft SQL Server 2016 Standard Edition DVD with four- core Processor License (C•CURE 9000 License Sold Separately)	\$ 5,056.84	CA
334290L	Software House	CC9000-L-MSU	Upgrade Series L System License to Series M Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 701.41	US
334290L	Software House	CC9000-L-RDSU	CCURE 9000 Series L, second copy for redundant servers	\$ 617.91	US
334290L	Software House	CC9000-MAS1	C•CURE 9000 Master Application Server 1, License Only, 1,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 3,787.62	US
334290L	Software House	CC9000-MAS2	C•CURE 9000 Master Application Server 2, License Only, 10,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 7,662.08	US
334290L	Software House	CC9000-MAS3	C•CURE 9000 Master Application Server 3, License Only, 25,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 11,529.85	US
334290L	Software House	CC9000-MAS4	C•CURE 9000 Master Application Server 4, License Only, 100,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 19,265.41	US
334290L	Software House	CC9000-MAS5	C•CURE 9000 Master Application Server 5, License Only, 250,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 27,004.31	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-M-NSU	Upgrade Series M System License to Series N Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 1,930.55	US
334290L	Software House	CC9000-M-RDSU	CCURE 9000 Series M, second copy for redundant servers	\$ 1,182.38	US
334290L	Software House	CC9000-MTL	Migration of a single C•CURE 800 Model 1 to a single C•CURE 9000 Series L (Migration Tool DVD and C•CURE 9000 Series L USB and license Included)	\$ 784.92	US
334290L	Software House	CC9000-MTM	Migration of a single C•CURE 800 Model 1 to a single C•CURE 9000 Series M (Migration Tool DVD and C•CURE 9000 Series M USB and license Included)	\$ 1,376.10	US
334290L	Software House	CC9000-MTN	Migration of a single C•CURE 800 Model 5 to a single C•CURE 9000 Series N (Migration Tool DVD and C•CURE 9000 Series N USB and license Included)	\$ 2,805.64	US
334290L	Software House	CC9000-MTP	Migration of a single C•CURE 800 Model 10 to a single C•CURE 9000 Series P (Migration Tool DVD and C•CURE 9000 Series P USB and license Included)	\$ 4,525.77	US
334290L	Software House	CC9000-MTQ	Migration of a single C•CURE 800 Model 20 to a single C•CURE 9000 Series Q (Migration Tool DVD and C•CURE 9000 Series Q USB and license Included)	\$ 7,324.74	US
334290L	Software House	CC9000-MTR	Migration of a single C•CURE 800 Model 30 to a single C•CURE 9000 Series R (Migration Tool DVD and C•CURE 9000 Series R USB and license Included)	\$ 11,215.89	US
334290L	Software House	CC9000-MTRP	Migration of a single C•CURE 800 Model 40 to a single C•CURE 9000 Series R Plus (Migration Tool DVD and C•CURE 9000 Series R Plus USB and license Included)	\$ 14,953.41	US
334290L	Software House	CC9000-MTS	Migration of a single C•CURE 8000 to a single C•CURE 9000 Series S (Migration Tool DVD and C•CURE 9000 Series S USB and license Included)	\$ 23,480.55	US
334290L	Software House	CC9000-N-PSU	Upgrade Series N System License to Series P Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 2,478.32	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-N-RDSU	CCURE 9000 Series N, second copy for redundant servers	\$ 2,725.48	US
334290L	Software House	CC9000-P-QSU	Upgrade Series P System License to Series Q Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 4,104.93	US
334290L	Software House	CC9000-P-RDSU	CCURE 9000 Series P, second copy for redundant servers	\$ 4,706.14	US
334290L	Software House	CC9000-Q-RDSU	CCURE 9000 Series Q, second copy for redundant servers	\$ 7,989.40	US
334290L	Software House	CC9000-Q-RSU	Upgrade Series Q System License to Series R Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 4,642.67	US
334290L	Software House	CC9000-RP-RDSU	CCURE 9000 Series RP, second copy for redundant servers	\$ 17,274.74	US
334290L	Software House	CC9000-RP-SSU	Upgrade Series R Plus System License to Series S Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 17,027.58	US
334290L	Software House	CC9000-R-RDSU	CCURE 9000 Series R, second copy for redundant servers	\$ 11,700.20	US
334290L	Software House	CC9000-R-RPSU	Upgrade Series R System License to Series R Plus Includes new license only (C•CURE 9000 Software Sold Separately)	\$ 6,960.66	US
334290L	Software House	CC9000-SL	C•CURE 9000 Series L System License Only, supports 16 readers, 7,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 774.89	US
334290L	Software House	CC9000-SM	C•CURE 9000 Series M System License Only, supports 32 readers, 12,000 cardholders (C•CURE 9000 Software Media Separately)	\$ 1,472.97	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-SN	C•CURE 9000 Series N System License Only, supports 64 readers, 40,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 3,400.17	US
334290L	Software House	CC9000-SP	C•CURE 9000 Series P System License Only, supports 128 readers, 45,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 5,885.17	US
334290L	Software House	CC9000-SQ	C•CURE 9000 Series Q System License Only, supports 256 readers, 250,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 9,986.75	US
334290L	Software House	CC9000-SR	C•CURE 9000 Series R System License Only, supports 512 readers, 250,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 14,629.42	US
334290L	Software House	CC9000-S-RDSU	CCURE 9000 Series S, second copy for redundant servers	\$ 30,895.47	US
334290L	Software House	CC9000-SRP	C•CURE 9000 Series R Plus System License Only, supports 1,000 readers, 250,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 21,593.43	US
334290L	Software House	CC9000-SS	C•CURE 9000 Series S System License Only, supports 2,500 readers, 500,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 38,621.01	US
334290L	Software House	ESTAR002	iSTAR Edge 2-reader, with Enclosure 64 MB RAM, supports two readers, with enclosure. 12/24 VDC input.	\$ 1,282.58	US
334290L	Software House	ESTAR002-MB	iSTAR Edge 2-Reader, Motherboard Only 64 MB RAM, supports two readers, board only	\$ 1,148.98	US
334290L	Software House	ESTAR002-POE1	iSTAR Edge 2-Reader, with Enclosure and PoE Module 64 MB RAM, supports two readers, with enclosure and PoE/PoE Plus power module	\$ 1,469.62	US
334290L	Software House	ESTAR004	iSTAR Edge 4-Reader, supports four readers, with enclosure 64MB RAM, 12/24 VDC input. Requires RM module or RM reader for readers 3 & 4.	\$ 1,613.25	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	ESTAR004-MB	iSTAR Edge 4-Reader, Motherboard Only	\$ 1,479.65	US
334290L	Software House	ESTAR004-RM	iSTAR Edge 4-reader, supports four readers, with enclosure and two RM-4 modules pre-mounted 64mb RAM, 12/24 VDC input.	\$ 2,050.79	US
334290L	Software House	ESTAR-POE1	iSTAR Edge PoE Module Snap-on module for iSTAR Edge supports PoE (802.3af) and PoE Plus (802.3at) standards. Selectable via jumper between PoE and PoE Plus.	\$ 173.68	CA
334290L	Software House	KT-0070-000	RM-4 Connector Kit (spare) Includes Molex connector for non-RoHS RM-4	\$ 16.71	CA
334290L	Software House	KT0073-000	18 Input Module Connector Kit (spare)	\$ 33.40	CA
334290L	Software House	KT0074-000	R8 Output Module Connector Kit (spare)	\$ 33.40	CA
334290L	Software House	MT	125 kHz Proximity and 13.56 MHz Smart Card Reader Module	\$ 450.91	MX
334290L	Software House	RM-4	RM-4 Personality Module with Tamper Switch	\$ 287.24	US
334290L	Software House	RM-4E	RM-4E Enhanced RM-4 board With two relay outputs, battery backup feature (battery not included)	\$ 377.43	US
334290L	Software House	RM-4K	RM-4 Personality Module with Keypad Cable Supports external 3x4 matrix keypads	\$ 327.32	CA
334290L	Software House	RM-DCM-2	RM-4E Door Control Module Includes RM-4E in a UL 294 listed enclosure	\$ 470.95	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	303	The DMP Model 303 Silence/Reset Push Button provides the ability to silence bells and reset sensors using a zone input on the DMP panel. Adding the push button switch allows the bells to be silenced and the sensors to be reset without using a keypad.	\$ 8.20	US
334290	DMP	699	Smoked plexiglass deskstand provides attractive, portable mounting option for DMP keypads. Includes mounting screws and rubber pads, and a 4-foot long cord for plugging into RJ11 jack. Dimensions: 6.8" W x 4" H x 5" D	\$ 31.65	US
334290	DMP	730	NETWORK SWITCH FOR ACCESS NETWORK	\$ 67.61	US
334290	DMP	734	The 734 Module allows you to connect Proximity Readers to DMP Panels to provide codeless entry, arming, and disarming using access control readers. Provides four programmable zones, a 10 Amp Form C (SPDT) Door Strike relay, built-in piezo with remote annunciation output, data to panel LED, and a 4-position terminal for connecting Wiegand format readers. (8 5-28 5 VDC)	\$ 111.82	US
334290	DMP	1148-G	1-BUTTON, PERSONAL PENDANT WIRELESS TRANSMITTER	\$ 23.73	US
334290	DMP	1346-RING	RING FOR 1346 PROXKEY II	\$ 0.28	US
334290	DMP	1346-TAG	KEYFOB METAL RIM KEY TAG	\$ 0.73	US
334290	DMP	300-7800-12	A 12-Wire harness for connection to the panel keypad bus and four zones. For use with 7800 keypad.	\$ 7.92	US
334290	DMP	300-7800-5	A 5-wire harness for connection of a Wiegand reader and Form C relay. For use with 7800 keypad.	\$ 6.47	US
334290	DMP	340-G	SMALL ENCLOSURE GRAY FOR XT SERIES, 714-8/16, 715-8/16	\$ 20.43	US
334290	DMP	341B	The 341B Battery Bracket mounts inside the lid of the 341 Kiosk enclosure providing two Model 364 1.3Ah batteries for battery backup. A 318T Dual Battery Harness is included for battery connection to the panel.	\$ 17.55	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	349A-G	ATTACK-RESISTANT MEDIUM GRAY ENCLSR FOR XT SERIES, 714-8/16, 715-8/16	\$ 71.80	US
334290	DMP	349-G	MEDIUM PANEL ENCLOSURE GRAY FOR XT SERIES	\$ 42.02	US
334290	DMP	349V-G	MEDIUM GRAY ENCLOSURE, XR SERIES	\$ 73.66	US
334290	DMP	350-G	LARGE GRAY ENCLOSURE FOR XR PANELS & 323/324P TRANSFORMER	\$ 58.41	US
334290	DMP	350H-G	GRADE A GRAY ENCLOSURE, XR	\$ 70.21	US
334290	DMP	350HS-G	LARGE ENCLOSURE SHELF FOR 350H PANEL ENCLOSURE	\$ 10.50	US
334290	DMP	352M-G	XL ENCLOSURE W/MOUNTING PLATE, HOLDS 16 MODULES	\$ 218.53	US
334290	DMP	352P-G	X-LRG ENCLOSURE, GRAY, 505-12-G	\$ 412.45	US
334290	DMP	352PM-G	XL ENCLSR W/XFRMRS & 505-12, HOLDS 8 MODULES	\$ 353.46	US
334290	DMP	353-G	GRAY WIRE PULL BOX, 12" X 15" X 4", FOR XR SERIES/352 ENCLOSURE	\$ 122.29	US
334290	DMP	505-12LX-G	POWER BOOSTER, 5 AMP, 12 V, WITH 2 NAC CIRCUITS	\$ 357.23	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	694-7800-W	PLATE, KYPD WALL REPLACEMENT, WHITE	\$ 20.15	US
334290	DMP	694-W	PLATE, 7800 WALL REPLACEMENT, WHITE	\$ 20.15	US
334290	DMP	7060AN-W	32-character alphanumeric LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, three 2-button Panics, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. (8.5-15 VDC) (White)	\$ 118.27	US
334290	DMP	7070N-W	32-character alphanumeric LCD keypad in a sleek design with four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keypad turns red in alarm condition. Includes EOL resistors. (8.5-15 VDC). White	\$ 128.15	US
334290	DMP	734N	The 734N Module provides codeless entry plus system arming and disarming using DMP access cards or credentials; or customizable for other credentials. Provides programmable door entry strike time allows for 1-250 seconds, two auxiliary relay outputs, 12/24 VDC Power and built-in 10 Amp Form C (SPDT) door release relay.	\$ 214.07	US
334290	DMP	7872-B	Graphic Touchscreen Keypad w/Prox Reader and 4 Zones. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. Black	\$ 178.97	US
334290	DMP	7872-W	Graphic Touchscreen Keypad with Prox Reader and 4 Zones. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel menu for shortcut features. Display turns red in alarm. White	\$ 187.11	US
334290	DMP	ACCESSORY PACK	The technician's accessory pack includes: One Panic Key label for DMP Keypads; Three Model 300 4-Wire Harnesses; Two Model 330 4-Wire Harnesses; One Model 300-7800-5 5-Wire Harness; One Model 300-7800-12 12-Wire Harness; Five Model 302 2-Pin Jumpers; Three Model 305 Relays; One Model 431 XR500 Output Harness; Three Long Plastic Standoffs; Three Short Plastic Stand-offs with Screws; Eight 1k EOL Resistors; One DMP Screwdriver	\$ 72.22	US
334290	DMP	SCS-150	Used in the DMP SCS-1R Network Enabled Receivers, the SCS-150 provides a battery-backed 5000 event buffer, and the fast transmission speeds and high data integrity of the Serial 3 communications format. Install up to five line cards in the available slots, with complete flexibility to use either dialer or network cards in each slot	\$ 1,078.55	US
334290	DMP	SCS-206	Connects the keypad and the linecard with the SCS-150 Processor Board.	\$ 66.75	US
334290	DMP	SCS-VR 5GRP/UPG	5 GROUP UPGRADE	\$ 712.13	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	THIN7100-LCD-B/10	Replacement keypad housing only. BLACK, 10 PKG	\$ 38.56	US
334290	DMP	THIN-LCD-B/10	Replacement keypad housing only, BLACK, 10 PKG	\$ 31.51	US
334290	DMP	XR150DL-G	142 ZONES,DIALER,350-G GREY ENCL (INC 50VA TRNSFR)	\$ 228.01	US
334290	DMP	XR150DNFC-R	XR150, DIALER, NETW, FIRE CONTROL	\$ 495.73	US
334290	DMP	XR150DNL-G	142 ZONES,DIALER/NET,350-G ENCL INC 50VA TRNSFRMER	\$ 342.13	US
334290	DMP	XR150DNL-R	XR150, DIALER, NETW, LARGE RED ENC	\$ 399.25	US
334290	DMP	XR150DNPCB	142 ZONES,DIALER/NETWORK BOARD ONLY,INCL 50VA TRNS	\$ 300.60	US
334290	DMP	XR150DPCB	142 ZONES,DIALER, BOARD ONLY(INC 50 VA TRANSFORMER	\$ 173.64	US
334290	DMP	XR150L-G	142ZONES, NO COMMUNICATION,350 ENCL (INC 50VA TRNS	\$ 214.57	US
334290	DMP	XR150NL-G	142 ZONES,NETWORK,350-G ENCLOSURE(INC 50 VA TRANSF	\$ 349.31	US
334290	DMP	XR150NPCB	142 ZONES,NETWORK, BOARD ONLY(INC 50 VA TRANSFORM	\$ 274.12	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	XR150PCB	142 ZONES,NO COMMUNICATION BOARD ONLY(INC 50VA TRF	\$ 160.06	US
334290	DMP	XR550DEA-G	574 ZONES, DIALER/NETWORK, ENCRYPTION, 350 GRAY ENCLSR, 50 VA TRNSFRMR	\$ 788.37	US
334290	DMP	XR550DEL-G	574 ZONES,DIAL/NET,ENCRYP,350 ENCL,50VA TRNSFR	\$ 715.16	US
334290	DMP	XR550DEPCB	574 ZONES,DIAL/NET,ENCRYPT, BOARD ONLY(50VA TRNSFR	\$ 703.78	US
334290	DMP	XR550DNFC-R	XR550, DIALER, NETW, FIRE CONTROL	\$ 698.60	US
334290	DMP	XR550DNL-G	574 ZONES,DIALER/NET,350-G ENCL,INC 50VA TRANSFRMR	\$ 542.38	US
334290	DMP	XR550DNL-R	XR550, DIALER, NETW, LARGE RED ENC	\$ 600.49	US
334290	DMP	XR550DNPCB	574 ZONES,DIALER/NET,BOARD ONLY,INC 50VA TRANSFRMR	\$ 445.66	US
334290	DMP	XR550EA-G	574 ZONES, ENCRYPTION, 349A GRAY ENCLSR, 50 VA TRNSFRMR	\$ 760.90	US
334290	DMP	XR550EL-G	574 ZONES, ENCRYPTION, 350 GRAY ENCLSR, 50 VA TRNSFRMR	\$ 729.11	US
334290	DMP	XR550NL-G	574 ZONES, NETWORK, 350 GRAY ENCLOSURE, 50 VA TRANSFORMER	\$ 516.04	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	XT30DM-G	42 ZONES, DIALER, 340-G MEDIUM GRAY ENCLOSURE	\$ 92.36	US
334290	DMP	XT30DNM-G	42 ZONES, DIALER/NETWORK, 349-G MEDIUM GRAY ENCLOSURE	\$ 206.73	US
334290	DMP	XT30DNS-G	42 ZONES, DIALER/NETWORK, 340-G SMALL GRAY ENCLOSURE	\$ 193.23	US
334290	DMP	XT30DS-G	42 ZONES, DIALER, 340-G SMALL GRAY ENCLOSURE	\$ 77.97	US
334290	DMP	XT30M-G	42 ZONES, NO COMMUNICATION, 349-G MEDIUM GRAY ENCLOSURE	\$ 87.76	US
334290	DMP	XT30NM-G	42 ZONES, NETWORK, 349-G MEDIUM GRAY ENCLOSURE	\$ 192.05	US
334290	DMP	XT30NS-G	42 ZONES, NETWORK, 340-G SMALL GRAY ENCLOSURE	\$ 178.25	US
334290	DMP	XT30S-G	42 ZONES, NO COMMUNICATION ON BOARD, SMALL 340-G ENCLOSURE	\$ 73.29	US
334290	DMP	XT50DM-G	58 ZONES, DIALER, WIRELESS RECEIVER, MEDIUM 349-G ENCLOSURE	\$ 136.24	US
334290	DMP	XT50DNM-G	58 ZONES, DIALER/NETWORK, WIRELESS RECEIVER, 349-G MEDIUM GRAY ENCLSR	\$ 249.03	US
334290	DMP	XT50DNS-G	58 ZONES, DIALER/NETWORK, WIRELESS RECEIVER, 340-G SMALL GRAY ENCLSR	\$ 238.19	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290	DMP	XT50DS-G	58 ZONES, DIALER, WIRELESS RECEIVER, 340-G SMALL GRAY ENCLOSURE	\$ 122.15	US
334290	DMP	XT50M-G	58 ZONES, 349-G MEDIUM GRAY ENCLOSURE	\$ 131.35	US
334290	DMP	XT50NM-G	58 ZONES, NETWORK, 349-G MEDIUM GRAY ENCLOSURE	\$ 232.53	US
334290	DMP	XT50NS-G	58 ZONES, NETWORK, WIRELESS RECEIVER, 340-G SMALL GRAY ENCLOSURE	\$ 223.63	US
334290	DMP	XT50S-G	58 ZONES, NO COMM, WIRELESS RECEIVER, 340-G SMALL GRAY ENCLSR	\$ 117.68	US
334290	DMP	XTL+NPKG	XTL+N, 9862-W, 1135-W	\$ 280.53	US
334290	DMP	XTL+WPKG	XTL+W, 9862-W, 1135-W	\$ 260.39	US
334290	DMP	XTL+WZPKG	XTL+WZ, 9862-W, 1135-W	\$ 274.78	US
334290	DMP	XTL+ZPKG	XTL+Z, 9862-W, 1135-W	\$ 260.39	US
334290	DMP	XTLTOUCHPKG	XTLTOUCH, 1135-W	\$ 286.30	US
334290L	Lenel	033-200500	"Heavy Weather" Visor for Stealth Series Readers (Heavy Duty version); required for outdoor operation of Stealth Bio-Reader.	\$ 356.49	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	1326-LASMV	ProxCARD II Proximity Access Card - includes 26-bit Wiegand format, adhesive front, back has molded HID logo, printed sequential matching (internal/external) number and vertical slot punch capability. [Min Order QTY of 100]	\$ 3.87	US
334290L	Lenel	1326-LSSMV	ProxCARD II Proximity Access Card - standard card includes, 26-bit format, HID ProxCARD II artwork with matte finish, printed sequential number with gaps and vertical slot punch. [Min Order QTY of 100]	\$ 3.26	US
334290L	Lenel	1336-LGGMN	DuoProx Card Prox with Mag Stripe Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, with printed sequential numbering with no gaps and 1/2 inch Hi-Co magstripe [Min Order QTY of 100]	\$ 6.60	US
334290L	Lenel	1336-LGSMN	DuoProx Card Prox with Mag Stripe - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork, matte finish on back with laser sequential numbering with no gaps and 1/2 inch Hi-Co magstripe [Min Order QTY of 100]	\$ 6.60	US
334290L	Lenel	1346-LNSMN	ProxKey III Proximity Access Keyfob - keyfob includes; 26 bit format, Black with Grey Insert and HID standard logo on the front; standard back packaging; inkjetted sequential matching internal/external keyfob numbering (Minimum order 100)	\$ 6.49	US
334290L	Lenel	1351-LBSMN	Prox Pass Long Range Proximity Tag for Vehicle Access Control (6' to 8') read range with MaxiProx readers. [Min Order QTY of 50]	\$ 37.22	US
334290L	Lenel	1386-LGSMN	ISO Prox II Graphics Quality- standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork with matte finish on back, printed ID number and No gaps in card sequence [Min Order QTY of 100]	\$ 5.99	US
334290L	Lenel	1391-LSSMN	Microprox Tag - for assets retrofit applications - standard tag includes 125kHz programming, HID standard artwork on front, adhesive back, sequential matching numbering internal/external. [Min Order QTY of 100]	\$ 4.36	US
334290L	Lenel	1430-MGGMN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain white back, sequential matching internal/external number and no slot punch. [Min Order QTY of 100]	\$ 3.87	US
334290L	Lenel	1430-NGGNN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 KByte Memory with 16 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	\$ 3.78	US
334290L	Lenel	1440-NGGNN	HID FlexSmart® MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4KByte Memory with 40 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	\$ 7.39	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	2000NGGNN	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. iCLASS must be encoded by OnGuard before card can be used (minimum order qty. 100)	\$ 4.97	US
334290L	Lenel	2001NG1NN	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty. 100)	\$ 10.43	US
334290L	Lenel	2001NGGNN	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. Direct replacement for 2002NGGNN. (minimum order qty. 100)	\$ 9.01	US
334290L	Lenel	2021AGGNNM	iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$ 12.88	US
334290L	Lenel	2050NNNNN	iCLASS Contactless Smart Hexagonal Key Ring Tag, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. (minimum order qty. 100)	\$ 6.46	US
334290L	Lenel	2080PGSNV	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, configured, programmed, Gloss plain white PVC front, Std HID Logo base, No external Numbering, Vertical Slot punch. (minimum order qty. 100)	\$ 3.32	US
334290L	Lenel	2101NGGNN	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. Direct replacement for 2002NGGNN. (minimum order qty. 100)	\$ 9.34	US
334290L	Lenel	2120AGGNNM	Composite iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity.(minimum order qty. 100)	\$ 10.89	US
334290L	Lenel	2121AG1NNM	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum order qty. 100)	\$ 14.16	US
334290L	Lenel	2121AGGNNM	Composite iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering.(minimum order qty. 100)	\$ 12.82	US
334290L	Lenel	402-105800	Extended Stealth Main Cable: 24 inch long cable Each package contains 3 cables.	\$ 109.12	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	862-109500	Mullion Mount Adaptor: a mullion mount adaptor for use with Stealth Readers (Bio and non-Bio) is available to insure safe and secure mounting of Veridt readers. The standard reader mounting plate secures directly to adaptor. Can be mounted in both left or right side of mullion	\$ 167.24	US
334290L	Lenel	900NHPTEK000HR-L02	R10-H, pivCLASS Mini-Mullion, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 153.42	US
334290L	Lenel	900NHRTEK0000C	pivCLASS R10 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS - FIPS 201 - CAK; Mullion mount size; LED Red - Flash Green - Buzzer On; RS-485 Full Duplex; Open Collector and Optical Tamper; FIPS 200 bit; with HID standard logo	\$ 148.35	US
334290L	Lenel	900PHPTEK000HU-L02	RP10-H, pivCLASS Mini-Mullion, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/HID Prox/EM4102 32-Bit/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 157.79	US
334290L	Lenel	900PMNTEKMA003-L01	Model RP10 Reader, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$ 220.64	US
334290L	Lenel	91000BBNNN	M2000 PIVCLASS AUTHENTICATION MODULE (PAM); Authentication module hardware with plastic enclosure, firmware and installation manuals. Includes pivCLASS Reader Services component. Rev B	\$ 1,870.96	US
334290L	Lenel	91000BNNNN	M2000 PIVCLASS AUTHENTICATION MODULE (PAM), CCA ONLY, NO ENCLOSURE	\$ 1,673.60	US
334290L	Lenel	91000-MS	PAM Firmware Maintenance & Support, annual fee (per 91000Axxxx), first year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$ 56.78	US
334290L	Lenel	910NMNTEKMA001-L01	Model R15 Reader, ICLASS SE E, 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$ 287.97	US
334290L	Lenel	910PMNTEKMA003-L01	Model RP15 Reader, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$ 319.13	US
334290L	Lenel	920NHPTEK000HR-L02	R40-H, pivCLASS Mullion, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 241.85	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	920NMNTEKMA001-L01	Model R40 Reader, ICLASS SE E, 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo	\$ 287.97	US
334290L	Lenel	920PHPTEK000HU-L02	RP40-H, pivCLASS Mullion, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/HID Prox/EM4102 32-Bit/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 239.14	US
334290L	Lenel	920PTNNEK00000-L001	MultiCLASS SE RP40 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO -SEOS and HID Prox capabilities; US/EU/Asian back box size; LED Red - Flash Green - Buzzer On; CSN 32 bit; with Lenel logo [artwork code L110317][direct replacement for 6125CKN0000L]	\$ 255.55	US
334290L	Lenel	921NHPTEK000HT-L02	RK40-H, pivCLASS Single Gang With Keypad, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 366.10	US
334290L	Lenel	921NMNTEKMA002-L01	Model RK40 Reader with Keypad, ICLASS SE E, 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo, KPF, ASCII, BFFRD 1 KEY	\$ 473.70	US
334290L	Lenel	921PHPTEK000HV-L02	RPK40-H, pivCLASS Single Gang With Keypad, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/HID Prox/EM4102 32-Bit/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 393.21	US
334290L	Lenel	921PMNTEKMA004-L01	Model RPK40 Reader with Keypad, MULTICLASS SE E, 125 kHz HID Proximity and 13.56 MHZ Only, STD/SIO/SEOS/MA, Wiegand Output, Terminal Block, Reader is Black in color, Standard LED setup , idle LED Red, Flash Green on Valid, Buzzer On, Optical Tamper, Mobile Ready, LENEL Logo, KPF, ASCII, BFFRD 1 KEY	\$ 504.87	US
334290L	Lenel	923NPPTEK000NT-L02	RKCL40-P, pivCLASS, 2-Factor, Double Gang Contact/Contactless LCD Display with Keypad, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/PKI/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 603.35	US
334290L	Lenel	923NPRTEK000K8-L02	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW,485FDX,TER, BLK,LED RED,FLSH GRN,BZR ON,KPF, ASCII, BFFRD 1 KEY,LCD1F,IPM OFF,UART ON,WIEG OFF,LENEL DIW,LENEL LOGO LBL, INSTALL GUIDE	\$ 603.35	US
334290L	Lenel	923PPPTEK000NU-L02	RPKCL40-P, pivCLASS, 2-Factor, Double Gang Contact/Contactless LCD Display with Keypad, Supports iCLASS [SEOS/SE/Legacy]/FIPS/CAK/PKI/HID Prox/EM4102 32-Bit/Lenel DIW, 485HDX, OSDP v2, Terminal Strip, Black, FIPS 200-Bit, for Embedded Authentication Solution, LENEL Logo and install guide	\$ 543.38	US
334290L	Lenel	923PPRTEK0053W-L002	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/DIW, 485FDX, TERM, BLK, STD-1, WIEG, LED RD, FLSH GRN, BZR ON, OPT TAMP DISAB, FIPS 200-BIT, LCD 1F, EM4102 34-BIT, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, LENEL	\$ 633.28	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	924NPRTEK000K8-L02	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485FDX, TERM, BLK, LED RED, FLSH GRN, BZR ON, KPF, ASCII, BFFRD 1 KEY,LCD 1F,IPM OFF,UART ON,WIEG OFF,LENEL DIW,LENEL LOGO LBL, INSTALL GUIDE	\$ 1,022.22	US
334290L	Lenel	AA-AP-AH30RN1	Aperio 1 to 8 Wireless lock hub using Authentic Mercury; RS-485 connection to ISC; capable of handling up to 8 wireless locks per hub	\$ 276.33	US
334290L	Lenel	AA-AP-APA-10-PC	ASSA ABLOY Aperio Programming Kit; includes USB Radio Dongle for programming; includes test card and memory stick [QTY of 1 each]	\$ 435.04	SE
334290L	Lenel	ALX-ACM4	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (4) OUTPUTS, 5.175IN X 3.36IN X 1.25IN ALTRONIX PN: ACM4	\$ 55.17	US
334290L	Lenel	ALX-ACM4CB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (4) PTC OUTPUTS, 5.175IN X 3.36IN X 1.25IN ALTRONIX PN: ACM4CB	\$ 55.17	US
334290L	Lenel	ALX-ACM8	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (8) OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACM8	\$ 74.06	US
334290L	Lenel	ALX-ACM8CB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, ACCESS POWER CONTROLLER, (8) PTC OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACM8CB	\$ 74.06	US
334290L	Lenel	ALX-ACMS8	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT ACCESS POWER CONTROLLER, (8) OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACMS8	\$ 126.32	US
334290L	Lenel	ALX-ACMS8CB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT ACCESS POWER CONTROLLER, (8) PTC OUTPUTS, 8IN X 4.5IN X 1.25IN ALTRONIX PN: ACMS8CB	\$ 126.32	US
334290L	Lenel	ALX-BL3	18IN BATTERY LEADS (BLACK AND RED) ALTRONIX PN: BL3	\$ 3.19	US
334290L	Lenel	ALX-BL4	8IN BATTERY SERIES JUMPERS (YELLOW) ALTRONIX PN: BL4	\$ 2.61	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-BL6	68IN BATTERY LEADS (BLACK AND RED) ALTRONIX PN: BL6	\$ 7.26	US
334290L	Lenel	ALX-EFLOW102NB	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC @ 10A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.625IN X 1.875IN ALTRONIX PN: EFLOW102NB	\$ 245.37	US
334290L	Lenel	ALX-EFLOW104NB	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 24 VDC @ 10A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 8.25IN X 1.6IN ALTRONIX PN: EFLOW104NB	\$ 283.12	US
334290L	Lenel	ALX-EFLOW4NB	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC OR 24 VDC @ 4A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.5IN X 1.6IN ALTRONIX PN: EFLOW4NB	\$ 206.17	US
334290L	Lenel	ALX-EFLOW6NB	TROVE SERIES POWER SUPPLY/CHARGER, INPUT: 115 VAC INPUT, OUTPUT: 12 VDC OR 24 VDC @ 6A, 1 MAIN OUTPUT, 1 1A CLASS 2 POWER LIMITED AUX OUTPUT, FA DISCONNECT, LOW POWER CUT OFF, OVER VOLTAGE PROTECTION, 4.6IN X 7.5IN X 1.6IN ALTRONIX PN: EFLOW6NB	\$ 245.37	US
334290L	Lenel	ALX-LINQ2	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK COMMUNICATION MODULE, CONNECT UPTO (2) EFLOW POWER SUPPLY/CHARGERS, 3.25IN X 3.65IN X 0.96IN ALTRONIX PN: LINQ2	\$ 126.30	US
334290L	Lenel	ALX-LINQ8PD	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK POWER DISTRIBUTION MODULE, CONTROL, MONITOR AND REPORT POWER/DIAGNOSTICS, (8) OUTPUTS, 5.5IN X 3.625IN X 0.96IN ALTRONIX PN: LINQ8PD	\$ 242.47	US
334290L	Lenel	ALX-LINQ8PDCB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, NETWORK POWER DISTRIBUTION MODULE, CONTROL, MONITOR AND REPORT POWER/DIAGNOSTICS, (8) PTC OUTPUTS, 5.5IN X 3.625IN X 0.96IN ALTRONIX PN: LINQ8PDCB	\$ 242.47	US
334290L	Lenel	ALX-PD16W	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (16) OUTPUTS, 5.875IN X 6IN X 0.95IN ALTRONIX PN: PD16W	\$ 46.46	US
334290L	Lenel	ALX-PD16WCB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (16) PTC OUTPUTS, 5.875IN X 6IN X 0.95IN ALTRONIX PN: PD16WCB	\$ 46.46	US
334290L	Lenel	ALX-PD4UL	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (4) OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD4UL	\$ 29.05	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-PD4ULCB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (4) PTC OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD4ULCB	\$ 29.05	US
334290L	Lenel	ALX-PD8UL	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (8) OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD8UL	\$ 31.94	US
334290L	Lenel	ALX-PD8ULCB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, POWER DISTRIBUTION MODULE, (8) PTC OUTPUTS, 5.21IN X 3.25IN X 1.0IN ALTRONIX PN: PD8ULCB	\$ 31.94	US
334290L	Lenel	ALX-PDS8	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT POWER DISTRIBUTION MODULE, (8) OUTPUTS, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: PDS8	\$ 46.46	US
334290L	Lenel	ALX-PDS8CB	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, DUAL INPUT POWER DISTRIBUTION MODULE, (8) PTC OUTPUTS, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: PDS8CB	\$ 46.46	US
334290L	Lenel	ALX-PDS8CBK1	TROVE Series Power Distribution / Sub Assemblies, Dual Input Power Distribution Module and Voltage Regulator Kit includes PDS8 and VR6 ALTRONIX PN: PDS8CBK1	\$ 108.89	US
334290L	Lenel	ALX-PDS8K1	TROVE Series Power Distribution / Sub Assemblies, Dual Input Power Distribution Module and Voltage Regulator Kit includes PDS8 and VR6 ALTRONIX PN: PDS8K1	\$ 108.89	US
334290L	Lenel	ALX-RSB2	ROCKER SWITCH BRACKET - INCLUDES TWO (2) MASTER POWER ON/OFF SWICTHES AND WIRES ALTRONIX PN: RSB2	\$ 40.65	US
334290L	Lenel	ALX-T1RAL33F16	TROVE1AL1R - (2) EFLOW6NB (6A@12/24VDC) POWER SUPPLY, (2) ACMS8 DUAL VOLTAGE ACCESS POWER CONTROLLER. INCLUDES: CAM LOCK, TAMPER SWITCH, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RAL33F16	\$ 1,309.53	US
334290L	Lenel	ALX-T1RAL3F8	TROVE1AL1R - EFLOW6NB (6A@12/24VDC) POWER SUPPLY, VR6 - VOLTAGE REGULATOR. 24VDC INPUT INTO 5VDC OR 12VDC OUTPUT, ACMS8 DUAL VOLTAGE ACCESS POWER CONTROLLER, PDS8 DUAL VOLTAGE POWER DISTRIBUTION MODULE. INCLUDES: CAM LOCK, TAMPER SWITCH, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RAL3F8	\$ 1,212.28	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-T1RM3F4	TROVE1M1R - EFLOW6NB (6A@12/24VDC) POWER SUPPLY, ACM4 - 4 FUSED OUTPUT ACCESS POWER CONTROLLER, VR6 - VOLTAGE REGULATOR. 24VDC INPUT INTO 5VDC OR 12VDC OUTPUT, PDS8 DUAL VOLTAGE POWER DISTRIBUTION MODULE. 4-DOOR, (2) BOARDS LNL-1100-S3, LNL-1200-S3, LNL-1320-S3, LNL-1300-S3, LNL-1300E, LNL-X2220, LNL-X4420, LNL-X3300, LNL-X2210, LNL-8000, NO ROOM FOR BATTERY BACKUP. 2U RACK MOUNT CHASSIS. INCLUDES: CAM LOCK, TAMPER SWITCH, Z-BRACKET, 6FT. LINE CORD AND MOUNTING HARDWARE. ALTRONIX PN: T1RM3F4	\$ 1,160.58	US
334290L	Lenel	ALX-T2MK3F4	TROVE 2 SERIES KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4	\$ 947.06	US
334290L	Lenel	ALX-T2MK3F4D	TROVE 2 SERIES KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4D	\$ 947.06	US
334290L	Lenel	ALX-T2MK3F4DQ	TROVE 2 SERIES NETWORKABLE KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4DQ	\$ 1,149.84	US
334290L	Lenel	ALX-T2MK3F4Q	TROVE 2 SERIES NETWORKABLE KIT, 4-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F4Q	\$ 1,149.84	US
334290L	Lenel	ALX-T2MK3F8	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM8, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8	\$ 981.92	US
334290L	Lenel	ALX-T2MK3F8D	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, ACM8CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8D	\$ 981.92	US
334290L	Lenel	ALX-T2MK3F8DQ	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM8CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8DQ	\$ 1,157.09	US
334290L	Lenel	ALX-T2MK3F8Q	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW6NB, LINQ2, ACM8, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK3F8Q	\$ 1,157.09	US
334290L	Lenel	ALX-T2MK75F16	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16	\$ 1,324.73	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-T2MK75F16D	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16D	\$ 1,324.73	US
334290L	Lenel	ALX-T2MK75F16DQ	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16DQ	\$ 1,488.09	US
334290L	Lenel	ALX-T2MK75F16Q	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK75F16Q	\$ 1,488.09	US
334290L	Lenel	ALX-T2MK77F16	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, 2 - EFLOW104NB, 2 - ACM8, VR6, PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16	\$ 1,437.29	US
334290L	Lenel	ALX-T2MK77F16D	TROVE 2 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, 2 - EFLOW104NB, 2 - ACM8CB, VR6, PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16D	\$ 1,437.29	US
334290L	Lenel	ALX-T2MK77F16DQ	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, 2 - EFLOW104NB, 2 - ACM8CB, VR6, PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16DQ	\$ 1,628.94	US
334290L	Lenel	ALX-T2MK77F16Q	TROVE 2 SERIES NETWORKABLE KIT, 16-DOORS, ENCLOSURE, BACKPLANE, DOOR BACKPLANE, LINQ2, 2 - EFLOW104NB, 2 - ACM8, VR6, PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK77F16Q	\$ 1,601.34	US
334290L	Lenel	ALX-T2MK7F8	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8	\$ 1,041.48	US
334290L	Lenel	ALX-T2MK7F8D	TROVE 2 SERIES KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8D	\$ 1,041.48	US
334290L	Lenel	ALX-T2MK7F8DQ	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, LINQ2, ACM4CB, VR6,PDS8CB, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8DQ	\$ 1,180.32	US
334290L	Lenel	ALX-T2MK7F8Q	TROVE 2 SERIES NETWORKABLE KIT, 8-DOORS, ENCLOSURE, BACKPLANE, EFLOW104NB, LINQ2, ACM4, VR6,PDS8, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: T2MK7F8Q	\$ 1,180.32	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-T3MK75F16	TROVE 3 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8, PD8UL, RSB2, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: T3MK75F16	\$ 1,435.97	US
334290L	Lenel	ALX-T3MK75F16D	TROVE 3 SERIES KIT, 16-DOORS, ENCLOSURE, BACKPLANE, EFLOW102NB, EFLOW104NB, 2 - ACM8CB, PD8ULCB, RSB2, ACCOMMODATES FOUR (4) 12VDC / 12AH BATTERIES, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: T3MK75F16D	\$ 1,780.87	US
334290L	Lenel	ALX-TM1	TROVE 1 SERIES, BACKPLANE ONLY, 8-DOOR, (4) BOARDS LNL-X2210, LNL-X2220, LNL-X4420, LNL-1300-S3, LNL-1300E, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, 16.625IN X 12.5IN X 0.5IN ALTRONIX PN: TM1	\$ 145.20	US
334290L	Lenel	ALX-TM2	TROVE 2 SERIES, BACKPLANE ONLY, 12-DOOR, (6) BOARDS LNL-X2210, LNL-X2220, LNL-X3300, LNL-X4420, LNL-1300-S3, LNL-1300E, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, LNL-8000, 25.375IN X 19.375IN X 0.5IN ALTRONIX PN: TM2	\$ 188.75	US
334290L	Lenel	ALX-TM3	TROVE 3 SERIES, BACKPLANE ONLY, 24-DOOR, (12) BOARDS LNL-X2220, LNL-X3300, LNL-X4420, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, LNL-8000, 34.0IN X 28.0IN X 0.5IN ALTRONIX PN: TM3	\$ 351.35	US
334290L	Lenel	ALX-TM400	TROVE ENCLOSURE, 3-DOOR, (2) BOARDS LNL-X2210, LNL-X2220, LNL-X4420, LNL-1300-S3, LNL-1300E, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, NO ROOM FOR BATTERY BACKUP, 12.25IN X 15.5IN X 4.5IN ALTRONIX PN: TM400	\$ 210.52	US
334290L	Lenel	ALX-TMV2	TROVE 2/3 SERIES, DOOR BACKPLANE ONLY, 12-DOOR, (6) BOARDS LNL-X2220, LNL-X3300, LNL-X4420, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, LNL-8000, 25.75IN X 18.0IN X 0.5IN ALTRONIX PN: TMV2	\$ 155.36	US
334290L	Lenel	ALX-TROVE1M1	TROVE 1 SERIES, ENCLOSURE WITH BACKPLANE, 8-DOOR, (4) BOARDS LNL-X2210, LNL-X2220, LNL-X4420, LNL-1300-S3, LNL-1300E, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, ACCOMMODATES TWO (2) 12 VDC / 7AH MAX, 18IN X 14.5IN X 4.625IN ALTRONIX PN: TROVE1M1	\$ 389.09	US
334290L	Lenel	ALX-TROVE1M1R	ACCESS & POWER INTEGRATION RACK ENCLOSURE FOR COMBINATIONS OF LENEL BOARDS WITH ALTRONIX POWER SUPPLY/CHARGERS. ACCOMMODATES THE FOLLOWING LENEL BOARDS UP TO (4) LNL-1100-S3, LNL-1200-S3, LNL-1320-S3, LNL-X2220, LNL-X4420, UP TO (2) LNL-1300-S3, LNL-1300E, LNL-X3300, LNL-X2210, LNL-8000. 2U RACK MOUNT CHASSIS. INCLUDES TM1R BACKPLANE, CAM LOCK, TAMPER SWITCH, Z-BRACKET AND MOUNTING HARDWARE. ALTRONIX PN: Trove1M1R	\$ 903.04	US
334290L	Lenel	ALX-TROVE1M1WP	ACCESS & POWER INTEGRATION OUTDOOR ENCLOSURE FOR COMBINATIONS OF LENEL/MERCURY MODULES WITH ALTRONIX POWER SUPPLY/CHARGERS FOR UP TO THREE (3) DOORS, ACCOMMODATES UP TO (1) LNL-1100-S3, LNL-1200-S3, LNL-1320-S3, LNL-X2220, LNL-X4420, UP TO (2) LNL-1300-S3, LNL-1300E, LNL-X3300, LNL-X2210, LNL-8000.. ENCLOSURE DIMENSIONS 17.53"H X 15.3"W X 6.67"D. INCLUDES TM1X BACKPLANE, STANDOFFS AND SCREWS. ALTRONIX PN: Trove1M1WP	\$ 472.08	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ALX-TROVE2M2	TROVE 2 SERIES, ENCLOSURE WITH BACKPLANE, 12-DOOR, (6) BOARDS LNL-X2210, LNL-X2220, LNL-X3300, LNL-X4420, LNL-1300-S3, LNL-1300E, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, LNL-8000, ACCOMMODATES FOUR (4) 12 VDC / 12AH MAX, 27.25IN X 21.5IN X 6.5IN ALTRONIX PN: TROVE2M2	\$ 619.93	US
334290L	Lenel	ALX-TROVE3M3	TROVE 3 SERIES, ENCLOSURE WITH BACKPLANE, 24-DOOR, (12) BOARDS LNL-X2220, LNL-X3300, LNL-X4420, LNL-1320-S3, LNL-1100-S3, LNL1200-S3, LNL-8000, ACCOMMODATES FOUR (4) 12 VDC / 12AH MAX, 36.25IN X 30.125IN X 7.06IN ALTRONIX PN: TROVE3M3	\$ 1,228.23	US
334290L	Lenel	ALX-VR6	TROVE SERIES POWER DISTRIBUTION / SUB ASSEMBLIES, SUB ASSEMBLY, VOLTAGE REGULATOR, FOR USE WITH PDS8/CB, AMCS8/CB OR LINQ8PD/CB, (1) OUTPUTS, CONVERTS 24VDC TO 12VDC OR 5VDC, 5.375IN X 3.0IN X 1.0IN ALTRONIX PN: VR6	\$ 62.43	US
334290L	Lenel	ALX-WM25	MAGNETIC CABLE TIE MOUNT. ACCOMMODATES STANDARD ZIP TIES. 16 LBS HOLDING FORCE. PACK OF 25. ALTRONIX PN: WM25	\$ 87.12	US
334290L	Lenel	ALX-WM5	MAGNETIC CABLE TIE MOUNT. ACCOMMODATES STANDARD ZIP TIES. 16 LBS HOLDING FORCE. PACK OF 5. ALTRONIX PN: WM5	\$ 20.33	US
334290L	Lenel	B920NHRTEK000HW-L02	PIVCLASS BUNDLE, TWO R40-H PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00HW PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$ 1,906.06	US
334290L	Lenel	B923NPRTEK000K8-L02	PIVCLASS BUNDLE, TWO RKCL40-P PIVCLASS REV E TERMINAL BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00K8 PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$ 2,803.56	US
334290L	Lenel	B924NPRTEK000K8-L02	PIVCLASS BUNDLE, TWO RKCLB40-P PIVCLASS REV E TERM BLK RDRS & ONE M2000 PIVCLASS AUTHENTICATION MODULE (PAM), 00K8 PIVCLASS CONFIG, LENEL DIW, LENEL LOGO & INSTALL GUIDE	\$ 3,244.31	US
334290L	Lenel	BDC-BLUETOOTH	This Configuration card disables the Bluetooth radio used for mobile credentials. This card will also be used to enable the Bluetooth radio once it has been disabled by use of this card. Requires BlueDiamond reader firmware version DEV38 and greater.	\$ 4.37	US
334290L	Lenel	BDC-CSN	This card is used to enable the reader to read the Card Serial Number for smart cards (iClass, Mifare and DESFire).	\$ 4.37	US
334290L	Lenel	BDC-LED	This card is used to set the default LED behavior (Wiegand and SF/2F modes) on the reader. (Solid Blue - Default, Shimmer Blue, Solid Red, Shimmer Red). NOTE: OSDP commands override LED behavior.	\$ 4.37	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	BDC-OSDPADD	This card is used to set the OSDP Address of the reader (0-3). OSDP supports multiple readers per port with OnGuard version 7.5 or greater.	\$ 4.37	US
334290L	Lenel	BDC-OSDPBAUD	Use this card to set the OSDP Baud Rate at each BlueDiamond reader using OSDP Output (9,600kbps; 19,200kbps; 38,400kbps; 115,200kbps).	\$ 4.37	US
334290L	Lenel	BDC-OSDPSEC	This card will be used to enable OSDP Secure Channel Communications. Enable default base Key for Secure Channel Pairing.	\$ 4.37	US
334290L	Lenel	BDC-OUTPUT	This card is used to change output mode of the reader from Wiegand (Default) to 2-State SF2/F, 4-State SF2/F or back to Wiegand. If reader has been wired for OSDP, it autosequences the output type. To bring back to a Wiegand output requires this configuration card.	\$ 4.37	US
334290L	Lenel	BDC-RDO	Use this card to enable or disable the 125kHz or the 13.56MHz radios in the reader. By default, both are enabled.	\$ 4.37	US
334290L	Lenel	BDC-TONE	Use this card to either enable or disable the "Tone" on a valid card read.	\$ 4.37	US
334290L	Lenel	BDC-TREADER	This card is used to emulate a "Transition Reader or "T-Reader" configuration with a 2-State SF2/F output and prepares reader to read high frequency Card Serial Numbers (CSN). This is the standard "T-Reader" configuration.	\$ 4.37	US
334290L	Lenel	BDC-UID	This card will set the passthrough of raw data for the badges 1. Passthrough (Big Endian); 2. 32 bit (Big Endian); 3. Passthrough (Little Endian); 4. 32 bit (Little Endian); 5. Mifare 4byte/DESFire 7byte - 4002.	\$ 4.37	US
334290L	Lenel	BDC-UNLOCK	When presenting this card to the BlueDiamond reader, it will unlock the reader and within 60 seconds present the appropriate configuration card. This is an optional card so a user doesn't have to recycle power of reader.	\$ 4.37	US
334290L	Lenel	BT-ASP-HID	Non-destructible HID proximity reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$ 545.31	IL
334290L	Lenel	BT-ASP-iCLASS	Non-destructible HID iCLASS reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$ 654.37	IL

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	BT-ASPKP-HID	HID proximity reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 5 to 12 VDC, 150 mA, 2 to 3 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$ 530.75	IL
334290L	Lenel	BT-ASPKP-iCLASS	iCLASS reader with Lenel's non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 12 to 16 VDC, 170 mA, up to a 2 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red, green and yellow status LED's. Designed for an international single gang electrical box mounting. Optional colors are available on request	\$ 712.55	IL
334290L	Lenel	CE-401-001	Configuration card to change LED status to flashing red; for X02_51 or higher	\$ 8.14	US
334290L	Lenel	CE-401-002	Configuration card to change LED status from flashing red to solid red; for X02_51 or higher	\$ 8.14	US
334290L	Lenel	CE-401-200	Configuration card - PIV Enable 200 bit for X02_51 or higher	\$ 8.14	US
334290L	Lenel	CE-401-201	Aptiq Configuration Card for Embedded Authentication, OSDP Extended Packet Mode	\$ 7.25	US
334290L	Lenel	CE-404-033	Configuration card for Mifare report CSN; Disables Secure Mifare; PIV and EV1 PACSA; for X02_51 or higher	\$ 6.89	US
334290L	Lenel	CON-CLD-32ES	Converts an existing OnGuard 32ES license to an OnGuard Cloud Edition 32ES license. Designed for use with the OnGuard Cloud Edition 32ES/ADV Amazon Machine Image (AMI) hosted in the Amazon AWS cloud. Requires an existing SUSP.	\$ 246.33	US
334290L	Lenel	CON-CLD-ADV	SWS-ADV to SWS-CLD-ADV License Conversion Converts an existing OnGuard ADV license to an OnGuard Cloud Edition ADV license. Designed for use with the OnGuard Cloud Edition 32ES/ADV Amazon Machine Image (AMI) hosted in the Amazon AWS cloud. Requires an existing SUSP.	\$ 1,093.53	US
334290L	Lenel	CON-CLD-PRO	SWS-PRO to SWS-CLD-PRO License Conversion Converts an existing OnGuard PRO license to an OnGuard Cloud Edition PRO license. Designed for use with the OnGuard Cloud Edition PRO Amazon Machine Images (AMIs) hosted in the Amazon AWS cloud. Requires an existing SUSP.	\$ 4,432.28	US
334512	Lenel	DVC-SX-A-A00-03-4T	Three 4TB data drives; 6.8TB Usable RAID5 or 10.2TB Usable JBOD	\$ 9,604.71	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334512	Lenel	DVC-SX-A-A00-04-6T	Four 6TB data drives; 15.3TB Usable RAID5 or 20.4TB Usable JBOD	\$ 10,962.23	US
334512	Lenel	DVC-SX-A-A00-08-2T	Eight 2TB data drives; 11.9TB Usable RAID5 or 13.6TB Usable JBOD	\$ 10,600.95	US
334512	Lenel	DVC-SX-A-A00-08-4T	Eight 4TB data drives; 23.8TB Usable RAID5 or 27.2TB Usable JBOD	\$ 12,411.08	US
334512	Lenel	DVC-SX-A-A00-08-6T	Eight 6TB data drives; 35.7TB Usable RAID5 or 40.8TB Usable JBOD	\$ 15,904.56	US
334290L	Lenel	E91000-MS	Embedded Authentication Firmware Maintenance & Support, annual fee (per license EA-LICENSE2), first year included with purchase. 8 am to 5 pm Central Time Monday through Friday.	\$ 49.40	US
334290L	Lenel	E920NHPTEK000HR-L02	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO R40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE,PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$ 832.96	US
334290L	Lenel	E920PHPTEK000HU-L02	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RP40-H TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE,PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$ 879.77	US
334290L	Lenel	E923NPPTEK000NT-L02	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE,PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$ 1,519.60	US
334290L	Lenel	E923PPPTEK000NU-L02	PIVCLASS BUNDLE, EMBEDDED AUTHENTICATION MODULE & TWO RPKCL40-P TERMINAL READERS, FIRST YEAR EA MAINTENANCE AND SUPPORT INCLUDED, LENEL DIW, LENEL LOGO LBL & INSTALL GUIDE,PART INCLUDES EA-LICENSE2 AND FIRST YEAR M&S	\$ 1,563.24	US
334290L	Lenel	EA-LICENSE2	Two (2) Embedded Authentication Licenses	\$ 492.28	US
334290L	Lenel	EV-G06337	DYMO label writer 450 TURBO USB printer – Black and white, 300 DPI, support for XP USB and prints 71 labels per minute, with auto switching power supply	\$ 203.81	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	FP-ISO	ISO Image 30, Direct Printable both sides, standard configuration includes 26-bit Wiegand format, direct printable glossy front and back finish, inkjet sequential number marking on back matching internal proximity number [Min Order QTY of 100]	\$ 4.29	US
334290L	Lenel	FRGO-84051	HDP5000 YMCK: Full-color ribbon with resin black panel [500 prints per roll]	\$ 262.18	JP
334290L	Lenel	FRGO-84052	HDP5000 YMCKK: Full-color ribbon with two resin black panels [500 prints per roll]	\$ 313.16	JP
334290L	Lenel	FRGO-84053	HDP5000 HDP Film [1,500 prints per roll]	\$ 183.52	JP
334290L	Lenel	FRGO-84056	HDP5000 YMCKH: Full-color ribbon with resin black and Heat Seal panel [500 prints per roll]	\$ 374.33	JP
334290L	Lenel	FRGO-86414	Asure ID 7 Exchange - For organizations looking for intuitive card design, data management and advanced card personalization. Smart card management and maximum flexibility with external data.	\$ 3,140.28	US
334290L	Lenel	FRGO-89001	HDP5000 Dual-Sided Printing Module	\$ 1,190.94	JP
334290L	Lenel	FRGO-89201	HDP5000 ISO Magnetic Stripe Encoder, Tracks 1-3	\$ 682.02	JP
334290L	Lenel	FRGO-89660	HDP5000 Dual-Side Base Model Printer with Single-Side Lamination; 300 DPI resolution; USB Cable and Power cord included; three year printer warranty [including On-Call Express in the US for the first year] and lifetime warranty on the printhead	\$ 8,560.62	JP
334290L	Lenel	HOC-56KEXT	Communications Cable for all Lenel Intelligent Systems Controllers to LNL-56KEXT Dial up modem.	\$ 34.94	US
334290L	Lenel	ID-CHAIN	Neck Chain, 36", Nickel Plated (100 units)	\$ 58.23	HK

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ID-CLIP	Badge Clip, Clear Vinyl (100 units)	\$ 36.39	TW
334290L	Lenel	ID-LANYARD	Lanyard, Breakaway, Black* (100 units)	\$ 87.35	TW
334290L	Lenel	ID-MBHL	Magnetic Badge Holder, Landscape, CC, Black (100 units)	\$ 160.13	TW
334290L	Lenel	ID-MBHP	Magnetic Badge Holder, Portrait, CC, Black (100 units)	\$ 160.13	TW
334290L	Lenel	ID-RETRACT	Retractable Badge Clip, Black* (100 units)	\$ 436.72	HK
334290L	Lenel	ID-SPHH	Slot Punch, Hand Held, Heavy Duty	\$ 145.57	US
334290L	Lenel	ID-SPTT	Slot Punch, Table Top, Heavy Duty	\$ 727.86	US
334290L	Lenel	IDVM-ADV-FD	Enables OnGuard Visitor Management for OnGuard ADV system. Includes two (2) Front Desk Admin Client user licenses, unlimited number of visitor hosts and visits.	\$ 3,365.36	US
334290L	Lenel	IDVM-ES-FD	Enables OnGuard Visitor Management for OnGuard ES system. Includes one (1) Front Desk Admin Client user license, unlimited number of visitor hosts and visits.	\$ 1,960.21	US
334290L	Lenel	IDVM-FRONTDESK	Adds one (1) additional Front Desk Admin Client license to any of the IDVM FD licenses described above.	\$ 527.58	US
334290L	Lenel	IDVM-PRO/ENT-FD	Enables OnGuard Visitor Management for OnGuard PRO or ENT system. Includes three (3) Front Desk Admin Client user licenses, unlimited number of visitor hosts and visits.	\$ 4,712.05	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ISG-CMS100K	Integration for encoding 100,000 ActivIdentity Certificates	\$ 78,262.85	US
334290L	Lenel	ISG-CMS10K	Integration for encoding 10,000 ActivIdentity Certificates	\$ 19,567.22	US
334290L	Lenel	ISG-CMS1K	Integration for encoding 1,000 ActivIdentity Certificates	\$ 2,738.16	US
334290L	Lenel	ISG-CMS500	Integration for encoding 500 ActivIdentity Certificates	\$ 1,564.66	US
334290L	Lenel	ISG-CMS5K	Integration for encoding 5,000 ActivIdentity Certificates	\$ 10,550.50	US
334290L	Lenel	ISO-PVCM	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides with 1/2" 2750 HICO Mag Stripe, polywrapped in qty's of 100	\$ 0.34	US
334290L	Lenel	ISO-PVCST	VPVC Credit card size (500 Qty.), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	\$ 0.50	US
334290L	Lenel	LGE-00R	Instructor Regional Travel Expense Surcharge (PER STUDENT)	\$ 363.55	US
334290L	Lenel	LGE-00X	Onsite Training Expense Surcharge (PER WEEK) Includes instructor expenses, access control hardware, student laptop rental, and network equipment rental for up to 15 students.	\$ 11,990.17	US
334290L	Lenel	LGE-ACCESS	Advanced Access Control	\$ 1,569.62	US
334290L	Lenel	LGE-BIOMETRICS	Credentialing Technology & Biometrics	\$ 518.57	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LGE-CORE	OnGuard Hardware & Software Fundamentals	\$ 2,592.85	US
334290L	Lenel	LGE-CUSTOMREPORTS	Custom Reports	\$ 523.20	US
334290L	Lenel	LGE-DATABASE	Database	\$ 523.20	US
334290L	Lenel	LGE-DATAEXCHANGE	DataExchange	\$ 523.20	US
334290L	Lenel	LGE-ENTERPRISE	Enterprise Overview	\$ 1,037.13	US
334290L	Lenel	LGE-INTRUSION	Intrusion	\$ 1,046.41	US
334290L	Lenel	LGE-LLC	Lenel Learning Credit	\$ 916.12	US
334290L	Lenel	LGE-LLC-Custom	Customization of course content available on request. Requests require a pre-training planning call with the customer contact to determine customization needs and estimate of effort (hourly rate).	\$ 82.90	US
334290L	Lenel	LGE-SPECIALIST	System Administrator Specialist	\$ 2,616.04	US
334512	Lenel	LGE-VIDEO	Digital Video	\$ 1,555.71	US
334290L	Lenel	LGE-WIRELESSLOCKS	Wireless Lock Technology	\$ 518.57	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LNL-1100-S3	Input Control Module (Series three) –12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays) , RoHS, CE, C-Tick and UL294 certified	\$ 703.27	TW
334290L	Lenel	LNL-1200-S3	Output Control Module (Series three) – 12/24 VDC, 16 relay output control module , RoHS, CE, C-Tick and UL294 certified	\$ 703.27	TW
334290L	Lenel	LNL-1300-S3	Single Reader Interface Module (Series 3 - Supports OSDP Readers) – 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE, C-Tick and UL294 certified	\$ 328.30	TW
334290L	Lenel	LNL-1320-S3	Dual Reader Interface Module (Series 3 –Supports OSDP Readers) – 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	\$ 638.95	TW
334290L	Lenel	LNL-1324E	IP Door Interface, OSDP Readers only, two doors supported, maximum of four OSDP readers on a single RS-485 bus, in/out readers on each door, door contact, REX, and Strike for each door. If no readers are connected, LNL-1324E can be used as an IP Alarm Panel, with six inputs, and four relay outputs. Options to power the LNL-1324E: POE, POE+ OR 12VDC. Dimensions: 5.5 in. (140 mm) W x 2.75 in. (70 mm) L x 0.96 in. (24 mm) H without bracket 5.5 in. (140 mm) W x 3.63 in. (92 mm) L x 1.33 in. (34 mm) H with bracket. Requires OnGuard 7.6 or higher. Will not be available until OnGuard 7.6 is released.	\$ 1,376.34	US
334290L	Lenel	LNL-9420	MIFARE 2.5k bit 14443 memory card; clamshell style; with vertical slot punch [Min Order QTY of 100]	\$ 3.34	US
334290L	Lenel	LNL-9520M1	MIFARE 2.5k bit 14443 memory card with magnetic stripe; direct printable ISO Card [Min Order QTY of 100]	\$ 5.13	US
334290L	Lenel	LNL-9951	MIFARE/PROX Combo Card; 125KHz/13.56MHz; ISO 14443; HID Prox with Mifare 1K; preprogrammed 26 bit Prox; direct printable ISO Card [Min Order QTY of 100]	\$ 7.74	US
334290L	Lenel	LNL-9958	MIFARE/PROX Combo Card; 125kHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	\$ 9.10	US
334290L	Lenel	LNL-9958M1	MIFARE/PROX Combo Card with magnetic stripe; 125kHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	\$ 9.57	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LNL-AL600ULX-4CB6	Lenel UL Listed Power Supply – 12VDC 6A output, 115VAC (1.6 amps) input, continuous supply current with enclosure (24" x 18" x 4.5"), lock, tamper switch, power distribution module, UPS capable (Battery Optional) UL & CUL Approved (can house six standard sized boards, 6"x8")	\$ 683.63	US
334290L	Lenel	LNL-CBSB1001ART	Sticky back nylon spacers to mount LNL-500; LNL-3300; LNL-8000 on LNL Cabinets or Power Supplies [100 per bag]	\$ 62.06	US
334290L	Lenel	LNL-EMCSTO	Standoffs for LNL-ETHLAN-MICR125 [100 per pack]	\$ 40.72	US
334290L	Lenel	LNL-EV22KPP	DESFire EV2 ISO PVC 2K 13.56MHz - Pre-Programmed for LenelS2 BlueDiamond Readers [Min Order QTY of 100].	\$ 3.27	US
334290L	Lenel	LNL-MT11-401-201	Aptiq Mullion Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$ 323.15	US
334290L	Lenel	LNL-MT11-PIV3	Multi-Technology Mullion Reader: Designed to be mounted to a door mullion; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$ 271.55	US
334290L	Lenel	LNL-MT15-401-201	Aptiq Single Gang Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$ 323.15	US
334290L	Lenel	LNL-MT15-PIV3	Multi-Technology Single Gang Reader: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$ 323.15	US
334290L	Lenel	LNL-MTK15-401-201	Aptiq Single Gang with Keypad Reader, Black, OSDP, setup for Extended Packet Mode, for use in Embedded Authentication solution	\$ 518.79	US
334290L	Lenel	LNL-MTK15-PIV3	Multi-Technology Single Gang Reader with Keypad: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV /FASC-N [will also read cards encoded through OnGuard Secure Mifare]	\$ 433.29	US
334290L	Lenel	LNL-OLS120ACTXP2	4.0 A Power Supply with Enclosure - The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, a power distribution board with two 2A outputs. UPS capable (Battery Optional) with enclosure and lock (can house 2 boards); H 15.75" 400mm x W 12.25" 311mm x D 4.5" 114mm	\$ 388.83	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LNL-R11320-05TB	BlueDiamond Multi-Tech US Single Gang - Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID iCLASS, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision), OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$ 324.05	MX
334290L	Lenel	LNL-R11325-05TB	BlueDiamond Multi-Tech US Single Gang Reader with Keypad Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID iCLASS, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision), OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$ 508.82	MX
334290L	Lenel	LNL-R11330-05TB	BlueDiamond Multi-Tech Mini-Mullion Reader - Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1/EV2 Open Encoding, HID iCLASS, HID Proximity, LenelProx, and ProxLite. Connects to access panel via Wiegand, Supervised F/2F (2-state or 4-state supervision); OSDP with Secure Channel encryption support, Terminal Block connection, Black (BDC-TREADER or BDC-OUTPUT configuration card required for F/2F output).	\$ 259.79	MX
334290L	Lenel	LNL-SM10	Smart Mini-Mullion Reader: Compact smart reader, designed to fit in small spaces, or to be mounted to a door mullion; Black ; Wiegand interface; 75 bit PIV	\$ 155.07	US
334290L	Lenel	LNL-X2210	Intelligent Single Door Controller; powered by PoE, POE+ or 12 VDC @ 1.8A maximum; size 5.5 in. (140 mm) W x 3.63 in. (92 mm) L x 1.33 in. (34 mm) H with bracket; 6 MB standard cardholder flash memory, 50,000 of event memory; maximum of one door, two readers (entry and exit reader, OSDP Secure Channel encryption for one reader with OnGuard 7.2 and up, On-board PoE or PoE+ Ethernet, Dual Path capability, two inputs (supervised/unsupervised) for Door Contact and REX, two outputs (NO/NC), power fault input and cabinet tamper monitors. Reader power 12VDC@300mA max. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983,	\$ 842.78	US
334290L	Lenel	LNL-X2220	Intelligent Dual Reader Controller - powered by 12 or 24 VDC @ 500mA (w/o Rdr Power),, size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H); 6 MB standard cardholder flash memory, 50,000 of event memory, maximum of 32 devices, On-board Ethernet, Dual Path capability, on-board two door control, OSDP Secure Channel encryption with OnGuard 7.2, Wiegand or F2F; eight inputs, four outputs, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$ 1,757.47	US
334290L	Lenel	LNL-X3300	Intelligent system Controller - powered by 12 or 24 VDC @250mA,size (5 in.(127mm) Wx6 in.(152.4mm) L x1 in.(25mm) H); 15 MB standard cardholder flash memory, 50,000 Event memory. Two RS-485 ports for downstream devices, maximum of 64 devices, On-board Ethernet, Dual Path capability, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, cUL/ORD-C1076	\$ 2,064.20	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290PACS	Lenel	LNL-X4420	Intelligent Dual Reader Controller - powered by 12 or 24 VDC @ 500mA (w/o Rdr Power), size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H); 16 MB standard cardholder flash memory (96MB cardholder table can be enabled in OnGuard 7.4 or higher), 50,000 of Event memory, Two RS-485 ports for downstream devices, maximum of 64 devices, On-board Ethernet, Dual Path capability, on-board two door control with OSDP Secure Channel encryption or Wiegand; eight inputs, four outputs, cabinet tamper and power fault input monitors. Approvals: FCC Part 15, CE, RoHS, UL 294, UL 1076, CAN/ULC 60839-11-1:2016, CSA C22.2 No. 205-1983, UL/OPB-61076	\$ 3,393.40	US
334290L	Lenel	LP-CS	"Clam Shell" style Prox Badge, with laser etched card number, 26 bit default format, Pre-punched in Portrait Orientation (min order qty 100)	\$ 1.75	TW
334290L	Lenel	LP-CS-CSTM	"Clam Shell" style Prox Badge, with laser etched card number, Custom format, Pre-punched in Portrait Orientation (min order qty 100)	\$ 1.75	US
334290L	Lenel	LP-GR	Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format (min order qty 100)	\$ 2.88	US
334290L	Lenel	LP-GR-1KM	1K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time. 7 btye Mifare CSN.	\$ 5.92	US
334290L	Lenel	LP-GR-4KM	4K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time 7 Byte Mifare CSN.	\$ 6.59	TW
334290L	Lenel	LP-GR-CSTM	Graphics Quality both sides, ISO compliant credential with laser etched card number, Custom format (min order qty 100)	\$ 2.88	US
334290L	Lenel	LP-GRMAG	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, with 3 track High-Co ABA Magnetic Stripe (min order qty 100)	\$ 3.26	US
334290L	Lenel	LP-GRMAG-CSTM	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, Custom format, with 3 track High-Co ABA Magnetic Stripe (min order qty 100)	\$ 3.26	US
334290L	Lenel	LPGR-UHF-0-U	UHF, GRAPHICS QUALITY BADGE [min order qty 50]	\$ 4.36	TW

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LPHT-UHF-0-0	UHF HANG TAG, BLANK [min order qty 50]	\$ 6.52	TW
334290L	Lenel	LP-KT-CSTM	Proximity Key Tag with laser etched card number, Custom format, (Key Fob) (min order qty 50)	\$ 3.13	US
334290L	Lenel	LP-PW-CSTM	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, Custom format, (min order qty 50)	\$ 2.69	US
334290L	Lenel	LSM-3PA-ADV	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard ADV system. Requires OnGuard 7.5 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan at the time of purchase.	\$ 754.73	US
334290L	Lenel	LSM-3PA-ES	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard 32ES system. Requires OnGuard 7.5 or higher and active SUSP-W-ES support plan at the time of purchase.	\$ 376.62	US
334290L	Lenel	LSM-3PA-MAS	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard Enterprise Master (ENTMAS1) size system. Requires OnGuard 7.5 or higher and active SUSP-ENT-MAS support plan at the time of purchase.	\$ 6,034.77	US
334290L	Lenel	LSM-3PA-MAS-LT	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 5 size system. Requires OnGuard 7.5 or higher and active SUSP-W-ENT-MAS-LT support plan at the time of purchase.	\$ 3,017.38	US
334290L	Lenel	LSM-3PA-PRO-A	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 1 or 2 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-1 or TR-2 support plan at the time of purchase.	\$ 1,509.40	US
334290L	Lenel	LSM-3PA-PRO-B	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 3 or 4 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-3 or TR-4 support plan at the time of purchase.	\$ 3,017.38	US
334290L	Lenel	LSM-3PA-PRO-C	Non-expiring license for a single OnGuard 3rd Party Authentication (OIDC) directory connection for an OnGuard PRO Tier 5 size system. Requires OnGuard 7.5 or higher and active SUSP-PRO-TR-5 support plan at the time of purchase.	\$ 5,747.48	US
334290L	Lenel	LSM-CSS-ADV	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV support plan.	\$ 2,268.71	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSM-CSS-ES	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ES support plan.	\$ 1,702.84	US
334290L	Lenel	LSM-CSS-MAS	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-MAS support plan.	\$ 7,633.07	US
334290L	Lenel	LSM-CSS-MAS-LT	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-MAS-LT support plan.	\$ 4,007.69	US
334290L	Lenel	LSM-CSS-PRO-A	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-1 or TR-2 support plan.	\$ 4,131.24	US
334290L	Lenel	LSM-CSS-PRO-B	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-3 or TR-4 support plan.	\$ 13,897.64	US
334290L	Lenel	LSM-CSS-PRO-C	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-5 support plan.	\$ 28,174.34	US
334290L	Lenel	LSM-CSS-REG-A	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$ 3,970.55	US
334290L	Lenel	LSM-CSS-REG-B	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$ 8,514.15	US
334290L	Lenel	LSM-CSS-REG-C	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-5 support plan.	\$ 14,312.51	US
334290L	Lenel	LSM-CSS-REG-LT	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-LT support plan.	\$ 2,003.81	US
334290L	Lenel	LSM-CSS-REG-SM	Non-expiring license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-SM support plan.	\$ 1,702.84	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSM-MCI-ADV	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan at the time of purchase.	\$ 1,409.06	US
334290L	Lenel	LSM-MCI-ES	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ES support plan at the time of purchase.	\$ 914.15	US
334290L	Lenel	LSM-MCI-MAS	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan at the time of purchase.	\$ 22,440.59	US
334290L	Lenel	LSM-MCI-MAS-LT	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-MAS-LT support plan at the time of purchase.	\$ 8,415.27	US
334290L	Lenel	LSM-MCI-PRO-A	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan at the time of purchase.	\$ 2,666.91	US
334290L	Lenel	LSM-MCI-PRO-B	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan at the time of purchase.	\$ 8,485.03	US
334290L	Lenel	LSM-MCI-PRO-C	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan at the time of purchase.	\$ 21,035.91	US
334290L	Lenel	LSM-MCI-REG-A	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan at the time of purchase.	\$ 2,315.04	US
334290L	Lenel	LSM-MCI-REG-B	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan at the time of purchase.	\$ 5,400.77	US
334290L	Lenel	LSM-MCI-REG-C	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan at the time of purchase.	\$ 9,818.48	US
334290L	Lenel	LSM-MCI-REG-LT	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan at the time of purchase.	\$ 1,122.64	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSM-MCI-REG-SM	Non-expiring license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-SM support plan at the time of purchase.	\$ 626.74	US
334290L	Lenel	LSM-VSS	Non-expiring license for [1] Visitor Self Service Module (iPad Only Support). iPad not included. Quantity should be for total number of configured tablets. Requires at least one IDVM front desk license on the OnGuard server. iPad not included.	\$ 2,862.24	US
334290L	Lenel	LSM-WATCH-ADV	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV support plan.	\$ 2,360.11	US
334290L	Lenel	LSM-WATCH-ES	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ES support plan.	\$ 1,702.84	US
334290L	Lenel	LSM-WATCH-MAS	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-MAS support plan.	\$ 8,013.89	US
334290L	Lenel	LSM-WATCH-MAS-LT	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-MAS-LT support plan.	\$ 4,007.69	US
334290L	Lenel	LSM-WATCH-PRO-A	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	\$ 3,970.55	US
334290L	Lenel	LSM-WATCH-PRO-B	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	\$ 14,591.03	US
334290L	Lenel	LSM-WATCH-PRO-C	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-5 support plan.	\$ 28,174.34	US
334290L	Lenel	LSM-WATCH-REG-A	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	\$ 4,131.24	US
334290L	Lenel	LSM-WATCH-REG-B	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	\$ 8,514.15	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSM-WATCH-REG-C	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-5 support plan.	\$ 15,025.82	US
334290L	Lenel	LSM-WATCH-REG-LT	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-LT support plan.	\$ 2,003.81	US
334290L	Lenel	LSM-WATCH-REG-SM	Non-expiring license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-SM support plan.	\$ 1,702.84	US
334290L	Lenel	LSP-12DRLOCK-PWR	LSP LOCK POWER SUPPLY, 6A AT 24VDC OR 6A AT 12VDC, 16 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20HX16WX4.5D, UL, CUL, LIFETIME WARRANTY, FPO6-2R8E2	\$ 625.80	US
334290L	Lenel	LSP-150W-PS-ENCL	150W PS/CHARGER, 12A 12VDC OR 6A 24VDC, INTEGRATED FAI (FIRE ALARM INPUT), FAULT MONITORING, NETWORK READY, 14H X 12W ENCLOSURE, UL CUL, LIFETIME WARRANTY, FPO150-E1	\$ 410.61	US
334290L	Lenel	LSP-16DR-E6M1	LSP-16DR, E6M1 30H X 23W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE6M1	\$ 1,340.72	US
334290L	Lenel	LSP-16DR-E6M1WPA	LSP-16DR, E6M1 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE6M1/P16-A	\$ 3,187.36	US
334290L	Lenel	LSP-16DR-E8M1	LSP-16DR, E8M1 36H X 30W ENCL, FITS 8 LENEL CONTROLLERS PLUS (2) IO BOARDS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE8M1	\$ 2,022.65	US
334290L	Lenel	LSP-16DR-E8M1WPA	LSP-16DR, E8M1 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320 PANDUIT (WITH IO SPACE), 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE8M1/P16-A	\$ 3,610.54	US
334290L	Lenel	LSP-16DR-E8M2	LSP-16DR, E8M2 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P2D8PE8M2	\$ 1,920.89	US
334290L	Lenel	LSP-16DR-E8M2WPA	LSP-16DR, E8M2 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2C8P3D8PE8M2/P16-A	\$ 2,466.13	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSP-16DRN-E6M1	LSP-16DR-NET, E6M1 30H X 23W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E6M1	\$ 2,300.38	US
334290L	Lenel	LSP-16DRN-E6M1WPA	LSP-16DR-NET, E6M1 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-3D8P2M8PNL4E6M1/P16-A	\$ 3,728.28	US
334290L	Lenel	LSP-16DRN-E8M1	LSP-16DR-NET, E8M1 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS PLUS (2) IO BOARDS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E8M1	\$ 2,578.15	US
334290L	Lenel	LSP-16DRN-E8M1WPA	LSP-16DR-NET, E8M1 36HX30W ENCL PREWIRED FOR X2220, X4420, 2220 AND 7 1320 PANDUIT (WITH IO SPACE) 12A 12VDC SYSTEM AND 10A 24VDC LOCK 24 AUX PTC AND 16 MANAGED PTC OUTPUTS FITS 8AH BATTERY SETS, UL CUL, LIFETIME WRTY, FPO150/250-3D8P2M8PNL4E8M1/P16-A	\$ 3,610.37	US
334290L	Lenel	LSP-16DRN-E8M2	LSP-16DR-NET, E8M2 36H X 30W ENCL, FITS EIGHT LNL CONTROLLERS, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 16 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-2D8P2M8PNL4E8M2	\$ 2,476.35	US
334290L	Lenel	LSP-16DRN-E8M2WPA	LSP-16DR-NET, E8M2 36H X 30W ENCL, PREWIRED FOR X2220, X4420, 2220 AND 7 1320, PANDUIT, 12A 12VDC SYSTEM AND 10A 24VDC LOCK, 24 AUX PTC AND 16 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150/250-3D8P2M8PNL4E8M2/P16-A	\$ 2,901.40	US
334290L	Lenel	LSP-20DRLOCK-PWR	LSP LOCK POWER SUPPLY, 10A AT 24VDC, 24 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20HX16WX4.5D, UL, CUL, LIFETIME WARRANTY, FPO104-3R8E2	\$ 728.49	US
334290L	Lenel	LSP-4DR-E4M	LSP-4DR, E4M 24H X 20W ENCL, FITS TWO LNL CONTROLLERS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 AUX PTC AND 4 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO75-B100C4PD8PE4M	\$ 516.93	US
334290L	Lenel	LSP-4DR-E4MWTA	LSP-4DR, E4M 24H X 20W ENCL, PREWIRED FOR X2220, X4420, 2220, 1320, TIE WRAP, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 AUX PTC AND 4 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO75-B100C4PD8PE4M/T4-A	\$ 959.73	US
334290L	Lenel	LSP-4DRN-E4M	LSP-4DR-NET, E4M 24H X 20W ENCL, FITS TWO LNL CONTROLLERS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO75-B100M8PNL4E4M	\$ 1,057.12	US
334290L	Lenel	LSP-4DRN-E4MWTA	LSP-4DR-NET, E4M 24H X 20W ENCL, PREWIRED FOR X2220, X4420, 2220, 1320, TIE WRAP, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO75-B100M8PNL4E4M/T4-A	\$ 1,382.49	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSP-4DRN-RGM	LSP-4DR NETWORK RACKDRAWER, FITS (2) LENEL PANELS, 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 MANAGED PTC OUTPUTS, ENCL 19.00W x 3.50H x 20.50D W/ LOCKSET, WIRE MGMT ARM, UL CUL, LIFETIME WARRANTY, RGM75-M8PNZ	\$ 1,519.51	US
334290L	Lenel	LSP-4DRN-RGMWTA	LSP-4DR NETWORK RACKDRAWER, FITS (2) LENEL PANELS PREWIRED FOR X2220, X4420, 2220 AND 1320 TIE WRAP, POWER: 2A 12VDC SYS AND 2A 24VDC LOCK, 8 MANAGED PTC OUTS, ENCL 19.00Wx3.50Hx20.50D W/ LOCKSET, WIRE MGMT ARM, ULCUL, LIFETIME WRTY, RGM75B-M8PNZ/T4-A	\$ 1,977.56	US
334290L	Lenel	LSP-4DR-RGM	LSP-4DR RACKDRAWER, FITS (2) LENEL PANELS, POWER: 2A 12VDC SYSTEM AND 2A 24VDC LOCK, 8 LOCK PTC OUTPUTS, ENCL 19.00Wx3.50Hx20.50D W/ LOCKSET, WIRE MGMT ARM, UL CUL, LIFETIME WARRANTY, RGM75B-C8PZ	\$ 1,089.10	US
334290L	Lenel	LSP-4DR-RGMWTA	LSP-4DR RACKDRAWER, FITS (2) LENEL PANELS PREWIRED FOR X2220, X4420, 2220, 1320 TIE WRAP. POWER: 2A 12VDC SYSTEM AND 2A 24VDC LOCK 8 LOCK PTC OUTPUTS, ENCL 19.00x3.50x20.50 W/ LOCKSET, WIRE MGMT ARM, UL CUL, LIFETIME WARRANTY, RGM75B-C8PZ/T4-A	\$ 1,542.78	US
334290L	Lenel	LSP-6DRLOCK-PWR	LSP LOCK POWER SUPPLY, 3A AT 24VDC OR 4A AT 12VDC, 8 LOCK OUTPUTS WITH INPUTS, FUSED AT 3A EACH, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 14HX12WX4.5D, UL, CUL, LIFETIME WARRANTY, FPV4-R8E1	\$ 286.56	US
334290L	Lenel	LSP-75W-PS-ENCL	75W PS/CHARGER, 6A 12VDC OR 3A 24VDC, INTEGRATED FAI (FIRE ALARM INPUT), FAULT MONITORING, NETWORK READY, 14H X 12W ENCLOSURE, UL CUL, LIFETIME WARRANTY, FPO75-E1	\$ 298.33	US
334290L	Lenel	LSP-8DR-E4M1	LSP-8DR, E4M1 24H X 20W ENCL WITH DOOR MOUNT, FITS FOUR LNL CONTROLLERS (TWO MAIN, TWO DOOR), 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100C8PD8PE4M1	\$ 799.76	US
334290L	Lenel	LSP-8DR-E4M1WTA	LSP-8DR, E4M1 24H X 20W ENCL WITH DOOR MOUNT, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, TIE WRAP, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100C8P2D8PE4M1/T8-A	\$ 1,567.51	US
334290L	Lenel	LSP-8DR-E6M	LSP-8DR, E6M 30H X 23W ENCL, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100C8PD8PE6M	\$ 930.13	US
334290L	Lenel	LSP-8DR-E6MWPA	LSP-8DR, E6M 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, PANDUIT, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 LOCK PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100C8P2D8PE6M/P8-A	\$ 1,999.37	US
334290L	Lenel	LSP-8DRN-E4M1	LSP-8DR-NET, E4M1 24H X 20W ENCL WITH DOOR MOUNT, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E4M1	\$ 1,314.52	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSP-8DRN-E4M1WTA	LSP-8DR-NET, E4M1 24H X 20W ENCL WITH DOOR MOUNT, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, TIE WRAP, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B1002D8PM8PNL4E4M1/TR-A	\$ 1,518.72	US
334290L	Lenel	LSP-8DRN-E6M	LSP-8DR-NET, E6M 30H X 23W ENCL, FITS FOUR LNL CONTROLLERS, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 8 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B100D8PM8PNL4E6M	\$ 1,632.93	US
334290L	Lenel	LSP-8DRN-E6MWPA	LSP-8DR-NET, E6M 30H X 23W ENCL, PREWIRED FOR X2220, X4420, 2220 AND (3) 1320, PANDUIT, 4A 12VDC SYSTEM AND 4A 24VDC LOCK, 16 AUX PTC AND 8 MANAGED PTC OUTPUTS, FITS 8AH BATTERY SETS, UL CUL, LIFETIME WARRANTY, FPO150-B1002D8PM8PNL4E6M/P8-A	\$ 1,808.95	US
334290L	Lenel	LSP-CTX12DR	LSP 12DR PRE-WIRED CTX 10A 12VDC. PRE-WIRED FOR TWO (2) LENEL PANELS ON MAIN, FOUR ON (4) DOOR. 8 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERY, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPV102-D8PE2M1	\$ 437.45	US
334290L	Lenel	LSP-CTX20DR	LSP 20DR PRE-WIRED CTX 10A 12VDC. PRE-WIRED FOR FOUR (4) LENEL PANELS ON MAIN, SIX (6) ON DOOR. 16 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERY, 24H X 20W ENCL, UL CUL, LIFETIME WARRANTY, FPV102-2D8PE4M1	\$ 592.75	US
334290L	Lenel	LSP-CTX4DR	LSP 4DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE. PRE-WIRED FOR TWO (2) LENEL PANELS ON MAIN. 4A 12VDC WITH FAI, LOW BATTERY DISCONNECT NETWORK READY FITS 8AH BATTERY SETS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPV4-E2M	\$ 318.02	US
334290L	Lenel	LSP-CTX6DR	LSP 6DR PRE-WIRED CTX CROSS - SINGLE VOLTAGE. PRE-WIRED FOR THREE (3) LENEL PANELS ON MAIN. 4A 12VDC WITH 8 AUXILIARY PTC OUTPUTS, FAI, LOW BATTERY DISCONNECT, NETWORK READY, FITS 8AH BATTERY SETS, 20H X 16W ENCL, UL CUL, LIFETIME WARRANTY, FPV4-D8PE2M	\$ 338.17	US
334290L	Lenel	LSP-E1M	E1M ENCLOSURE WITH LENEL BOARD MOUNTING, 14H x 12W x 4.5D, BACKPLATE PATTERN FOR (1) CONTROLLER, MOUNTING KIT, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E1M	\$ 298.43	US
334290L	Lenel	LSP-E2M	E2M ENCLOSURE WITH LENEL BOARD MOUNTING, 20H x 16W x 4.5D, BACKPLATE PATTERN FOR (4) CONTROLLERS (2-3) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E2M	\$ 342.10	US
334290L	Lenel	LSP-E4M	E4M ENCLOSURE WITH LENEL BOARD MOUNTING, 24H x 20W x 6.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS (4-5) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E4M	\$ 410.51	US
334290L	Lenel	LSP-E4M1	E4M1 ENCLOSURE WITH LENEL BOARD MOUNTING IN MAIN AND DOOR, 24H x 20W x 6.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS (8-10) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E4M1	\$ 580.83	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSP-E6M	E6M ENCLOSURE WITH LENEL BOARD MOUNTING, 30H x 23W x 6.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS (4-5) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E6M	\$ 847.22	US
334290L	Lenel	LSP-E6M1	E6M1 ENCLOSURE WITH LENEL BOARD MOUNTING ON BACKPLATE AND DOOR, 30H x 23W x 6.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS (8-10) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E6M1	\$ 1,042.29	US
334290L	Lenel	LSP-E8M	E8M ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (6) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M	\$ 1,023.37	US
334290L	Lenel	LSP-E8M1	E8M1 ENCLOSURE WITH LENEL BOARD MOUNTING ON BACKPLATE AND DOOR, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (12) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M1	\$ 1,225.70	US
334290L	Lenel	LSP-E8M2	E8M2 ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (8) CONTROLLERS WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8M2	\$ 1,125.26	US
334290L	Lenel	LSP-E8MH	E8MH ENCLOSURE WITH LENEL BOARD MOUNTING, 36H x 30W x 6.5D, BACKPLATE PATTERN FOR (9) CONTROLLERS (7-8) WITH POWER, TAMPER SWITCH AND LOCKSET INCLUDED, UL, CUL, LIFETIME WARRANTY, E8MH	\$ 1,221.33	US
334290L	Lenel	LSP-EDGE-ENCL	POE ENCLOSURE FOR LNL-2210, 8.5H x 11W x 3.0D, ACCOMMODATES UP TO TWO LNL-2210 CONTROLLERS, MOUNTING KIT AND LOCKSET INCLUDED, LIFETIME WARRANTY, E5M	\$ 101.89	US
334290L	Lenel	LSP-EDGE-PWR-LRG	LSP-EDGE-LARGE, E1M, 14H X 12W ENCL, FITS (1) LNL-2210 PANEL WITH TWO 7AH BATTERIES, POWER: 6A 12VDC OR 3A 24VDC, FOUR LOCK OUTPUTS WITH INPUTS, PTC, CLASS 2 POWER LIMITED AT 2.5A, UL294, CUL S319, LIFETIME WARRANTY, FPO75-C4PE1M	\$ 434.77	US
334290L	Lenel	LSP-EDGE-PWR-SML	LSP-EDGE-SMALL, E5M, 8.5H X 11W ENCL, FITS (1) LNL-2210 PANEL WITH 4AH BATTERY, POWER: 6A 12VDC OR 3A 24VDC, UL294, CUL S319, LIFETIME WARRANTY, FPO75-E5M	\$ 248.65	US
334290L	Lenel	LSP-FPO250W-PS-BRD	FPO 250W POWER SUPPLY BOARD INPUT 110/230VAC, OUTPUT 12V 20A OR 24V 10A, 80AH BATTERY CHARGER INTEGRATED FAI, FAULT MONITORING, NETWORK READY, 8.25W x 5.5H x 2.5D INCLUDES MOUNTING HARDWARE, UL CUL, LIFETIME WARRANTY, FPO250	\$ 393.04	US
334290L	Lenel	LSP-FPO75W-PS-BRD	FPO 75W POWER SUPPLY BOARD, INPUT 110/230VAC, OUTPUT 12V 6A OR 24V 3A, 40AH BATTERY CHARGER, INTEGRATED FAI, FAULT MONITORING, NETWORK READY, 4.0Wx6.0Hx2.5D INCLUDES MOUNTING HARDWARE, UL CUL, LIFETIME WARRANTY, FPO75	\$ 190.71	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	LSP-MSM-25	BLOCK OF 25 LICENSES FOR MSM-ENTERPRISE. PURCHASE MULTIPLE BLOCKS FOR ADDITIONAL LICENSES. LSP ITEM: MSM-25	\$ 510.84	US
334290L	Lenel	LSP-RBE	BATTERY RACKMOUNT ENCLOSURE, 19.00W x 3.50H x 20.50D (2 OR 4 POST RACK), HOLDS UP TO FOUR (4) 12VDC, 7 - 8AH BATTERIES, LIFETIME WARRANTY, RBE	\$ 429.44	US
334290L	Lenel	NIS-CLEAR-TF	NiSCAClear-TF - Clear Thinfilm / Overlay [softcoat/overlay][450 printers/roll]	\$ 77.79	NO
334290L	Lenel	NIS-CLKIT-C101	Nisca Cleaning Kit PR5500K574KIT for PRC101 & PRC201: 5 Low-Tack cards-5000 prints	\$ 29.42	JP
334290L	Lenel	NIS-G2THIN	NiscaGenuine2 - Generic NiscaGenuineV2 - Thinfilm [softcoat / overlay][450/roll]	\$ 94.51	JP
334290L	Lenel	NIS-GSTHIN	NiscaSecureID-TF - Generic Secure ID - Thinfilm / Overlay [softcoat/overlay][450/roll]	\$ 93.16	JP
334290L	Lenel	NIS-NGYMCKO3	Ribbon NGYMCKO3/3BP for PR5350/PR3560LE/PR53LE/PRC151 printers [250/roll]	\$ 120.69	JP
334290L	Lenel	NIS-NGYMCKOPRC	Nisca Ribbon NGYMCKOPRC cartridge & cleaning rollers for the PRC-101 printer [250/roll]	\$ 120.69	JP
334290L	Lenel	NIS-YMCFK	Nisca ribbon NGYMCFK for PR5300,PR5310,PR5360LE,PR5350& PRC151 printers [250 prints/roll]	\$ 129.41	JP
334290L	Lenel	NIS-YMCKOK2	Nisca ribbon NGYMCKOK2 for PR5100, PR5200, PR5300, PR5310, PR5350 and PRC151 printers [210 prints/roll]	\$ 133.77	JP
334290L	Lenel	OCB-A-ADV-1	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard ADV systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$ 2,873.73	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	OCB-A-ES-1	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard 32ES systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$ 223.26	US
334290L	Lenel	OCB-A-PROENT-1	Non-expiring license for one seat of OnGuard Credentials Client and one seat of OnGuard Monitor client for OnGuard PRO and Enterprise systems only. Requires OnGuard 7.3 or higher for Credentials client, 7.4 or higher for monitor client.	\$ 2,899.44	US
334290L	Lenel	OCP-AMC-1	Non-expiring license for OnGuard Access Manager client. One required per concurrent client seat. Ordering this item increases the licensed client count by one. Requires OnGuard 7.4 or higher.	\$ 596.34	US
334290L	Lenel	OCP-OVC-ADD-1	Enables an additional OnGuard Visitor Client to extend an existing OnGuard Visitor Management system. Includes: Non-expiring license for (1) OnGuard Visitor client. Purchase requires OnGuard 7.5 or higher and that System has OnGuard Visitor Management License enabled.	\$ 447.97	US
334290L	Lenel	OCP-OVM-ADV	Non-expiring license for (2) OnGuard Visitor client and Visitor Management for ADV OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$ 3,309.29	US
334290L	Lenel	OCP-OVM-ES	Non-expiring license for (1) OnGuard Visitor client and Visitor Management for 32ES OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$ 1,863.99	US
334290L	Lenel	OCP-OVM-PRO/ENT	Non-expiring license for (3) OnGuard Visitor client and Visitor Management for Pro and Enterprise OnGuard systems. Purchase requires OnGuard 7.5 or higher. Allows unlimited number of visits. DOES NOT include CSS Visitor Host or Visitor Self Service (must be purchased separately).	\$ 4,695.42	US
334290L	Lenel	OG-32ES-M-16EP2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [7] LNL-1320-S3 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [1] LNL-CTX6 enclosure; [16] LNL-R11330-05TB BlueDiamond Mobile mini-mullion readers; [100] LNL-EV28KPP DESFire EV2 Pre-Programmed access cards and first year support plan for new systems.	\$ 8,148.76	US
334290L	Lenel	OG-32ES-M-16NCR2	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [7] LNL-1320-S3 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [1] LNL-CTX-6 enclosure and first year support plan for new systems.	\$ 6,182.47	US
334290L	Lenel	OG-32ES-M-4EP2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [1] LNL-1320-S3 two door interface module; [1] LNL-OLS75ACTX power supply with enclosure; [4] LNL-R11330-05TB BlueDiamond Mobile mini-mullion readers; [100] LNL-EV28KPP DESFire EV2 Pre-Programmed access cards and first year support plan for new systems.	\$ 3,280.35	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	OG-32ES-M-4NCR2	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [1] LNL-1320-S3 two door interface module; [1] LNL-OLS75ACTX power supply with enclosure and first year support plan for new systems.	\$ 2,522.69	US
334290L	Lenel	OG-32ES-M-8EP2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [3] LNL-1320-S3 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure; [8] LNL-R11330-05TB BlueDiamond Mobile mini-mullion readers; [100] LNL-EV28KPP DESFire EV2 Pre-Programmed access cards and first year support plan for new systems.	\$ 5,397.86	US
334290L	Lenel	OG-32ES-M-8NCR2	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-X2220 intelligent system controller; [3] LNL-1320-S3 two door interface module; [1] LNL-AL600ULX-4CB6 power supply with enclosure and first year support plan for new systems.	\$ 3,710.02	US
334290L	Lenel	PACS-SVC-14-00	pivCLASS PACS Service Component pivCLASS PACS Plug-in Software. This accessory must accompany any IDPublisher order. No separate maintenance and support required for this component.	\$ 4.96	US
334290L	Lenel	PRO-64RUP	64 Access Readers upgrade for all PRO systems, no maximum on number of readers.	\$ 2,156.10	US
334290L	Lenel	PVC-CM	pivCLASS Certificate Manager: Enables ongoing certificate checks post credential registration. One license per PACS. Second license required for redundant PACS if present. First year maintenance and support included.	\$ 12,462.21	US
334290L	Lenel	PVC-CM-MS	Annual maintenance and support contract for Certificate Manager (PVC-CM) .First year M&S included with product purchase.	\$ 1,620.66	US
334290L	Lenel	PVC-CM-REDNT	pivCLASS Certificate Manager Redundant Copy:For use as hot backup. One license per PACS. Primary PVC-CM required. First year maintenance and support included.	\$ 7,320.51	US
334290L	Lenel	PVC-CM-REDNT-MS	Annual Maintenance & Support contract for redundant pivCLASS Certificate Manager (PVC-CM-REDNT). First year M&S included with purchase.	\$ 1,146.30	US
334290L	Lenel	PVC-IDPUB500-MS	Annual Maintenance & Support contract for pivCLASS IDPublisher 500 badge capacity (PVC-IDPUB500). First year M&S included in purchase price.	\$ 1,176.88	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	PVC-IDPUBUNL	pivCLASS IDPublisher Unlimited badge capacity: Registers cardholders using a DB (IDMS or CMS). One per system. You must also order the appropriate PACS-SVC-14-00 component. First year maintenance and support included.	\$ 21,541.41	US
334290L	Lenel	PVC-MPX-CNSL	pivCLASS MultiPACS Console: Provides management interface for enrollment into separate PACS. Requires the additional purchase of MultiPACS connector per enterprise region or standalone system. First year maintenance and support included.	\$ 12,562.52	US
334290L	Lenel	PVC-MPX-CNSL-MS	Annual Maintenance & Support contract for MultiPACS Console (PVC-MPX-CNSL) First year M&S included with purchase.	\$ 1,966.45	US
334290L	Lenel	PVC-MPX-CNSL-REDNT	pivCLASS MultiPACS Console Redundant Copy: For use as hot backup. Primary PVC-MPX-CNSL required. First year maintenance and support included.	\$ 7,319.07	US
334290L	Lenel	PVC-MPX-CNX-14-00	pivCLASS MultiPACS Connector: A PACS specific connector is required for each separate PACS or enterprise region being serviced by the multiPACS console. First year maintenance and support included.	\$ 8,148.33	US
334290L	Lenel	PVC-MPX-CNX-MS	Annual Maintenance&Support contract for MultiPACS Connector (PVC-MPX-CNX-14-00) First year M&S included with purchase.	\$ 1,275.13	US
334290L	Lenel	SCH-ANT400-REM-IO	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	\$ 510.10	MX
334290L	Lenel	SCH-ANT400-REM-IO6	Directional Remote Indoor/Outdoor Antenna Module with 6dB Gain. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	\$ 459.38	MX
334290L	Lenel	SCH-GWE	SCHLAGE ENGAGE Gateway with RS-485, 12/24 VDC Input or PoE. Can be mixed on same bus a PIM400. Clear line of sight range to lock approximately 30.5m (100 ft). Environment and building construction materials will cause range variations. Single Gateway can support up to ten (10) NDE or LE wireless locks (if they are located within range).	\$ 381.67	MX
334290L	Lenel	SCH-WRI400	Wireless Reader Interface - Indoor or Outdoor - compatible with Wiegand or mag stripe interface readers - inputs for 2 paralld readers; requires 12 VDC power supply	\$ 840.49	MX
334290L	Lenel	SERIII-W	Scramble Keypad (Gray); The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. This unit may be powered from the SRCNX Reader Controller boards via a reader interface. Power requirements: 8-14 VDC. Standard color is gray	\$ 1,809.95	GB

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SERIII-WB	Scramble Keypad (Black); The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. This unit may be powered from the SRCNX Reader Controller boards via a reader interface. Power requirements: 8-14 VDC. Color is Black.	\$ 1,861.42	GB
334290L	Lenel	SIS-DELL	Installation and integration of OnGuard and SQL on server or client PC.	\$ 203.08	US
334290L	Lenel	SMA-MSO-1300-E3	MorphoSmart MSO 1300E3, Compact USB scanner for OnGuard OpenCapture enrollment. Plastic Housing. FBI IQS Certified	\$ 334.81	FR
334290L	Lenel	SMA-MSO-1300-V3	MorphoSmart MSO 1300V3, Compact USB scanner for OnGuard OpenCapture enrollment. Plastic Housing.	\$ 203.45	FR
334290L	Lenel	SMA-MSO300	MorphoSmart 500 ppi Optical Fingerprint sensor (Metal Housing, USB)	\$ 484.74	FR
334290L	Lenel	SMA-MSO301	MSO-300 with Fake Finger detection	\$ 895.26	FR
334290L	Lenel	SMA-MSO350PIV	MSO-300 with contact smart card reader and FBI certified sensor	\$ 711.85	FR
334290L	Lenel	SMA-MSO351	MSO-300 with Fake Finger detection and contact smart card reader	\$ 981.15	FR
334290L	Lenel	SMK-2	Scramble Keypad Surface Mount Kit (Gray); Surface Mount Kit and tamper proof screws. Standard color is gray.	\$ 236.21	GB
334290L	Lenel	SMK-2B	Scramble Keypad Surface Mount Kit (Black); Surface Mount Kit and tamper proof screws. Color is black.	\$ 248.57	GB
334290L	Lenel	SPMK-2	Panel Mount Kit w/ Steel Back Box (Gray); Steel back box with tamper proof screws	\$ 191.29	GB

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SPMK-2B	Panel Mount Kit w/ Steel Back Box (Black); Steel back box with tamper proof screws	\$ 191.29	GB
334290L	Lenel	STENTO-1002600100	IP-STATION LICENSE	\$ 464.59	NO
334290L	Lenel	STENTO-1002600200	IP-STATION LICENSE, CRM	\$ 786.31	NO
334290L	Lenel	STENTO-1002600300	IP-STATION LICENSE, SOFTCLIENT	\$ 1,007.72	NO
334290L	Lenel	STENTO-1002600700	SIP STATION LICENSE	\$ 430.53	NO
334290L	Lenel	STENTO-1002602101	SIP TRUNKING, 2 LINES	\$ 3,232.26	NO
334290L	Lenel	STENTO-1002602400	INTERFACE ENABLING - ALL INTERFACES NOT ON PORTS 6	\$ 1,917.97	NO
334290L	Lenel	STENTO-1002604100	ENHANCED AUDIO MESSAGING LICENSE	\$ 3,872.84	NO
334290L	Lenel	STENTO-1008007000	IP Desk Dual Display Station	\$ 1,246.17	NO
334290L	Lenel	STENTO-1008010100	IP 48-Key DAK Expansion Module for Control Room Master	\$ 1,429.72	NO
334290L	Lenel	STENTO-1008111010	TCIS-1, Yellow 1-Button w/M&C Keys, Audio only	\$ 1,133.56	NO

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	STENTO-1008111020	TCIS-2-SS 1-Button, Turbine audio only	\$ 1,208.31	NO
334290L	Lenel	STENTO-1008111030	TCIS-3-Black 1-Button, Turbine audio only	\$ 1,060.71	NO
334290L	Lenel	STENTO-1008111040	TCIS-4,Black 1-But w-Display, Turbine audio only	\$ 1,283.06	NO
334290L	Lenel	STENTO-1008111050	TCIS-5,Black 2-But w-Display, Turbine audio only	\$ 1,403.22	NO
334290L	Lenel	STENTO-1008111060	TCIS-6,Black Scroll-Display, Turbine audio only	\$ 1,524.35	NO
334290L	Lenel	STENTO-1008116010	TMIS-1, 1-Button, Turbine mini audio only	\$ 821.31	PL
334290L	Lenel	STENTO-1008116020	TMIS-2, SS 1-Button Turbine mini audio only	\$ 842.13	US
334290L	Lenel	STENTO-1008131020	TKIS-2 Turbine Station Kit	\$ 626.40	NO
334290L	Lenel	STENTO-1008132020	TKIE-2 Turbine Extended Module	\$ 1,057.86	PL
334290L	Lenel	STENTO-1008140010	Surface Back box Turbine onwall box (TA-1)	\$ 133.42	NO
334290L	Lenel	STENTO-1008140020	Flush Backbox Turbine TA-2	\$ 31.22	NO

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	STENTO-1008140050	Turbine TA-5 Bracket for 2-gan	\$ 51.09	NO
334290L	Lenel	STENTO-1008140120	Turbine Mini On Wall Back Box Black - TA-12	\$ 143.83	NO
334290L	Lenel	STENTO-1008140130	Turbine Mini On Wall Back Box White - TA-13	\$ 162.75	NO
334290L	Lenel	STENTO-1009641001	9641-001 1 Station License	\$ 594.22	NO
334290L	Lenel	STENTO-1009643001	9643-001 SIP Station License-1 User	\$ 358.61	NO
334290L	Lenel	STENTO-1009648001	License to use CRMV	\$ 775.89	NO
334290L	Lenel	STENTO-1009648012	Soft Client License - 6 licenses	\$ 5,787.98	NO
334290L	Lenel	STENTO-1009648501	Enhanced Auto Message License	\$ 3,746.05	NO
334290L	Lenel	STENTO-1009661001	IC-Edge Intercom License, required for stations 33-64	\$ 472.16	NO
334290L	Lenel	STENTO-1009661201	IC_Edge SIP Client Extention, Max of 10	\$ 463.65	NO
334290L	Lenel	STENTO-1009662001	IC-Edge Telephone Gateway	\$ 1,116.53	NO

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	STENTO-1072160000	1600 Series Turbine Sub Plate	\$ 180.73	NO
334290L	Lenel	STENTO-2809016000	1600 Deluxe Tower, Additional Customer Information Required when ordering	\$ 6,956.54	NO
334290L	Lenel	STENTO-2809016004	1600-04 Tower (OPT 4) w/ CCTV Mount Arm	\$ 9,136.61	NO
334290L	Lenel	STENTO-2809016010	1601 Econo Tower, Additional Customer Information Required when ordering	\$ 5,312.98	NO
334290L	Lenel	STENTO-2809016020	1602 DeluxeWall, Additional Customer Information Required when ordering	\$ 3,359.05	NO
334290L	Lenel	STENTO-2809016030	1603 Econo Wall, Additional Customer Information Required when ordering	\$ 2,608.71	NO
334290L	Lenel	STENTO-3006204094	MP-114 SIP Gateway	\$ 1,622.75	NO
334290L	Lenel	STENTO-ACXE7360601	AlphaCom XE7 Exchange-6	\$ 3,903.12	NO
334290L	Lenel	SUDS-NES-ENT	OnGuard User Direct Technical Support for Enterprise customers	\$ 10,900.15	US
334290L	Lenel	SUDS-NES-ENT-LT	OnGuard User Direct Technical Support for Enterprise Lite systems or Enterprise systems with two regions or less.	\$ 6,540.09	US
334290L	Lenel	SUSP-ADV-TR-1	ADV SUSP PLAN - Tier 1; 64-128 Readers. Covers ADV / ADVI / IDADV Systems	\$ 1,428.70	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SUSP-ADV-TR-2	ADV SUSP PLAN - Tier 2; 129-192 Readers. Covers ADV / ADVI Systems	\$ 1,956.25	US
334290L	Lenel	SUSP-ADV-TR-3	ADV SUSP PLAN - Tier 3; 193-256 Readers. Covers ADV / ADVI Systems	\$ 2,482.35	US
334290L	Lenel	SUSP-DV	DV Channel SUSP PLAN; SW support for each single video channel licenses Includes LNVR / LDVR / HVR / Integrated GO channels, Integrated TruVision channels, OAAP channels	\$ 14.52	US
334290L	Lenel	SUSP-ENT-MAS	Enterprise Master SUSP PLAN - Covers Enterprise Master Server	\$ 9,627.01	US
334290L	Lenel	SUSP-ENT-REG-TR-1	Enterprise Region SUSP PLAN - Tier 1; 128-256 Readers. Covers ENTREG1 Systems	\$ 3,911.03	US
334290L	Lenel	SUSP-ENT-REG-TR-2	Enterprise Region SUSP PLAN - Tier 2; 257-512 Readers. Covers ENTREG1 Systems	\$ 6,016.89	US
334290L	Lenel	SUSP-ENT-REG-TR-3	Enterprise Region SUSP PLAN - Tier 3; 513-1024 Readers. Covers ENTREG1 Systems	\$ 8,122.86	US
334290L	Lenel	SUSP-ENT-REG-TR-4	Enterprise Region SUSP PLAN - Tier 4; 1025-2048 Readers. Covers ENTREG1 Systems	\$ 12,334.67	US
334290L	Lenel	SUSP-ENT-REG-TR-5	Enterprise Region SUSP PLAN - Tier 5; 2049 or more Readers. Covers ENTREG1 Systems	\$ 18,050.64	US
334290L	Lenel	SUSP-PRO-TR-1	PRO SUSP PLAN - Tier 1; 128-256 Readers. Covers PRO / IDPRO / PROI Systems	\$ 3,911.03	US
334290L	Lenel	SUSP-PRO-TR-2	PRO SUSP PLAN - Tier 2; 257-512 Readers. Covers PRO / PROI Systems	\$ 6,016.89	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SUSP-PRO-TR-3	PRO SUSP PLAN - Tier 3; 513-1024 Readers. Covers PRO / PROI Systems	\$ 8,122.86	US
334290L	Lenel	SUSP-PRO-TR-4	PRO SUSP PLAN - Tier 4; 1025-2048 Readers. Covers PRO / PROI Systems	\$ 12,334.67	US
334290L	Lenel	SUSP-PRO-TR-5	PRO SUSP PLAN - Tier 5; 2049 or more Readers. Covers PRO / PROI Systems	\$ 18,050.64	US
334290L	Lenel	SUSP-VO	Video Only SUSP PLAN - SW support for Video Only Systems [SWS-DV purchases] SUSP-DV required for QTY of cameras on Video Only System.	\$ 75.58	US
334290L	Lenel	SUSP-W-ENT-MAS-LT	Enterprise Master Lite SUSP PLAN; covers up to 64 readers	\$ 5,008.11	US
334290L	Lenel	SUSP-W-ENT-REG-LT	Enterprise Region Lite SUSP PLAN; covers up to 64 readers	\$ 2,406.76	US
334290L	Lenel	SUSP-W-ENT-REG-SM	Enterprise Region Small SUSP PLAN; covers up to 32 readers	\$ 391.19	US
334290L	Lenel	SW-DVR2NVR-CH1	DVR to NVR Channel Conversion – Single channel conversion of Lenel DVR licenses (DV-CH-XXX) to Lenel NVR licenses (SW-LNR-CH1) for end users moving from away from Lenel DVR [analog recorders]. This part will convert 1 channel from DVR to LNVR allowing it to be used for an IP camera or a Hybrid recorder.	\$ 97.94	US
334290L	Lenel	SWG-1415	BioConnect/Suprema SW interface for biometric fingerprint authentication option [Includes DataConduIT - SWG-1140]. Not required for panel based OSDP biometrics - Order SWG-1407 for OSDP Panel Based Template applications	\$ 3,379.70	US
334290L	Lenel	SWG-1550	FIPS 201 Credential Management Integration, to enable support for integrated enrollment and authenticated reader management within OnGuard. FICAM Certified in conjunction with HID pivCLASS and Technology Industries EntryPoint Software and supported devices (sold separately). Consult your Lenel representative for details.	\$ 4,321.41	US
334290L	Lenel	SWG-1640	Enable Support for Bilingual DLL in OnGuard Allows OnGuard to directly communicate with Honeywell PW5000 & PW 6000 type access control platforms. A license required for OnGuard Server/Regional Server that needs to communicate to Honeywell panels.	\$ 15,645.32	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SWG-AUTH-002	License to enable two (2) Authenticating readers in OnGuard. This option requires SWG-1550, along with appropriate HID pivCLASS or Technology Industries EntryPoint software and suitable readers, controllers, and additional hardware and software to create a FIPS-201 FICAM compliant solution. Consult your Lenel representative for details.	\$ 137.03	US
334290L	Lenel	SWG-DV	OnGuard Digital Video Enabler. This option should be included if you already have purchased an OnGuard Access Control system and wish to turn on digital video. This license activates the digital video tab to show up in OnGuard so you can use IP - Analog or hybrid recorders and cameras in OnGuard. Also increments SWC-DVxxx license by one giving you one client of Digital Video included.	\$ 522.36	US
334290L	Lenel	SWG-IRIS	IrisAccess Software Interface option for OnGuard ES, ADV and PRO Solutions	\$ 3,341.93	US
334290L	Lenel	SWG-IRIS-ENT	IrisAccess Software Interface option for OnGuard ENT Solutions. This license is required for each region in which LG Iris templates will be enrolled.	\$ 4,915.90	US
334290L	Lenel	SWS-CLD-32ES	OnGuard Cloud Edition 32ES Server Software License Designed for use with the OnGuard Cloud Edition 32ES/ADV Amazon Machine Image (AMI) hosted in the Amazon AWS cloud. OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; OnGuard support for Remote Desktop Protocol; support for up to 32 card access readers and first year support plan for new systems.	\$ 1,032.44	US
334290L	Lenel	SWS-CLD-ADV	OnGuard Cloud Edition ADV Server Software License Designed for use with the OnGuard Cloud Edition 32ES/ADV Amazon Machine Image (AMI) hosted in the Amazon AWS cloud. OnGuard Server software license includes: System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; OnGuard support for Remote Desktop Protocol; support for up to 64 card access readers and first year support plan for new systems.	\$ 4,372.66	US
334290L	Lenel	SWS-CLD-PRO	OnGuard Cloud Edition PRO Server Software License Designed for use with the OnGuard Cloud Edition Pro Amazon Machine Images (AMIs) hosted in the Amazon AWS cloud. OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; OnGuard support for Remote Desktop Protocol; support for up to 128 card access readers and first year support plan for new systems.	\$ 17,729.11	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	SWS-ENTMAS1	OnGuard Enterprise Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 128 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (ChromaKey and Ghosting); support for up to 10 Regions and first year support plan for new systems. MUST BE SENT TO LENEL FOR CONFIGURATION (SOFTWARE IS SUPPORTED ON PC-CONFIG#5 PLATFORM)	\$ 40,542.37	US
334290L	Lenel	SWS-ENTMAS-LT	OnGuard Enterprise Lite Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; support for up to 64 local card access readers; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (ChromaKey and Ghosting); support for up to 8 Regions and first year support plan for new systems. NOTE: support for card access readers are based on regional server(s) card reader capacities with a maximum number of 512 readers total per Master-LT. MUST BE SENT TO LENEL FOR CONFIGURATION (SOFTWARE IS SUPPORTED ON PC-CONFIG#5 PLATFORM)	\$ 23,905.25	US
334290L	Lenel	UPC-OCBE2OCBA	Upgrade OCB-A-ES-1 to OCB-A-ADV-1 when upgrading from 32ES to ADV OnGuard system. One required for each existing OCB-A-ES-1 license	\$ 2,783.27	US
334290L	Lenel	UPC-OCBE2OCBP	Upgrade OCB-A-ES-1 to OCB-A-PROENT-1 when upgrading from 32ES to PRO or ENT OnGuard system. One required for each existing OCB-A-ES-1 license	\$ 2,783.27	US
334290L	Lenel	Z91-000C0000US00	ZEBRA ZXP SERIES 9 RETRANSFER SINGLE-SIDED CARD PRINTER, USB AND ETHERNET CONNECTIVITY, US POWER CORD	\$ 3,797.47	US
334290L	Lenel	Z91-0M0C0000US00	ZEBRA ZXP SERIES 9 RETRANSFER SINGLE-SIDED CARD PRINTER, MAGNETIC ENCODER, USB AND ETHERNET CONNECTIVITY, US POWER CORD	\$ 4,251.42	US
334290L	Lenel	Z92-000C0000US00	Zebra ZXP Series 9 Retransfer Dual-Sided Card Printer, USB and Ethernet Connectivity, US Power Cord	\$ 4,747.56	US
334290L	Lenel	Z92-0M0C0000US00	Zebra ZXP Series 9 Retransfer Dual-Sided Card Printer, Magnetic Encoder, USB and Ethernet Connectivity, US Power Cord	\$ 5,201.50	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Lenel	ZXP1-800011-140	Zebra Load-N-Go color ribbon for ZXP Series 1 YMCKO	\$ 43.69	US
334290L	Lenel	ZXP7-800077-742	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKO; 750 prints per roll	\$ 232.99	US
334290L	Lenel	ZXP7-800077-748	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 250 prints per roll	\$ 125.22	US
334290L	Lenel	ZXP7-800077-749	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 750 prints per roll	\$ 320.36	US
334290	Magnasphere	HS-L1.5-101	UL634 Level 1 rated BMS, single alarm contact, closed loop (N.C., no resistors) w/ pry tamper closed loop	\$ 94.21	US
334290	Magnasphere	HS-L1.5-101-C36-L3.5	UL634 Level 1 rated BMS, single alarm contact, closed loop (N.C., no resistors) w/ pry tamper closed loop - 36" armored cable	\$ 104.41	US
334290	Magnasphere	HS-L1.5-111	UL-634 Level 1 rated, two contacts - two closed Loop (N.C, no resistors)- w/ pry tamper closed loop	\$ 146.52	US
334290	Magnasphere	HS-L1.5-111-C36-L3.5	UL-634 Level 1 rated, two contacts - two closed Loop (N.C, no resistors)- w/ pry tamper closed loop - 36" armored cable	\$ 121.23	US
334290	Magnasphere	HS-L1.5-121	UL-634 Level 1 rated, two contacts - one N.O., one N.C. (no resistors)- w/ pry tamper closed loop	\$ 112.54	US
334290	Magnasphere	HS-OHD-121	HS-L1.5-121 (2 contacts - 1 N.O., 1 N.C. (no resistors)- w/ pry tamper closed loop) mounted to HS-1271 OHD rail mount bracket	\$ 160.31	US
334290L	Software House	131-912-5PK	ARM-1 Auxiliary Relay Module for RM Series Readers and Modules, 5-pack	\$ 307.28	CA

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	AS0073-5PK	I8 Eight Input Reader Bus Module, 5-pack	\$ 1,446.25	CA
334290L	Software House	AS0073-CSI-5PK	I8-CSI Eight Input Reader Bus Module Provides eight configurable supervised inputs. 5-pack	\$ 1,766.89	CA
334290L	Software House	AS0074-5PK	R8 Eight Output Reader Bus Module, 5-pack	\$ 1,716.79	CA
334290L	Software House	CC9000-ENHDOOR	C•CURE 9000 Enhanced Door Monitoring Option	\$ 4,258.57	US
334290L	Software House	CC9000-GT	C•CURE 9000 Guard Tour Option	\$ 1,549.78	US
334290L	Software House	CC9000-KIT-SQLC	C•CURE 9000 Software USB,Quick Start Guide, MS SQL Server 2016 Standard Edition w/5 CALs	\$ 1,159.00	CA
334290L	Software House	CC9000-L-MRDSU	CCURE 9000 Series L-M upgrade, second copy for redundant servers	\$ 561.13	US
334290L	Software House	CC9000-MAS6	C•CURE 9000 Master Application Server 6, License Only, 500,000 Global Cardholder Records (C•CURE 9000 Software Media Sold Separately)	\$ 30,878.77	US
334290L	Software House	CC9000-M-NRDSU	CCURE 9000 Series M-N upgrade, second copy for redundant servers	\$ 1,543.10	US
334290L	Software House	CC9000-MTSP	Migration of a single C•CURE 8000 to a single C•CURE 9000 Series S Plus (Migration Tool DVD and C•CURE 9000 Series S Plus USB and license Included)	\$ 35,471.34	US
334290L	Software House	CC9000-MTT	Migration of a single C•CURE 8000 to a single C•CURE 9000 Series T (Migration Tool DVD and C•CURE 9000 Series T USB and license Included)	\$ 56,059.41	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-N-PRDSU	CCURE 9000 Series N-P upgrade, second copy for redundant servers	\$ 1,980.65	US
334290L	Software House	CC9000-P-QRDSU	CCURE 9000 Series P-Q upgrade, second copy for redundant servers	\$ 3,283.27	US
334290L	Software House	CC9000-Q-RRDSU	CCURE 9000 Series Q-R upgrade, second copy for redundant servers	\$ 3,714.14	US
334290L	Software House	CC9000-RP-SRDSU	CCURE 9000 Series RP-S upgrade, second copy for redundant servers	\$ 13,620.73	US
334290L	Software House	CC9000-R-RPRDSU	CCURE 9000 Series R-R Plus upgrade, second copy for redundant servers	\$ 5,567.87	US
334290L	Software House	CC9000-SP-RDSU	CCURE 9000 Series SP, second copy for redundant servers	\$ 41,176.14	US
334290L	Software House	CC9000-SP-TRDSU	CCURE 9000 Series SP,-T upgrade, second copy for redundant servers	\$ 17,645.49	US
334290L	Software House	CC9000-SP-TSU	Upgrade Series S Plus System License to Series T Includes new license only (C•CURE 9000 Software Sold Separately) (Available for CCURE 9000 v2.50 and above)	\$ 22,054.36	US
334290L	Software House	CC9000-SQLCAL	SQL Server - Single CAL License	\$ 216.43	CA
334290L	Software House	CC9000-SSP	C•CURE 9000 Series S Plus System License Only, supports 3,500 readers, 500,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 51,466.84	US
334290L	Software House	CC9000-S-SPRDSU	CCURE 9000 Series S-S Plus upgrade, second copy for redundant servers	\$ 10,280.68	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9000-S-SPSU	Upgrade Series S System License to Series S Plus Includes new license only (C•CURE 9000 Software Sold Separately) (Available for CCURE 9000 v2.50 and above)	\$ 12,849.18	US
334290L	Software House	CC9000-ST	C•CURE 9000 Series T System License Only, supports 5,000 readers, 500,000 cardholders (C•CURE 9000 Software Media Sold Separately)	\$ 73,521.19	US
334290L	Software House	CC9000-T-RDSU	CCURE 9000 Series T, second copy for redundant servers	\$ 58,814.95	US
334290L	Software House	CC9-2FA-1	C•CURE 9000 Two Factor Mobile Authentication, 1 Reader	\$ 400.81	US
334290L	Software House	CC9-2FA-10	C•CURE 9000 Two Factor Mobile Authentication, 10 Readers	\$ 3,340.05	US
334290L	Software House	CC9-2FA-100	C•CURE 9000 Two Factor Mobile Authentication, 100 Readers	\$ 23,380.35	US
334290L	Software House	CC9-2FA-25	C•CURE 9000 Two Factor Mobile Authentication, 25 Readers	\$ 6,680.10	US
334290L	Software House	CC9-AVGVID-LG	C•CURE9000 AVIGILON CONTROL CENTER NVR Integration Large, Series RP to T	\$ 5,010.08	US
334290L	Software House	CC9-AVGVID-MD	C•CURE9000 AVIGILON CONTROL CENTER NVR Integration Medium, Series P to R	\$ 3,340.05	US
334290L	Software House	CC9-AVGVID-SM	C•CURE9000 AVIGILON CONTROL CENTER NVR Integration Small, Series L to N	\$ 1,670.03	US
334290L	Software House	CC9-AWF-LG	Access Management Workflow option, Series RPlus to T, or MAS 4,5,& 6 includes 1,000 Approvers/Requesters	\$ 6,680.10	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	CC9-AWF-MD	Access Management Workflow option, Series P to R, or MAS 1,2,& 3 includes 1,000 Approvers/Requesters	\$ 4,008.06	US
334290L	Software House	CC9-AWF-MD-UP	Access Management Workflow upgrade, Medium to Large	\$ 2,672.04	US
334290L	Software House	CC9-AWF-SM	Access Management Workflow option, Series L to N, &SiteServers includes 1,000 Approvers/Requesters	\$ 2,004.03	US
334290L	Software House	CC9-AWF-SM-UP	Access Management Workflow upgrade, Small to Medium	\$ 2,004.03	US
334290L	Software House	CC9-BCHVID-LG	C•CURE9000 BOSCH DVR/NVR Integration Large, Series RP to T	\$ 5,010.08	US
334290L	Software House	CC9-BCHVID-MD	C•CURE9000 BOSCH DVR/NVR Integration Medium, Series P to R	\$ 3,340.05	US
334290L	Software House	CC9-BCHVID-SM	C•CURE9000 BOSCH DVR/NVR Integration Small, Series L to N	\$ 1,670.03	US
334290L	Software House	CC9-MSTVID-LG	C•CURE9000 MILESTONE XPROTECT CORPORATE Integration Large, Series RP to T	\$ 5,010.08	US
334290L	Software House	CC9-MSTVID-MD	C•CURE9000 MILESTONE XPROTECT CORPORATE Integration Medium, Series P to R	\$ 3,340.05	US
334290L	Software House	CC9-MSTVID-SM	C•CURE9000 MILESTONE XPROTECT CORPORATE Integration Small, Series L to N	\$ 1,670.03	US
334290L	Software House	ESTAR001	iSTAR Edge 1-Reader, with Enclosure 64 MB RAM, supports 1 Wiegand reader, 12/24 VDC input.	\$ 738.16	CA

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	ESTAR001-MB	iSTAR Edge 1-Reader, Motherboard Only 64 MB RAM, supports one Wiegand reader, board only	\$ 607.89	CA
334290L	Software House	ESTAR001-MBP	iSTAR Edge 1-Reader, Motherboard with PoE Module	\$ 694.73	CA
334290L	Software House	ESTAR001-POE1	iSTAR Edge 1-Reader, with Enclosure and PoE Module 64 MB RAM, supports 1 Wiegand reader	\$ 825.00	CA
334290L	Software House	ESTAR002-MBP	iSTAR Edge 2-Reader, Motherboard with PoE Module 64 MB RAM, supports two readers, board only	\$ 1,239.16	US
334290L	Software House	IP-ACM2A-EM	IP-ACM v2 Ethernet Door Module, 2 rdr, in metal enclosure	\$ 701.41	CA
334290L	Software House	IP-ACM2A-EP	IP-ACM v2 Ethernet Door Module, 2 rdr, in plastic enclosure	\$ 701.41	CA
334290L	Software House	IP-ACM2A-MB	IP-ACM v2 Ethernet Door Module, 2 rdr, board only. Note – does not include right-angle Ethernet adaptor; must order separately if needed.	\$ 624.59	CA
334290L	Software House	IP-ACM2A-MB-5PK	IP-ACM v2 Ethernet Door Module, 2 rdr, board only, 5-pack. Note – does not include right-angle Ethernet adaptors; must order separately if needed.	\$ 2,805.64	CA
334290L	Software House	LYNX-16O-32	Lynx, 16 Output Device, 1A Relays	\$ 2,644.47	US
334290L	Software House	LYNX-32O-31	Lynx, 32 Output Device, 8A Relays	\$ 3,459.75	US
334290L	Software House	LYNX-32O-32	Lynx, 32 Output Device, 1A Relays	\$ 3,459.75	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	LYNX-480-31	Lynx, 48 Output Device, 8A Relays	\$ 4,433.00	US
334290L	Software House	LYNX-480-32	Lynx, 48 Output Device, 1A Relays	\$ 4,433.00	US
334290L	Software House	LYNX-40-32	Lynx, 4 Output Device, 1A Relays	\$ 1,452.18	US
334290L	Software House	LYNX-640-32	Lynx, 64 Output Device, 1A Relays	\$ 5,396.04	US
334290L	Software House	LYNXE-S5C-A	Lynx, Enterprise Software, 500 additional seats	\$ 3,952.33	US
334290L	Software House	LYNX-KEYPRO	Software, Lynx, Keypro, 25 client seats	\$ 433.11	US
334290L	Software House	LYNX-LHW-IDPNC-1	Lynx, wired, panic, indoor, without cover	\$ 402.51	US
334290L	Software House	LYNX-LHW-IDPNC-2	Lynx, wired, panic, indoor, with cover	\$ 636.91	US
334290L	Software House	LYNX-LHW-IDPNC-3	Lynx, wired, panic, indoor, hub	\$ 91.67	US
334290L	Software House	LYNX-LHW-IDPNC-4	Lynx, wired, panic, indoor, hub, locking	\$ 96.78	US
334290L	Software House	LYNX-LHW-ODPNC-2	Lynx, wired, panic, outdoor, with cover	\$ 810.18	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	LYNX-LHW-ODPNC-3	Lynx, wired, panic, outdoor, pkg lot	\$ 1,727.32	US
334290L	Software House	LYNX-MSGPRO	Software, Lynx, MessagePro, 100 client seats	\$ 1,523.52	US
334290L	Software House	LYNX-PA-3	Lynx, pa, audio output device	\$ 1,503.12	US
334290L	Software House	LYNX-WLR-INDOOR	Lynx, wlr, repeater, indoor	\$ 1,070.02	US
334290L	Software House	LYNX-WLR-OUTDOOR	Lynx, wlr, repeater, outdoor	\$ 1,171.95	US
334290L	Software House	LYNX-WLS-3	Lynx, wls wireless rec system	\$ 2,848.33	US
334290L	Software House	LYNX-WLT-ANLD-E	Lynx, wlt, analog input, dual	\$ 504.44	US
334290L	Software House	LYNX-WLT-BILL-1	Lynx, wlt, bill trap transmitter	\$ 433.11	US
334290L	Software House	LYNX-WLT-DOOR-1	Lynx, wlt, door pos transmitter	\$ 198.70	US
334290L	Software House	LYNX-WLT-IDPNC-3	Lynx, wlt, panic button, indoor, hub	\$ 382.17	US
334290L	Software House	LYNX-WLT-IDPNC-4	Lynx, wlt, panic button, indoor, hub, locking	\$ 402.51	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	LYNX-WLT-ODPNC-1	Lynx, wlt, panic button, outdoor, gray	\$ 606.31	US
334290L	Software House	LYNX-WLT-ODPNC-2	Lynx, wlt, panic button, outdoor, with cover	\$ 1,013.98	US
334290L	Software House	LYNX-WLT-ODPNC-3	Lynx, wlt, panic button, outdoor, parking lot	\$ 2,236.87	US
334290L	Software House	LYNX-WLT-PANIC-A	Lynx, wlt, panic button, single	\$ 214.01	US
334290L	Software House	LYNX-WLT-PIR-1	Lynx, wlt, pir transmitter	\$ 402.51	US
334290L	Software House	LYNX-WLT-TMPD-EI	Lynx, wlt, temp, 1 ext, 1 int sensor	\$ 657.31	US
334290L	Software House	LYNX-WLT-TMPH-I	Lynx, wlt, temp-rh, int sensor	\$ 605.70	US
334290L	Software House	RM-4-5PK	RM-4 Personality Module with Tamper Switch, 5-pack	\$ 1,369.42	CA
334290L	Software House	RM-4E-5PK	RM-4E Enhanced RM-4 board With two relay outputs, battery backup feature. 5-pack	\$ 1,766.89	CA
334290L	Software House	RM-4T	RM-4 Personality Module with Connector for Remote-Mounted Tamper Switch	\$ 287.24	US
334290L	Software House	RM-4TE	RM-4 Personality Module in Enclosure, with Lock and Enclosure-Mounted Tamper Switch	\$ 354.05	US

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	SWH-T.REX-XL	T.REX Exit Detector w/Tamper, Piezo, and Timer White	\$ 71.13	CA
334290PACS	Software House	USTAR008	iSTAR Ultra, 8 readers, w/enclosure, no PSU	\$ 4,899.86	CA
334290PACS	Software House	USTAR008-SE	iSTAR Ultra SE, 8 readers, w/enclosure, with 5A PSU	\$ 4,899.86	CA
334290PACS	Software House	USTAR008-SE-NPS	iSTAR Ultra SE, 8 readers, w/enclosure, no PSU	\$ 4,736.19	CA
334290PACS	Software House	USTAR016	iSTAR Ultra, 16 readers, w/enclosure, no PSU	\$ 6,549.84	CA
334290PACS	Software House	USTAR016-SE	iSTAR Ultra SE, 16 readers, w/enclosure, with 5A PSU	\$ 6,466.34	CA
334290PACS	Software House	USTAR016-SE-NPS	iSTAR Ultra SE, 16 readers, w/enclosure, no PSU	\$ 6,299.34	CA
334290PACS	Software House	USTAR-ACM	iSTAR Ultra ACM board, 8 readers. Includes USB cable	\$ 1,810.31	CA
334290PACS	Software House	USTAR-ACM-4U	ISTAR Ultra ACM in 4U Rack Enclosure, Supports up to 8 readers. Includes USB cable	\$ 2,140.98	CA
334290PACS	Software House	USTAR-ACM-SE	iSTAR Ultra SE ACM board, 8 readers. Includes USB cable	\$ 1,563.14	CA
334290PACS	Software House	USTAR-ACM-SE-4U	ISTAR Ultra SE ACM in 4U Rack Enclosure, Supports up to 8 readers. Includes USB cable	\$ 1,977.31	CA

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	USTAR-AP-GCM	iSTAR Pro-to-iSTAR Ultra SE Adaptor Plate, for GCM (ACMs don't need adaptor plate).	\$ 168.11	CA
334290L	Software House	USTAR-AP-ISC-1	ISC-to-iSTAR Ultra SE Adaptor Plate w/GCM and one ACM	\$ 5,023.44	CA
334290L	Software House	USTAR-AP-ISC-2	ISC-to-iSTAR Ultra SE Adaptor Plate w/GCM and two ACMs	\$ 6,670.09	CA
334290L	Software House	USTAR-CAN	iSTAR Ultra enclosure	\$ 330.67	CA
334290L	Software House	USTAR-GCM	iSTAR Ultra GCM board	\$ 3,126.29	CA
334290L	Software House	USTAR-GCM-2U	iSTAR Ultra GCM in 2U Rack Mount Enclosure GCM, 12VDC input. Supports up to 32 readers with addition of ACMs, IP-ACMs and/or Aperio or Schlage wireless locks	\$ 3,463.64	CA
334290L	Software House	USTAR-LT08-EM	iSTAR Ultra LT, supports 8 readers, w/metal encl, use IP-ACMs to connect local I/O wiring	\$ 1,142.30	CA
334290L	Software House	USTAR-LT08-EP	iSTAR Ultra LT, supports 8 readers, w/plastic encl, use IP-ACMs to connect local I/O wiring	\$ 1,142.30	CA
334290L	Software House	USTAR-LT08-MB	iSTAR Ultra LT main board, supports 8 readers	\$ 1,068.82	CA
334290L	Software House	USTAR-LT16-EM	iSTAR Ultra LT, supports 16 readers, w/metal encl, use IP-ACMs to connect local I/O wiring	\$ 1,723.47	CA
334290L	Software House	USTAR-LT16-EP	iSTAR Ultra LT, supports 16 readers, w/plastic encl, use IP-ACMs to connect local I/O wiring	\$ 1,723.47	CA

Stanley Convergent Security Solutions' GSA Net Pricebook

SIN	MANUFACTURER	PART NO	DESCRIPTION	GSA NET	COO
334290L	Software House	USTAR-LT16-MB	iSTAR Ultra LT main board, supports 16 readers	\$ 1,646.65	CA
334290L	Software House	USTAR-LT-SD	iSTAR Ultra LT SD Card, spare	\$ 66.80	CA
334290L	Software House	USTAR-SD	iSTAR Ultra SD Card, spare	\$ 66.80	CA
334290L	Software House	USTAR-SE-CAN	iSTAR Ultra SE enclosure	\$ 330.67	CA